| | | |
|---|---|---|
| H20 | The proposed solution should support network packet capturing and export of relevant files. Necessary documentation must be provided. | |
| H21 | The proposed solution should provide upgrades as a single software/patch | |
| H22 | The proposed solution should support multiple firmware uploads without resetting the device | |
| H23 | The proposed solution should support API integration. Necessary documentation must be provided. | |
| H24 | The DNS Solution should provide a detailed and customizable reporting dashboard. | |
| **I** | **Deployment, Support and Training** | |
| I1 | The proposed solution should support 100% data migration from existing solution. Necessary tools, hardware, manpower and resources should be provided by the bidder for conversion and migration of data from existing solution to new solution, as required. | |
| I2 | The solution should be designed and deployed onsite by the bidder resources after vetting and certification of the OEM. | |
| I3 | The proposed solution including the hardware and software should be under AMC for entire duration of contract as per scope of work. | |
| I4 | The proposed solution should have the highest available OEM support (Global) for 7 years from the date of deployment. | |
| I5 | Bidder should arrange for the necessary access to the support website and the license and digital support has to be registered in the name of the Bank. | |
| I6 | The Bidder shall ensure replacement of any faulty appliance/chassis within 4 hours of fault reporting. However, for faulty blades, SBI shall provide spare blades from its existing inventory maintained at each Data Centre, and the Bidder shall be responsible for replacement, installation, and restoration of services using the SBI-provided spare blade within the same 4-hour timeline. | |
| I7 | The bidder should arrange for offline training and expert level certification from OEM for 10 resources with proper documentation and technical guides. | |
| **J** | **Front-End Portal for Centralized DNS Management** | |
| **J1** | **Functional Requirement** | |
| 1 | The bidder should provide a comprehensive tool, henceforth referred to as “front-end solution”, through which all front-end DNS management tasks can be performed by the authorized users. | |

| | | |
|---|---|---|
| 2 | The solution should provide access control and enforce Multi-Factor Authentication (MFA) for all users. | |
| 3 | The solution should have the capability to manage the users, services, role-based privileges etc. | |
| 4 | The solution should support logical grouping of DNS records in terms of various parameters like departments, user groups, applications, location etc. | |
| 5 | The front-end solution should have the capability to fetch and list all resource records from the proposed DNS solution and keep the same updated and synchronized. | |
| 6 | The solution should allow specific privileges like, but not limited to-<br>a. Search<br>b. List<br>c. Select<br>c. Add / Create<br>d. Modify<br>e. Delete<br>the DNS records.<br>These shall be assignable privileges to a single user or group of users. The user/user group shall be further assignable to a logical group created. (Point 4) | |
| 7 | The solution should have DNS record validation mechanisms like:<br>a. Duplicate record checks<br>b. CNAME loop prevention<br>c. TTL validation<br>d. Name, IP etc. format validation<br>prior to record creation. | |
| 8 | The front-end solution should have a workflow for all activities pertaining to DNS solution as follows, but not limited to:<br>a. DNS record creation<br>b. DNS record modification<br>c. DNS records change schedules etc.<br><br>The workflow should have the capability to have maker-checker mechanism. The front-end solution should have capability to manage the maker-checker user groups separately. | |
| 9 | The successful L1 bidder / OEM must work with the Bank for finalization and creation of the above workflow with necessary additions and modifications not enumerated in this RFP. | |

| | | |
|---|---|---|
| 10 | The front-end solution shall be scalable and capable of handling future growth in DNS records, users, and departmental domains. | |
| 11 | The solution should provide reporting and analytics capabilities, including dashboards to monitor the number of records per department. | |
| **J2** | **Integration Requirement** | |
| 1 | The front-end solution should be capable of integrating with the Bank's Active Directory system over secure channels for fetching user/user groups and for user authentication. | |
| 2 | The front-end solution should have the support of automation of DNS record changes through APIs, integrations or any other mechanism proposed by bidder/OEM. | |
| 3 | The front-end solution should be integrated with Bank's ITSM solution for proper change and incident management. | |
| **J3** | **Security & Compliance** | |
| 1 | The solution should maintain a comprehensive audit trail of DNS related activities with logs exportable to integrated SIEM for monitoring. | |
| 2 | The bidder/OEM shall provide regular updates and patches for bug fixes, feature enhancements, and performance improvements throughout the contract period. | |
| 3 | The solution shall support non-disruptive patching to minimize downtime and ensure continuity of DNS management services. | |
| 4 | The solution shall maintain backward compatibility during patch updates to prevent disruption of existing configurations and integrations. | |
| 5 | The solution shall ensure encryption of all communication between the front-end portal, DNS servers, and end users using TLS 1.3 or higher, and encryption of sensitive DNS data at rest. | |
| 6 | The solution shall resist DoS/DDoS attacks targeting management functions. | |
| 7 | Annual vulnerability assessments and penetration testing shall be performed as per Bank's IS policy. Necessary upgrades and updates shall be provided by the bidder for compliance of all such security reviews. | |
| **J4** | **Availability & Performance** | |
| 1 | The solution should support high-availability deployment models (active-active or active-passive) to ensure resilience and continuity of DNS management locally as well as across datacenters. | |
| 2 | The solution should provide failover mechanisms to maintain DNS management continuity during outages. | |

| | | |
|---|---|---|
| 3 | The solution should meet a Recovery Time Objective (RTO) of ≤1 minutes and a Recovery Point Objective (RPO) of ≤ 15 minutes. | |
| 4 | The bidder shall ensure that critical security patches for the front-end solution are applied within 72 hours of release. | |
| **J5** | **Support & Maintenance** | |
| 1 | The bidder shall provide 24x7 support for the frontend solution with clearly defined Service Level Agreements (SLAs). | |
| 2 | The bidder/OEM shall provide complete documentation, training, and knowledge transfer for the deployed front-end solution to designated officials of the Bank as well as the Bank's Network Integrator (NI). | |
| 3 | The bidder/OEM shall be responsible for ongoing support, maintenance, and updates of the front-end solution for a period of 7 years. | |
| 4 | The bidder/OEM shall ensure that all required licenses, integrations, and dependencies for the front-end solution are included in the proposal and maintained throughout the contract period. | |
| 5 | The Front-end Solution, Centralized Manager, and Data Collector shall be deployed either on dedicated physical servers or as virtual servers. If deployed as virtual servers, the Bank shall provide the necessary underlying infrastructure through its private cloud. | |

Guidelines for Document submission.

1. Bidder should submit documents validating each technical requirement mentioned in above tables as part of the Bid.
2. The documents must be properly named, marked and grouped with clear mapping to each point in the RFP.
3. Bidders shall submit signed certificate from OEM confirming the technical compliance wherever the specific validating documents from OEM are not available.
4. Bidder shall submit undertaking for fulfilling the requirements specified by the RFP.

**Name & Signature of authorised signatory**

**Seal of Company**