HTML/CSS/JS INTERVIEW QUESTIONS

- 1. Which of the following is used for commenting multiple lines in HTML?
 - a) <!-- <h1> Heading </h1> -->
 - b) <!-- <h1> Heading </h1> !-->
 - c) <--! <h1> Heading </h1> --!>
 - d) <-- <h1> Heading </h1> -->
- 2. Which of the following are inline elements?
 - a) , , <a>
 - b) <div>, , <h1>
 - c) , <h1>,
 - d) <a>, <div>,
- 3. What is the purpose of <noscript> tag?
 - a) is used to include files other than a javascript file in a HTML file.
 - b) Is used to include image files in a HTML file.
 - c) is used to handle the browsers which do recognize <script> tag but do not support scripting.
 - d) is used in HTML files to remove javascript files from execution.
- 4. Which of the following is used as a container for drawing paths, boxes, circles, in HTML files?
 - a) <graph>
 - b) <draw>
 - c)
 - d) <canvas>

- 5. How can you open a link in a new tab/browser window?
 - a)
 - b)
 - c)
 - d)
- 6. Which of the following are elements?
 - a) <t>
 - b) <tc>
 - c) <thead><tfoot>
 - d)
- 7. What is the correct HTML statement for unordered list with circled bullets?
 - a)
 - Coffee
 - Tea
 - Milk
 - b)
 - Coffee
 - Tea
 - Milk

 - c) c) ul style="list-style:circle;">
 - Coffee
 - Tea
 - Milk

- 8. What is the correct HTML for making a drop-down list?
 - a) <dropdown>
 - b) <option>
 - c) <select>
 - d) <input type="dropdown" >
- 9. In HTML, onclick and onkeydown are:
 - a) Style attributes
 - b) Event attributes
 - c) Self-closing tags
 - d) HTML tags
- 10. Which element is used to group related data in a form?
 - a) <textarea>
 - b) <datalist>
 - c) <fieldset>
 - d) <legend>
- 11. Which attribute is used to specify an input field is compulsory?
 - a) placeholder
 - b) validate
 - c) textarea
 - d) required

- 12. An HTML tag that is used to display a web page within a web page.
 - a) <canvas>
 - b) <iframe>
 - c) <movie>
 - d) <video>
- 13. Which of the following represents the latest major releases of HTML, CSS and JS?
 - a) HTML5, CSS3, JS6
 - b) HTML5, CSS4, JS5
 - c) HTML4, CSS3, JS7
 - d) HTML6, CSS3, JS6
- 14. Which of the following is used to include an internal stylesheet?
 - a) a) src="styles.css" type="text/css" />
 - b) <style></style>
 - c) <styles> </styles>
 - d) <style="color: white">
- 15. Which CSS property is used to change the text color of an element?
 - a) textcolor
 - b) text-color
 - c) text-content
 - d) color
- 16. How do you change a word to uppercase by using CSS?
 - a) text-case: uppercase
 - b) text-style: uppercase
 - c) text-transform: uppercase
 - d) None of the above

- 17. What does this border style represent? border-width: 5px 10px 5px a) Top, left and right, bottom b) Left, top and bottom, right c) Top, bottom, left and right d) Top and bottom, left, right How do you select an id with id 'demo'? 18. a) .demo b) #demo c) *demo d) demo 19. How to select a p element in a div element? a) div p b) div > pc) p div
- 20. Which position property is used to take an element out of document flow?
 - a) Absolute

d) div + p

- b) Static
- c) Relative
- d) None of the above
- 21. Which of the following is true about { display: inline-block }?
 - a) Allows to set a width and height on the element.
 - b) Top and bottom margins are allowed to be set.
 - c) Does not add a line-break after the element.
 - d) All of the above.

22. Which of the following is correct usage of styling pseudo-classes?

- 23. Which of the following is the shorthand background property?
 - a) background: colour, image, repeat, position, attachment
 - b) background: colour, image, position, repeat, attachment
 - c) background: image, colour position, repeat, attachment
 - d) background: colour, image, repeat, attachment, position
- 24. Box-sizing property can take values:
 - a) border-box
 - b) content-box
 - c) inherit
 - d) All of the above
- 25. Which of the following is true about z-index?
 - a) An element with greater value is always in front of an element with lower value.
 - b) An element with lower value is always in front of an element with greater value.

- c) An element is not dependent on z-index.
- d) None of the above.
- 26. What is the output of the following JS code?

```
const x = 20;
x = 15;
console.log(x);
```

- a) x = 15
- b) x = 20
- c) Error: assignment to constant variable
- d) None of the above
- 27. const y = "Indian";
 console.log(y[6], y.length);

What is the output of the above code?

- a) n, 6
- b) n, 8
- c) undefined, 6
- d) ", 8
- 28. let array = ["Bill", "Jill", "Rachel"];
 array.unshift("Jack");
 console.log(array);

What is the output of the above code?

- a) ["Rachel", "Bill", "Jill", "Jack"]
- b) ["Bill", "Jill", "Rachel", "Jack"]
- c) ["Bill", "Jill", "Jack", "Rachel"]
- d) ["Jack", "Bill", "Jill", "Rachel"]
- 29. Which of the following are the data types used in JS?

- a) Number
- b) String
- c) Boolean
- d) All of the above
- 30. $i = i + 10 \rightarrow$ The statement is same as
 - a) i = +10
 - b) i += 10
 - c) i = i 10
 - d) None of the above
- 31. const sum = function (p, q) {
 return p + q;
 };
 const s = sum(2, 3);
 console.log(s);

The output of the function is

- a) s = 23
- b) Error
- c) s = 5
- d) None of the above
- 32. let person = {
 fname: "Joe",
 lname: "Biden",
 age: 70,
 fullname: function () {
 return this.fname + " " + this.lname;
 },
 };
 console.log(person.fullname);

The output of the above console.log() is

a) Joe Biden

b) f () {

return this.fname + " " + this.lname;
}

c) Undefined
d) this.Joe this.Biden

- 33. Which of the following is true about the switch statement?
 - a) default is compulsory at the end of the switch statement.
 - b) break causes the switch execution to stop.
 - c) Only limited number of cases can be define.
 - d) Apart from values and expressions, arrays and objects can be passed to switch statement.
- 34. Which of the following statements is true about JS hoisting?
 - a) Moving declarations to the top.
 - b) A variable can be declared after it has been used.
 - c) A variable can be used before it has been declared.
 - d) All of the above.
- 35. What is JSON?
 - a) JavaScript Object Notation.
 - b) Data interchange format.
 - c) Language independent.
 - d) All of the above
- 36. Which of the following DOM methods is used to change the colour of HTML element with id=p2?

- a) document.getElementById("p2").colour.style = "blue";
 - b) document.getElementById(p2).style.colour = "blue";
 - c) document.getElementById("p2").style.colour = blue;
 - d) document.getElementById("p2").style.colour = "blue";

37.

- a) Ooops!
- b) Ooops
- c) "Ooops!"
- d) Click on this text.
- 38. How to display the title of a document using DOM?
 - a) document.meta.title
 - b) document.innerHTML
 - c) document.title
 - d) document.head.title
- 39. Which of the following is true about displaying data in JS?
 - a) Using inner.HTML
 - b) document.write
 - c) console.log()
 - d) All of the above.
- 40. Which of the following is the correct definition of arrow function to print "hello world"?

- a) hello = () => "Hello World!";
- b) hello => () = "Hello World!";
- c) hello() => "Hello World!";
- d) None of the above
- 41. 'this' keyword has the following properties, except
 - a) It refers to the current object in the method.
 - b) In a function, it refers to global object.
 - c) In an event, it refers to the element that received the event.
 - d) In an arrow function, it refers to the window object.
- 42. Which of the following DOM methods is used to replace HTML elements?
 - a) insertBefore()
 - b) appendChild()
 - c) createElement()
 - d) insertBefore()
- 43. What is purpose of closures?
 - a) Global variables can be made local with closures.
 - b) Local variables can be made global with closures.
 - c) Global variables and local variables can change their scope using closures.
 - d) None of the above.
- 44. Which of the following are pop-up boxes?
 - a) Alert
 - b) Confirm
 - c) Prompt
 - d) All of the above

11

- 45. JavaScript uses the plus operator for
 - a) Addition of two numbers.
 - b) Concatenation of two strings.
 - c) Joining a number and a string.
 - d) None of the above.
- 46.

```
var str = "The position of find in this string is";
var pos = str.indexOf("find");
```

What is the output of the following code?

- a) 16
- b) 15
- c) 17
- d) None of the above.
- 47. The engine that runs javascript code on chrome browser is
 - a) V8 engine
 - b) SpiderMonkey
 - c) Chakra
 - d) JavaScript Core
- 48. What is the output of the following code? Math.floor(Math.random() * 10);
 - a) Any number from 1 to 9.
 - b) Any number from 1 to 100.
 - c) Any number from 0 to 10.
 - d) Any number from 0 to 9.
- 49. JavaScript debugging is possible by
 - a) Console.log() statements.

- b) Debugger
- c) Setting breakpoints
- d) None of the above.
- 50. What is the code for the following output?
 Sat Mar 20 2021 10:33:30 GMT+0530 (India Standard Time)
 - a) var d = new Date(2021, 2, 20, 10, 33, 30, 0);
 - b) var d = new Date(2021, 20, 3, 10, 33, 30, 0);
 - c) var d = new Date(2021, 3, 20, 10, 33, 30, 0);
 - d) var d = new Date(2021, 20, 2, 30, 33, 10, 0);
- 51. Which of the following are used to catch an error in JS?
 - a) try, catch, throw, finally
 - b) try, catch, error
 - c) print, catch, error, throw
 - d) console.log, scan, print
- 52. Multiline strings and embedding expressions can be done by using
 - a) Arrays
 - b) Objects
 - c) String Methods
 - d) Template Literals
- 53. Which of the following is correct?
 - a) HTML was written by Tim Berners-Lee in 1993.
 - b) CSS was developed by Håkon Wium Lie in 1994.
 - c) JS was developed by Brenden Eich in 1995.

d) All of the above.