

e-nkap - Secure Online Payments

INTEGRATION DOCUMENT

DEVELOPER EDITON

APPLICATION VERSION: 1.2.2

MAVIANCE CAMEROON PLC

CONTENTS

CONTENTS	1
INTRODUCTION - WHAT IS E-NKAP?	3
HOW IT WORKS	3
HOW TO REGISTER AND INTEGRATE WITH E-NKAP	3
MERCHANT FEATURES AND BENEFITS	4
A SINGLE CONTRACT FOR MULTIPLE PAYMENT METHODS	4
YOUR MONEY IS SAFE	4
ALL TRANSACTIONS IN ONE PLACE	4
SMS & EMAIL NOTIFICATIONS!	4
SUPPORTED PAYMENT METHODS	5
PLANNED PAYMENT METHODS	5
TECHNICAL CONCEPTS	5
OVERVIEW	5
INTEGRATING E-NKAP	5
HOW TO REGISTER FOR A MERCHANT ACCOUNT AND OBTAIN ACCESS TOKEN	5
HOW TO INTEGRATE – STEP BY STEP GUIDE	7
TRANSACTION HISTORY	10
ONLINE PAYMENT PROCESS FLOW	11
E-NKAP PAYMENT API: OVERVIEW OF METHODS	13
PAYMENT ORDER PLACEMENT API	13
QUERY PAYMENT STATUS API	13
QUERY PAYMENT DETAILS API	14
MERCHANT DEFAULT CALLBACK URL SETUP API	14
E-NKAP API DOCS	14
API REFERENCE	14
PAYMENT ORDER PLACEMENT	14
EXAMPLE	15

DATA TYPES	16
INPUT DATA TYPES:	16
OUTPUT DATA TYPES:	17
QUERY PAYMENT STATUS	17
EXAMPLE	18
DATA TYPES	18
OUTPUT DATA TYPES	18
QUERY PAYMENT DETAILS	19
EXAMPLE	20
DATA TYPES	21
CALLBACK URL SETUP API	22
EXAMPLE	23
DATA TYPES	23
INPUT DATA TYPES:	23
REDIRECTION AND INSTANT TRANSACTION NOTIFICATION API	24
REDIRECTION	24
EXAMPLE	24
CALLBACK INSTANT TRANSACTION NOTIFICATION	24
DATA TYPES	25
INPUT DATA TYPES:	25
EXAMPLE	25
TEST API USING API CLIENT	26
SAMPLE WEB SHOP	26

CHANGELOG

Version	Description
1.0	❑ First release
1.2	❑ Added Payout support via the merchant portal ❑ Improved responsiveness ❑ Added caching layer to improve payment page compilation speed
1.2.1	❑ Added support for optional order transaction fields via the POST /api/order endpoint. These fields are also returned in the GET /api/order response as well as in the new merchant notification email. ❑ Improved order transaction status checks by supporting system as well as merchant ids. Two new endpoints have been added (GET /api/order and GET /api/order/status). The existing API endpoints GET /api/order/{txid} and GET /api/order/{txid}/status have been deprecated and will be removed in future releases. ❑ Payment Provider, Account number and name of the user who executed the payment are now displayed in the transaction history table in the merchant portal ❑ Merchants can now opt-in to be notified after each successful transaction ❑ Merchants can now download the Transaction History from the merchant portal
1.2.2	❑ Added support for additional fields in the payment object response ❑ Payer Account Number ❑ Payer Account Name

1 INTRODUCTION - WHAT IS E-NKAP?

e-nkap is a payment platform that enables Cameroonians to buy and sell on the Internet using local payment solution. Planned solutions include Smobilpay (cash payments), MTN Mobile Money, Orange Money or Bank cards. In Cameroon, most payments happen with cash or mobile phones, not credit cards.

That means if you're an online merchant, PayPal isn't going to be enough--you're going to need something that's specific to the market. e-nkap is designed for that market.

1.1 HOW DOES IT WORK

Step 1: Merchant registers and integrates with e-nkap

- Register on the e-nkap merchant portal
- A registered e-nkap Merchant activates api account, subscribes to e-nkap api and obtains access token
- Merchant creates a website and
- the merchant integrates e-nkap for processing payments from customers

Step 2: A purchase is made

- A customer makes a payment using any of the supported payment methods via e-nkap.

Step 3: Payment reflects to the merchant

- e-nkap processes the payment
- The payment amount is held in a trust account at the bank.
- A trust account means that e-nkap does not have access to the money in the bank

Step 4: Notifications sent

- Notifications are sent to the merchant and the Customer with a summary of the transaction and the payment status.
- e-nkap has 24/7 customer service in case of any queries.

Step 5: Status is updated

- The merchant can track all transactions and payment statuses by logging in to their account.

Step 6: Payment settled

- The merchant issues a withdrawal request to e-nkap.
- e-nkap issues a bank transfer request to the bank and the money is deposited into the merchant's bank account.

1.2 HOW TO REGISTER AND INTEGRATE WITH E-NKAP

1.3 MERCHANT FEATURES AND BENEFITS

1.3.1 A single contract for multiple payment methods

Accept all popular electronic payment methods under one contract that follows International Service Level Agreements.

1.3.2 Your money is safe

Your money is held in a trust account by our bank partners to ensure safety and timely settlement.

1.3.3 All transactions in one place

Get all transactions in one place irrespective of which payment methods.

1.4 SUPPORTED PAYMENT METHODS

- Smobilpay
- MTN Mobile Money
- Express Union Mobile
- Orange Money

1.5 PLANNED PAYMENT METHODS

- Visa
- MasterCard
- American Express

2 TECHNICAL CONCEPTS

2.1 OVERVIEW

This document has been written to assist the programmers responsible for integrating e-nkap **Merchant Payment API** into a third party code base. The assumption has been made that the reader will be familiar with basic industry standard terms such as HTTPS, GET, POST, JSON, OAuth, etc, and that they will have a basic understanding of the way that APIs generally work.

Concepts

1. **OAuth:** <https://en.wikipedia.org/wiki/OAuth>
2. **JSON:** <https://en.wikipedia.org/wiki/JSON>
3. **HTTPS :** <https://en.wikipedia.org/wiki/HTTPS>
4. **POST:** https://en.wikipedia.org/wiki/POST_%28HTTP%29
5. **GET:** https://en.wikipedia.org/wiki/Hypertext_Transfer_Protocol#Request_methods

3 INTEGRATING E-NKAP

3.1 HOW TO REGISTER FOR A MERCHANT ACCOUNT AND OBTAIN ACCESS TOKEN



Username

Password

Login

☒ Stay logged in

[Create an account](#)

[Did you forget your password?](#)

Step 1

Register for an account in the merchant portal

- You need to create an account to get started.
- Your account will be reviewed and activated in no time by maviance team.
- Create an account here at:

<https://merchant.enkap.cm/merchant>

Step 2

Activate your API account

- Once your account is activated, you can login in to the portal and Activate your API account by clicking the button Activate API Account in API SETTINGS tab.
- By doing so, an email with the login credentials to the api manager is sent to your email.
- Also you have to configure the **Return URL** and **instant notification url**. E-nkap uses the return URL to redirect the customer after completing his transaction. At this stage, the transaction is in the "PENDING" status: The notification url is used to update the status of the transaction when it changes.



MY ACCOUNT

API SETTINGS

API help

API settings

API Settings

Your API Manager account is not activated yet. Click below to activate it.

Activate API Account

Applications

Select Application...

Tiers

Unlimited



Subscribe

Step 3

Subscription to e-nkap payment API


- In the merchant portal, you have a link to access to the api manager in order to subscribe to the API.
- Click on the "api manager" link.
- Sign in by providing username and password sent by email after activating the API account.
- Select e-nkap payment api in the Applications

- In the e-nkap payment api page, click on Subscribe button on the right hand side
- In the overview tab of the api, e-nkap payment api URL for sandbox and production can be obtained.

Step 4

Generate Token

- In the Api store, Navigate to Applications → DefaultApplication
- In DefaultApplication, Click on the “Production Keys” tab
- Set the value “259200” (token valid for 3 days) for Access token validity period.
- Click on Generate keys button and access token is generated
- Use this Access Token in the e-nkap payment api
- You can use your consumer key and consumer secret to renew access token
- use the button Show Keys in order to view the keys and token when the keys are hidden



The screenshot shows the 'DefaultApplication' interface with the 'Production Keys' tab selected. The 'Generate keys' button is visible. Below it, the 'Show Keys' button is present. The 'Consumer Key' and 'Consumer Secret' fields are shown as masked text (dots).

3.2 HOW TO INTEGRATE – STEP BY STEP GUIDE

We have outlined below the steps involved in integrating a website with e-nkap. Detailed process flow and the complete API reference are provided later.


Step 1

Build your site that will accept payments or donations from your customers.

The site will:

- collect customer information, such as First Name, Last Name and Email Address
- collect payment information, such as Amount and Currency

Please Note: the information you collect will be dependent on your site requirements. But some information is required by e-nkap




Step 2

Package the request to post to e-nkap and digitally sign it.

Once you have the customer and payment details, you need to package it to send to e-nkap.

This involves a few steps as we need to ensure that the communication between your site and e-nkap happens in a secure manner.

e-nkap uses **OAuth** to make sure that no one else interferes with the request you post to e-nkap




Step 3

Post the request to e-nkap and load the e-nkap payments page

When a request is posted, e-nkap will display a payments page. This is where the customer will make the payment.

You can embed this payments page directly in your site, providing a seamless experience to your customers.



Step 4

Display a post-payment page to your customer

Once the customer has completed the payment process on e-nkap, they will be redirected to a page on your site.

You can use this page to inform the customer that their payment is being processed.

Optionally, you can also query e-nkap at this point to see if the payment has completed successfully, has failed, or is still being processed.

Sample store header

Thank you for choosing Smobilpay for your payment!

Your payment is being processed. We will notify you once it has completed!

[Back to sample store name](#)

You will be redirected in 10 seconds to merchant's site.

©2012–2015 All Rights Reserved.
SmobilPay is a registered trademark of the maviance GmbH. [Privacy and Terms](#).

API Settings

You can manage your API account directly in the API Manager.

The following settings are required.

CALLBACK URLS ?

Return URL *

Instant notification URL

CUSTOMER SUPPORT CONTACT ?

Support E-mail *

Support Phone number

Support Web page

Step 5

Add URL to listen to Instant Transaction Notifications from e-nkap

Log in to your e-nkap account and set the Instant Transaction Notifications Settings.

Enter the URL at which e-nkap will redirect the customer once the payment has been completed.

Enter the URL (belonging to this domain) at which you will listen to notifications from e-nkap every time a state change has occurred on one of your transactions. For example, when a transaction goes from pending to successful or failed.

Enter your support information which will be added to any e-mail communication to the customer after the payment has been completed.

Step 6

Query e-nkap for payment status

One last step! When you receive an Instant Transaction Notification - ITN notification from e-nkap, you need to query e-nkap for the payment status using the e-nkap transaction ID and e-nkap merchant reference that was sent with the notification

A PENDING status indicates that the payment is being processed by e-nkap and the final status of payment (Successful or Rejected payment) is not yet known.

```
What is the status of the order with  
enkap_transaction_id = 123456789  
And  
enkap_merchant_reference = 98765
```

3.3 TRANSACTION HISTORY

Transactions History

- In the transaction history of the merchant portal, All the orders that are placed through e-nkap can be accessed.
- Status of an order is initially open and is updated based on the status of the chosen payment method.
- Independent of the payment method, all the payment transactions are listed in the transaction overview



MY ACCOUNT

API SETTINGS

Transactions history

Edit profile

Edit password

Transaction history

Page

1

 of 1 page | View

10

 per page | Total 1 records found.

Reset filter

Search

☐	Date	Order#	Name/Email	Amount	Details	Order status
	2018-10-23 - 2018-11-23			-		- select
☐	Nov 23, 2018	2949197728	vskommuru@gmail.com	XAF100.00	mala purchase	Paid


Actions

Select

Submit

3.4 ONLINE PAYMENT PROCESS FLOW

The following processes are involved when using the e-nkap for processing online payment:



Step 1:	Your Shop server invokes the payment order placement API of the e-nkap by providing the customer shopping cart information. Note that the shopping cart information is needed to display the shopping items for which the customer will be paid in the e-nkap portal.
Step 2:	e-nkap will authenticate your request and return as part of the response to the request, the redirection URL to where your shop server shall redirect the customer browser. The response of the order placement also contains an unique transaction Identifier which shall be used for any subsequent call to e-nkap for this order if needed (for example when querying the payment status).
Step 3:	Your shop server redirect the customer's browser to e-nkap payment processing portal using the provided redirect URL. e-nkap portal will present to the user the available payment options.
Step 4:	Customer selects the payment option he wants to use and confirm the payment. Depending on the payment provider, the payment order can be synchronous or asynchronous. Once the payment provider has accepted the payment order, e-nkap will redirect the customer to your Shop server to finalise the shopping. Please note that this redirection is optional.
Step 5:	As mentioned in Step 4, this step is optional. The e-nkap may redirect the customer browser to your shop server including the current payment status in the redirect URL as query parameter. The payment status could be in progress, finish, or cancel.
Step 6a:	In case the Instant Transaction Notification is not activated in your merchant account, the query payment status API can be used to query the current payment status by providing the unique e-nkap transaction Identifier which was provided to you in the initial payment order placement.
Step 6b:	In case the Instant Transaction Notification is activated in your account, e-nkap will call back the configured notification URL with the payment status once the payment has changed the status to completed or failed.

3.3 PAYMENT PROCESS FLOW WITH SMOBILPAY

When Smobilpay is selected as method of payment, the following processes take place;

1. Customer enters name and email and submits
2. The status of the transaction changes to **IN_PROGRESS**
3. Customer receives order number for the order by email.
4. The customer is redirected to the callback URL set in the merchant's API configuration settings.
5. Customer goes to a nearby Smobilpay agent with the order number and pays for the order
6. When payment is successful, the status changes to **COMPLETED** otherwise it changes to **FAILED**.

3.3 PAYMENT PROCESS FLOW WITH MTN MOBILE MONEY

When MTN Mobile Money is selected as method of payment, the following processes take place;

1. Customer enters name, and phone number and submits;
2. The status of the transaction changes to **IN_PROGRESS**.
3. Customer receives a USSD approval request from MTN to approve the payment of the order.
4. Customer approves the payment request by entering his secret code.
5. The customer's account is debited by the order amount.
6. If the transaction is successful, the status of the transaction changes **COMPLETED** otherwise it changes to **FAILED**

4 E-NKAP PAYMENT API: OVERVIEW OF METHODS

The following methods are available via the e-nkap Payment API.

4.1 PAYMENT ORDER PLACEMENT API

This API method is used by your server to create a payment order in the e-nkap system. The response body contains a redirect URL and an unique transaction ID. Your server must redirect the browser to that URL.

The unique transaction ID can be used subsequently to track the payment status for this transaction.

4.2 QUERY PAYMENT STATUS API

Use this to query the status of the transaction. When a payment transaction is posted to e-nkap, it may be in a IN PROGRESS, COMPLETED or FAILED state. If the transaction is IN PROGRESS, the payment may complete or fail at a later stage. Both the unique order id generated by your system and the e-nkap transaction id are required as input parameters.

4.3 QUERY PAYMENT DETAILS API

This method is the same as the Query Payment Status method, but it provides additional information about the payment. It includes also the payment option used by the customer for processing the payment.

4.4 MERCHANT DEFAULT CALLBACK URL SETUP API

Use this to programmatically setup the default callback URLs of your Merchant API account in the e-nkap system. The different callback URLs are:

- **redirect URL** which is the URL used to redirect the customer back to your site once the payment was submitted.
- **Instant Transaction Notification URL** which is the URL used to instantly notify the payment status.

5 E-NKAP API DOCS

API specification in swagger format can be found at

- url: [E-NKAP API Swagger Documentation](#)

6 API REFERENCE

6.1 PAYMENT ORDER PLACEMENT

Post a payment transaction to e-nkap.

URL	/api/order
HTTP method	POST
Request	
Content-Type	application/json
Path Params	none
Query Params	none
Header Params	Authorization: Bearer <access token>
Body	OrderPlacementRequest - [JSON]

6.1.1 Example

Request

```
POST /<path>/api/order HTTP/1.1
Host: <host>
Authorization: Bearer 3ab8b859e58ef8528b169c86af2ca
Accept: application/json
Content-Type: application/json; charset=UTF-8
Content-Length: 558
{
  "currency": "XAF",
  "customerName": "Che Devert",
  "description": "Order for electronics",
  "email": "maviance.akongnwi.devert@gmail.com",
  "expiryDate": "2018-11-25T14:47:03.597Z",
  "id": {
    "uuid": "45auf-dj76x-78dhg",
    "version": "1.0"
  },
  "items": [
    {
      "itemId": "12",
      "particulars": "Samsung Galaxy s6",
      "quantity": 2,
      "subTotal": 150000,
      "unitCost": 75000
    },
    {
      "itemId": "14",
      "particulars": "Sony TV HD12",
      "quantity": 1,
      "subTotal": 50000,
      "unitCost": 50000
    }
  ],
  "langKey": "en",
  "merchantReference": "abc123456",
  "orderDate": "2018-11-25T14:47:03.597Z",
  "phoneNumber": "+237653754334",
  "receiptUrl": "www.myshop.com",
  "totalAmount": 200000,
  "optRefOne": "myRef1",
  "optRefTwo": "myRef2"
}
```

Response

```
HTTP/1.1 201 Created
Content-Type: application/json; charset=UTF-8

{
  "orderTransactionId": "dc332ac8a45e452eb7543e059c586126",
  "merchantReferenceId": "abc123456",
  "redirectUrl":
  "https://dev.enkap.cm/payment/ui/auth?stxid=dc332ac8a45e452eb7543e059c586126"
}
```

6.1.2 Data Types

6.1.2.1 Input Data Types:

Name	Type	Required	Maximum Length	Description
id	object	N		id of the transaction generated by your system
id.uuid	string	N		uuid of the transaction generated by your system
id.version	string	N		version generated by your system for this transaction
langKey	string	N, default: en	2	The language key used in the payment option portal. It corresponds to the ISO-2 language. Current supported language keys: en, fr
description	string	N	100	The description of the order.
totalAmount	Float	Y		The total amount of the order.
Email	string	N		Email of the customer.
phoneNumber	string	N		Phone number of the customer.
customerName	string	N	50	The name of the customer.
currency	enum [XAF,CAD ,EUR,GBP, USD,NGN]	Y	3	The ISO-3 code of the currency
expiryDate	Date	N, default: 7 days		The date when the transaction will expired if the customer does not complete the payment. Date should be formatted based on ISO-8106 like "1970-01-01T00:00:00.000+0000"
orderDate	Date	N		The date of the order. e-nkap will generate one automatically using current date and time if not provided.

merchantReference	string	Y	36	This is the unique reference id of the shop. This will be used to query the status of the payment later on.
Items	List	N		
itemId	string	N	36	The unique id of the purchased item.
particulars	string	N	50	Description of the item.
unitCost	Float	N		Cost per unit of the purchased item.
Quantity	Integer	N		Quantity purchased.
Subtotal	Float	N		The subtotal of the line of items.
receiptUrl	string	N		Url of receipt
optRefOne	string	N		Optional order reference
optRefTwo	string	N		Optional order reference

6.1.2.2 Output Data Types:

Name	Type	Description
orderTransactionId	string	The tracking id of the transaction. This should be used for any query related API e.g. query the status of the payment.
merchantReferenceId	string	The unique reference id created by your system and provided in the request.
redirectUrl	string	The URL where to redirect the customer browser.

6.2 QUERY PAYMENT STATUS

Use to query the payment transaction status.

URL	/api/order/status
HTTP method	GET
Request	
Content-Type	none
Query Params	txid - the unique transaction id returned as response of the Order Placement call. Provide this parameter or the orderMerchantId parameter to query the status.

Query Params	orderMerchantId - the reference id generated by your system for this transaction which is also the merchantReference sent in the POST /api/order request. Provide this parameter or the txid parameter to query the status.
Header Params	Authorization: Bearer <access token>
Body	none

Response

Content-Type	application/json
Status Code	200 - OK
Error Codes	400 - [Bad Request] Parameters are not valid. 401 - [Unauthorised] 403 - [Forbidden] User didn't provide the right credentials. 404 - [Not Found] Payment transaction with the given transaction id does not exist. 500 - [InternalServerError] Internal server error.
Body	QueryPaymentStatusResponse - [JSON]

6.2.1 Example

Request

```
GET /<path>/api/order/status?orderMerchantId=abc123456 HTTP/1.1
Host: <host>
Authorization: Bearer 3ab8b859e58ef8528b169c86af2ca
Accept: application/json
```

Response

```
HTTP/1.1 200 OK
Content-Type: application/json; charset=UTF-8
{
  "status": "CREATED"
}
```

6.2.2 Data Types

6.2.2.1 Output Data Types

Name	Type	Description
------	------	-------------

Status	string	Possible values: CONFIRMED - When the payment was successful and confirmed by the payment provider. IN_PROGRESS - When the payment was submitted to payment provider and no confirmation is received yet. FAILED - The payment failed to complete by the payment provider. CANCELED - The payment was cancelled either by payment provider or due to expiration. Please note the expiration of payment is depending on the payment provider. CREATED - The payment order was created by the Order Placement call. INITIALISED - The customer has been redirected to the e-nkap payment option portal successfully.
---------------	--------	---

6.3 QUERY PAYMENT DETAILS

Use this to get the details information about the payment transaction. This includes the payment option which was used by the customer.

URL	/api/order
HTTP method	GET

Request	
Content-Type	none
Query Params	<i>txid</i> - the unique transaction id returned as response of the Order Placement call. Provide this parameter or the orderMerchantId parameter.
Query Params	orderMerchantId - the reference id generated by your system for this transaction which is also the merchantReference sent in the POST /api/order request. Provide this parameter or the txid parameter.
Header Params	Authorization: Bearer <access token>
Body	none

Response	
Content-Type	application/json
Status Code	• 200 - OK

Error Codes	• 400 - [Bad Request] Parameters are not valid. • 401 - [Unauthorised] • 403 - [Forbidden] User didn't provide the right credentials. • 404 - [Not Found] Payment transaction with the given transaction id does not exist. • 500 - [InternalServerError] Internal server error.
-------------	--

Body	QueryPaymentDetailsResponse - [JSON]
------	--------------------------------------

6.3.1 Example

Request

```
GET /<path>/api/order?orderMerchantId=abc123456 HTTP/1.1
Host: <host>
Authorization: Bearer 3ab8b859e58ef8528b169c86af2ca
Accept: application/json
```

Response

```
HTTP/1.1 200 OK
Content-Type: application/json; charset=UTF-8

{
  "id": {
    "uuid": "dc332ac8a45e452eb7543e059c586126"
  },
  "paymentStatus": "CREATED",
  "order": {
    "id": {
      "uuid": "dc332ac8a45e452eb7543e059c586126"
    },
    "merchantId": {
      "uuid": "ff1d61e12b4b42a19a2f50d899718939"
    },
    "orderDate": "2018-11-25T14:47:03.597+0000",
    "totalAmount": 200000,
    "description": "Order for electronics",
    "merchantReference": "abc123456",
    "email": "maviance.akongnwi.devert@gmail.com",
    "phoneNumber": "+237653754334",
    "customerName": "Che Devert",
    "currency": "XAF",
    "items": [
      {
        "itemId": "12",
        "particulars": "Samsung Galaxy s6",
        "quantity": 2,
        "unitCost": 75000,
        "subTotal": 150000
      },
      {
        "itemId": "14",
        "particulars": "Sony TV HD12",
        "quantity": 1,
        "unitCost": 50000,
        "subTotal": 50000
      }
    ],
    "langKey": "en",
    "expiryDate": "2018-11-25T14:47:03.597+0000",
    "receiptUrl": "www.myshop.com",
    "optRefOne": "myRef1",
    "optRefTwo": "myRef2"
  }
}
```

6.3.2 Data Types

In addition to the Input Data Types of the Order Placement Request, following data will be returned:

Name	Type	Description
------	------	-------------

paymentStatus	string	Possible values: CONFIRMED - When the payment was successful and confirmed by the payment provider. IN_PROGRESS - When the payment was submitted to payment provider and no confirmation is received yet. FAILED - The payment failed to completed by the payment provider. CANCELED - The payment was cancelled either by payment provider or due to expiration. Please note the expiration of payment is depending on the payment provider. CREATED - The payment order was created by the Order Placement call. INITIALISED - The customer has been redirected to the e-nkap payment option portal successfully.
paymentDate	string	The date when the payment was confirmed. Format: SO-8106 like "1970-01-01T00:00:00.000+0000"
paymentProviderName	string	The name of the payment option or provider which was used for processing the payment.
paymentProviderId	String	The unique identifier of the payment provider.
Id	String	The transaction Id of this payment.
payerAccountName	String	The account name of the person who did the actual payment
payerAccountNumber	String	The account number of the person who did the actual payment

6.4 CALLBACK URL SETUP API

Use this API to configure programmatically the redirect and Instant Transaction Notification URL.

URL	/api/order/setup
HTTP method	PUT
Request	
Content-Type	application/json
Path Params	none
Query Params	none
Header Params	Authorization: Bearer <access token>
Body	CallbackURLSetupRequest - [JSON]

6.4.1 Example

Request

```
PUT /<path>/api/order/setup HTTP/1.1
Host: <host>
Authorization: Bearer 3ab8b859e58ef8528b169c86af2ca
Accept: application/json
Content-Type: application/json; charset=UTF-8

{
  " returnUrl": "http://api.my-eshop.enkap.de/bestmov",
  " notificationUrl": " http://api.my-eshop.enkap.de/bestmov/callback"
}
```

Response

```
HTTP/1.1 200 OK
```

6.4.2 Data Types

6.4.2.1 Input Data Types:

Name	Type	Required	Maximum Length	Description
returnUrl	string	Y	255	The URL to which the customer will be redirected once the payment has been completed in the e-nkap portal. When invoking this URL, e-nkap redirects the browser with the following URL: <your return URL>/<your_reference_id>?status=<status> Where: • <your_reference_id>: is the unique reference id that is generated by your server and provided to e-nkap in the initial order placement request. • <status>: gives you the current payment status. Example: returnUrl: http://api.my-eshop.enkap.de/bestmov enhanced return URL by e-nkap: http://api.my-eshop.enkap.de/bestmov/32dd667-134grf0388?status=IN_PROGRESS
notificationUrl	string	Y	255	The callback URL to which e-nkap will notify your E-Shop whenever the payment status has changed. When invoking this URL, e-nkap calls your server with the following enhanced notification URL: <notificationUrl>/<your_reference_id> where:

- `<your_reference_id>`: is the unique reference id that is generated by your server and provided to e-nkap in the initial order placement request.

7 REDIRECTION AND INSTANT TRANSACTION NOTIFICATION API

While the redirection is the process to redirect the customer's browser to your E-Shop server once the payment has been completed in the e-nkap portal, the Instant Transaction Notification – ITN in another hand is a call back process i.e. e-nkap being a client and your E-Shop being the server to notify your E-Shop server once the payment status has changed.

7.1 REDIRECTION

This functionality can only work if you have configured the redirect URL in your account. This can be configured programmatically with the e-nkap Callback URL Setup API. Alternatively, it can be configured directly from your e-nkap Portal account.

When invoking this URL, e-nkap server appends your reference ID that was generated by your server in the initial order placement request and the payment status with the following URL:

`<returnUrl>/<your_reference_id>?status=<status>`

Where:

- **returnUrl**: is the URL configured by you
- **your_reference_id**: the unique reference id of this payment that was generated by your server and provided to e-nkap in the initial order placement request.
- **status**: the current payment status. See 5.2.2.1

7.1.1 Example

returnUrl: <http://api.e-shop.enkap.de/return>

Called URL by e-nkap: http://api.e-shop.enkap.de/return/112238uy77889w?status=IN_PROGRESS

7.2 CALLBACK INSTANT TRANSACTION NOTIFICATION

In the call back Instant Transaction Notification, e-nkap calls the configured notification URL.

URL	<code><notificationUrl>/<your_reference_id></code>
HTTP method	PUT
Request	
Content-Type	application/json
Path Params	none

Query Params	none
Body	PaymentStatusNotificationRequest - [JSON]

7.2.1 Data Types

7.2.1.1 Input Data Types:

Name	Type	Required	Maximum Length	Description
status	string	Y	25	The payment status. Possible values: CONFIRMED - When the payment was successful and confirmed by the payment provider. IN_PROGRESS - When the payment was submitted to payment provider and no confirmation is received yet. FAILED - The payment failed to complete by the payment provider. CANCELED - The payment was cancelled either by payment provider or due to expiration. Please note the expiration of payment is depending on the payment provider. CREATED - The payment order was created by the Order Placement call. INITIALISED - The customer has been redirected to the e-nkap payment option portal successfully.

7.2.2 Example

Assuming the notification URL was configured as:

<http://api.e-shop.maviance.de/callback>

The generated URL request is:

<http://api.e-shop.maviance.de/callback/2f370df2>

Request

```
PUT /2f370df2 HTTP/1.1
Host: api.e-shop.enkap.de/callback
Content-Type: application/json; charset=UTF-8
{
  "status": "CONFIRMED"
}
```

Response

HTTP/1.1 200 OK

8 TEST API USING API CLIENT

To ease implementation, the full API description is available as a swagger document.

We recommend the use of the following tool to view the API and also to generate client code in the required language

➤ url: <https://editor.swagger.io/#>

API specification in swagger format can be found at

9 SAMPLE WEB SHOP

The sample webshop demonstrates the integration of e-nkap payment gateway and stands as model for inspiration

URL	http://188.68.40.246:8070/home
-----	---

Credentials

username	user
password	password
