


HTML

- Hyper Text Markup Language
- HTML is a markup language that web developers use to structure and design the content of a webpage (HTML is not a programming language)
- HTML consists of elements (web elements) that describe different types of contents like links, headings, images, text boxes, radio buttons, check-boxes etc.
- Browser understands HTML and renders HTML code as websites



Web elements

- Anything that is present on the web page is a WebElement such as text box, button, etc.
- represents an HTML element
- Why web elements: to perform some specific actions on the webpage.

find_element()

- find_element method returns a web element if the element is found in the DOM/HTML.
- If no element is found, find_element method throws "NoSuchElementException"
- If there are multiple elements matching the same locator, find_element method returns the first matching element from the DOM.

Locators

- Locator is a command that tells Selenium IDE which web elements (say Text Box, Buttons, Check Boxes etc) its needs to operate on
- In order for selenium to identify elements on the webpage, selenium makes uses of 8 different locators to identify the objects. There are 8 different built-in element location strategies in Webdriver

Locator	Description
name	Locates elements whose NAME attribute matches the search value
id	Locates elements whose ID attribute matches the search value
link text	Locates anchor elements (link) whose visible text matches the search value
partial link text	Locates anchor elements (link) whose visible text contains the search value. If multiple elements are matching, only the first one will be selected.
css selector	Locates elements matching a CSS selector
class name	Locates elements whose class name contains the search value (compound class names are not permitted)
xpath	Locates elements matching an XPath expression
tag name	Locates elements whose tag name matches the search value