

AI stub fill

Protocol ellipses in `execution_backend.py`, `store_protocol.py`, `ingestion.py`, and `video_adapter.py` are typing contracts. Replacing them would delete the interface. The stubs were the empty returns and the sha256 keyholder comment.

Bodies landed

`MemoryDistributedBackend` implements `get`, `put_if_absent`, `compare_and_swap`, `delete`, `records`, `acquire_lease`, `renew`, `release`, `require_fence`, and `fenced_compare_and_swap`. A stale fence raises. A second `put_if_absent` conflicts.

`MemoryRetrievalSink`.`upsert` refuses a record without a content hash. `TranscriptVideoAdapter` yields timed transcript frames. `HybridRank` scores keyword overlap, hashed cosine, and graph edges, then merges lanes. The legacy `hybrid_rag_wiring` empty methods now call the same three lanes instead of returning `[]`.

`Ed25519Hold` signs 64-byte signatures. The existing `Keyholder` envelope still requires 64 hex characters, so the sha256 continuity receipt was not widened. Callers that need real signatures use `Ed25519Hold`. The seed is not written to the atlas.

What was not rewritten

Placeholder manifests in replay evidence, SQL parameter placeholders, and redaction placeholders are not stubs. Lesson templates that emit `NotImplementedError` are student fixtures. Those stay.

Parity mirrors of `deck.py` and the kernel keyholder were not overwritten. A second crypto stack inside the continuity envelope would break generation checks.

Compile

`PYTHONPATH=. python3 -m unittest tests.test_stub_fill`. Expect CAS conflict, fence rejection, hybrid hit on the forge room, and a 128-hex Ed25519 signature.

Placement

Native copies sit at skeleton/ai/fill. The package copies sit in contrib/ai-tree-fill. Branch ai-tree/capability-fill-1.8.0. Not merged. No cutover.