

Closeout: independent trials, owner claim, replay verifier

Branch ai-tree/capability-fill-1.8.0. Reviewed parent 9d4a652d. This pass does not sign the tree-wide implementation or verification slots. Those stay unsigned until App Assembly is green.

F-11

The repeated corpus is retired as evidence. The runner wrote 53 records, 48 unique stimuli, and 5 negative faults. A repeated stimulus is a replay reject. Log digest f7bd4d57301d35d6cf96af385679dac7c29564ebc07b9ad0b0d37fcac24faa05.




Figure 1. Independent trials, forced failures, and the single native facade claim.

F-12

machine/ai_file_tree.json native_ai_owners gains AIFT-NATIVE-TREE-FILL for skeleton/ai/tree_fill.py. Count moves from 24 to 25. The facade is non-owning. contrib/ai-tree-fill remains the body. Cutover is not claimed. implementation_signoff.signed stays false. verification_signoff.signed stays false.

F-13

replay_verifier.py does not import the conductor or the P5 implementation signer. It recomputes output digests from the trial log. Its role is independent_verification. Its signer id is p5-replay-verifier, distinct from p5-adversarial-verifier. A signature whose role is implementation is rejected.

What is still not signed

The house verification slot wants a distinct reviewer bound to a full git SHA after App Assembly. This replay signature is the package closeout, not that slot. BASE-FRONTEND blockers are outside this change. No mirror was deleted. deck.py was not edited. No coin, no chain, no third router.

Signature

Public key ec5c81f277e56f7184f2354ce883e35a9ee6ce91e42e48587baac7371eb2a6a3. Artifact digest edfdae4371082da366123184c9a5e1e03051de35329e6259979486630f9ff720. Scope: independent trials and ownership claim; not a tree-wide cutover signoff.

Compile

PYTHONPATH=. python3 -m unittest tests.test_closeout tests.test_p5_review tests.test_tree_fill. Expect unique stimuli, five negative faults, and a replay signature whose role is independent_verification.

Missed-item ledger

Checked and closed: false specdec stamp, veto stamp, absorb loop, two-layer residual, tournament cap, root history, secret scan, mobile gpu refusal, third router, executable frame, retrieval pointer query, repeated corpus, unowned facade, same-role verifier.

Checked and left open on purpose: tree-wide implementation signoff, tree-wide verification signoff, import cutover, source deletion, App Assembly, frontend TypeScript and SSR repairs, merge. Those are not this package's authority.

Owner claim path skeleton/ai/tree_fill.py. Body path contrib/ai-tree-fill. Trial log p5/independent_trials.json. Replay signature p5/replay_signature.json.