

Capability body

tree_fill.load no longer stops at an import. It calls run_body. Every catalog id has an invoke handler. Unknown ids return hit 0. Missing evidence stays unavailable. Veto suppresses pick. Unknown organ stays hit 0. Training absorbs four clipped-G steps.

What the body runs

Numerics, Householder QR, clipped conjugate gradient, pointer parse, clipped-G, pointer memory, hybrid retrieval, skill bind, idempotent outbox, root quorum, admission, compensation, recovery, cpu provider, era bind, sixteen organs, hive root history, capability index, single router, accept-until-mismatch, harbor weights, mobile bank, secret scan, QK RMSNorm-SiLU, plan-cut-speak, two-layer residual, frame hash, and an Ed25519 signature over the set.

The walk is ordered. Memory runs before quorum so the root exists. A coin payload is refused by the outbox. Mass above prior times 1.1 is refused by forge. The signature key id is 64 hex characters. The kernel continuity envelope is still untouched.

Not a facade

A facade re-exports a name. This entry executes the handlers and returns hit counts, organ count, and the signing key id. Shims under agents and forge were left in place so their runtime imports do not break. deck.py was not edited.

Compile

PYTHONPATH=. python3 -m unittest tests.test_capability_body. Expect 48 catalog ids, decision pick_used false, runtime hit 0, training absorb_steps 4, and a 64-hex key id.

Placement

Body: contrib/ai-tree-fill/ai_tree_fill/capability_body.py. Entry: skeleton/ai/tree_fill.py. Branch ai-tree/capability-fill-1.8.0.
Not merged. Tree-wide signoff stays unsigned.