

Chamber fill behind the AI shims

The hundred-line modules under skeleton/ai/agents, forge, context, and runtime/security are re-exports. Replacing them would cut flgb_agent_runtime and flgb_forge_runtime. The missing mass was the court each name points at. This pass builds that court and walks it.




Figure 1. Ten courts the walk must cross. A seal in any court seals the incident.

Walk

Tool schema refuses an extra field and a timeout outside 1 to 30000 ms. Authority subset refuses a child permit the parent does not hold. Sandbox refuses network, coin, and any device other than cpu. Stop policy refuses an eighth step, mass above 1.1, and a veto axis under 0.4. Rival challenge strikes only when the named axis is below 0.45. A holding axis is a seal, not a silent pass.

Contradiction splits two stimuli into pointer clauses. Shared pointers reconcile. Disjoint pointers contest. Provenance is the merkle root of those clauses. Quality delta names the weakest axis. Replay receipt hashes the seven forge steps. Stream decode accepts until mismatch and caps at 8.

Lease and signature

The walk takes a fenced lease, puts the root if absent, then compare-and-swaps under that fence. Release makes the fence stale. Ed25519 signs the provenance root. The continuity envelope in the kernel keyholder is still the 64-hex receipt. This court does not widen it.

What stayed shut

Shim files were not overwritten. deck.py was not edited. Tree-wide signoff stays unsigned. No mirror was deleted. Student NotImplemented fixtures stay fixtures.

Compile

PYTHONPATH=. python3 -m unittest tests.test_chamber tests.test_stub_fill. Expect a signed root, a widened grant seal, and a rival strike only on a failed axis.

Placement

Package path contrib/ai-tree-fill/ai_tree_fill/chamber.py. Native copy skeleton/ai/fill/chamber.py. Branch ai-tree/capability-fill-1.8.0. Not merged.