

STADIOEquities — Data Request

Supporting the Account Activation Prediction project (DSA182 Capstone, Study Session 1). Please compile the datasets below as separate extracts covering the full history available for each source. Fields marked as identifiers should be pseudonymised/hashed prior to sharing.

1. Account & Registration Data

One row per registered account, covering the account/funding source (6 years history).

Column name	Data type	Example	Additional information
Account ID	String, categorical (hashed)	acc_00019284	Unique pseudonymised identifier. Primary key used to join all other tables. Must not be a real account number.
Registration date	String, datetime	2024-03-11 09:42:03	yyyy-MM-dd hh:mm:ss. Date and time the account was registered.
Registration channel	String, categorical	Paid social	The channel that brought the client to sign up, e.g. "Referral", "Paid social", "App store", "Organic search". Should use the same category labels as the Marketing table.
KYC status	String, categorical	Completed	Current KYC outcome: "Completed", "Abandoned", "In progress", "Rejected".
KYC completion date	String, datetime (nullable)	2024-03-12 14:05:11	yyyy-MM-dd hh:mm:ss. Leave blank if KYC was never completed.
Ever funded flag	Boolean	TRUE	TRUE if the account has ever recorded a deposit, FALSE otherwise. This is the primary outcome label for the project.
First deposit date	String, datetime (nullable)	2024-03-15 18:22:47	yyyy-MM-dd hh:mm:ss. Date and time of the first successful deposit. Leave blank if never funded.
First deposit amount	Numeric, integer	50000	Amount of the first deposit, in cents.
Current balance	Numeric, integer	620000	Most recent account balance, in cents, as at extract date.
Active in last 90 days flag	Boolean	FALSE	TRUE if the account traded or held a position in the last 90 days (per the platform's own definition of "funded & active"); used to derive dormancy.
Client province	String, categorical	GP	One of the nine South African provinces: "GP", "EC", "FS", "KZN", "LP", "MP", "NC", "NW", "WC".
Extract date	String, date	2026-09-01	yyyy-MM-dd. The date this row's status was captured, so the age of each account at extract time can be calculated.

2. App & Web Behavioural Data (session-level)

One row per session/onboarding step event, at the most granular level available (4 years history). This is the largest table and drives the early-warning features for the model.

Column name	Data type	Example	Additional information
Account ID	String, categorical (hashed)	acc_00019284	Same pseudonymised identifier as in the Account & Registration table, for joining.
Session ID	String, categorical	sess_88213	Unique identifier for the session this event belongs to.
Event timestamp	String, datetime	2024-03-11 09:44:20	yyyy-MM-dd hh:mm:ss. Time the event occurred.
Platform	String, categorical	App	"App" or "Web". Needed because identity spans app and web sessions.
Screen / step name	String, categorical	Onboarding_Step3_FI CA	Name or code of the screen or onboarding step viewed.
Onboarding step number	Numeric, integer	3	Sequential step number in the onboarding flow, where 1 = registration start. Used to measure how far a client got.
Time on step	Numeric, integer	47	Seconds spent on this screen/step before moving on or leaving.
Step outcome	String, categorical	Advanced	"Advanced", "Abandoned", "Returned later". Whether the client progressed, dropped off, or came back.
Session duration	Numeric, integer	312	Total length of the session in seconds.

3. Client Demographics

One row per account, captured at sign-up (6 years history).

Column name	Data type	Example	Additional information
Account ID	String, categorical (hashed)	acc_00019284	Same pseudonymised identifier as in the Account & Registration table, for joining.
Age at sign-up	Numeric, integer	27	Client's age in whole years at the time of registration.
Stated risk appetite	String, categorical	Medium	Client's self-declared risk tolerance at sign-up: "Low", "Medium", "High".
Stated investment goal	String, categorical	Long-term growth	Client's self-declared primary goal at sign-up, e.g. "Long-term growth", "Short-term trading", "Saving for a goal", "Learning to invest".

4. Marketing & Acquisition Data

One row per account, describing how it was acquired and how it has engaged with onboarding communications (4 years history).

Column name	Data type	Example	Additional information
Account ID	String, categorical (hashed)	acc_00019284	Same pseudonymised identifier as in the Account & Registration table, for joining.
Acquisition channel	String, categorical	Paid social	Must match the category labels used for Registration channel in Table 1.
Campaign name	String, categorical	Q1_YouthInvest_2024	Name or code of the specific marketing campaign that acquired this account.
Acquisition cost	Numeric, integer	18000	Cost to acquire this specific account, in cents (platform-wide average is currently R180).
Onboarding nudge sent count	Numeric, integer	5	Number of onboarding emails/push nudges sent to this account since registration.
Last nudge engagement	String, categorical	Clicked	Outcome of the most recent nudge: "Opened", "Clicked", "No engagement".