




1			,	3	4			
		•						
l vc	3 4 3 1/15	D VICE EV						
\vc	2_12V D	DVCC_5V						
I								
I								
1								
I								
I								
s								
1								
I								
I								
4								
I								
I								
I								
I								
I								
I								
I								
I								
I								
I								
:								
I								
I								
I								
I								
I				Po	rtland State Aerospace	Society		

	1	,		1	4		
	•	•			•		
	VCC_12V D	DVCC_19V					
1							
1							
1							
1							
4							
1							
1							
1							
1							
			Po	rtland State Aerospace	Society http://psas	.pdx.edu/>	
1			E11.	e: dcdc_converter_19v.	ech	•	
			1 500	e. dede_converter_19v.	400 1 400 4		
			[Sh	eet: /DC-DC Converte	r, 12V-to-19V/		
			Tit	eet: /DC-DC Converte le: LTC3 12V-to-19V	DC/DC Converter		
			C1-	e: USLetter Date: 2	2 apr 2015		Rev: 1
1			312	.c. obletten bate: 2	. upi 2010		NEV. 1
		 	 Kid	Cad E.D.A.			ld: 4/6
	1						







TODO: Rearrange pins on symbols so that they're schematically useful, not necessarily in physical order.

Portland State Aerospace Society http://psas.pdx.edu/						
File: beaglebone_cape.sch						
Sheet: /BeagleBone Black Cape/						
Title: LTC3 BeagleBone Black Cape Interface						
Size: USLetter Date: 2 apr 2015	Rev: 1					
KiCad F D A	Id: 5/6					

