INTRODUCING

Octoswitch

One MCP server for **every GitHub account** you use.

MCP server · CLI · MIT · Node 20+

Not affiliated with GitHub

THE PROBLEM

One token. Several accounts.

`personal`	`work`	`client-org`
side projects	your employer	contract work

Most GitHub MCP setups take a **single token**.

Working across a personal account and a work org means **swapping config** every time, or an agent acting on the wrong account.

HOW IT ROUTES

The right token, every call.

1. **An explicit account**
   The agent passes `account` by name or GitHub login

2. **The repo owner**
   `ApiCartOps/demo` uses the account whose login is `ApiCartOps`

3. **Your default account**
   Used when nothing else matches

Accounts are stored **locally**, and one is picked per call.

```
octoswitch add work
```

SET UP

Set up in minutes.

```
# tokens are typed at a hidden prompt
npm install -g octoswitch
octoswitch add personal --default
octoswitch add work
octoswitch install claude-code
```

`install` merges one entry into your agent's MCP config and leaves the rest of the file alone.

octoswitch list

WORKS WITH

Your agent, one command.

INSTALLS AUTOMATICALLY (10)

Claude Code · Claude Desktop · Cursor · VS Code / Copilot · Windsurf · Cline · Gemini CLI · opencode · Codex CLI · Continue

PRINTS A CONFIG SNIPPET

Hermes · Zed · any MCP client

```
octoswitch install cursor
```

WHAT IT DOES

Careful by design.

14 tools	Repos, issues, pull requests, search and files
Confirm	Write tools tell the agent to ask you first
Tokens	Owner-only file, never printed or returned by a tool
Prompts	Four built in: triage, review a PR, new issue, accounts

A guardrail, not a sandbox: it relies on the agent following instructions.

GET IT

Open source. MIT.

github.com/ApiCartOps/octo-switch

On npm as **octoswitch**. Docs and agent setup guides are in the repo.

```
# or run it without installing
npx -y octoswitch mcp
```

Links are in the first comment ↓

Not affiliated with GitHub