

ApiaryLens Codex Handoff Guide

How to move this project context into Codex

Generated: 2026-07-07 03:27:20

ApiaryLens Codex Handoff Guide

Purpose of This ZIP

This ZIP moves the ApiaryLens planning conversation into files that Codex can read inside the local Git repository.

The target local folder is:

`D:\git\apiarylens`

The existing repository is expected at:

`D:\git\apiarylens\apiarylens`

What Is Included

- Complete visible project chat transcript
- Product context
- Architecture and design plan
- Marketing/product overview whitepaper
- Feature inventory
- Domain strategy
- Repository strategy
- Roadmap
- Initial ADRs
- Codex and Claude prompts
- AGENTS.md instructions
- Task backlog
- Previous generated OpenHive draft docs
- Updated ApiaryLens docs in Markdown, DOCX, and PDF
- Diagrams and graphics
- PowerShell script to copy the repo overlay into the existing repo

How to Use

1. Download the ZIP.

2. Extract it to:

`D:\git\apiarylens`

3. Open PowerShell in the extracted folder.

4. Run:

```
.\INSTALL_INTO_EXISTING_REPO.ps1
```

5. Change into the repo:

```
cd D:\git\apiarylens\apiarylens
```

6. Start Codex:

```
codex
```

7. Paste the prompt from:

```
prompts/CODEX_RUN_ME_FIRST.md
```

Important

Codex should not build the app immediately.

The first Codex task is to ingest and organize this handoff into the repo, preserve the context, and prepare a clean first commit.