
Palette study / candidates 1-5

Same data and geometry | white background | LAYOUT TEST - synthetic values


P001 Set2 a=1

5 series / grouped




P001 Set2 a=1

3 series / lower region hatched




P002 Set2 a=0.72

5 series / grouped




P002 Set2 a=0.72

3 series / lower region hatched




P003 Accent a=1

5 series / grouped




P003 Accent a=1

3 series / lower region hatched




P004 Accent a=0.72

5 series / grouped




P004 Accent a=0.72

3 series / lower region hatched




P005 Set1 a=1

5 series / grouped



P005 Set1 a=1

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 6-10

Same data and geometry | white background | LAYOUT TEST - synthetic values


P006 Set1 a=0.72

5 series / grouped




P006 Set1 a=0.72

3 series / lower region hatched




P007 Set3 a=1

5 series / grouped




P007 Set3 a=1

3 series / lower region hatched




P008 Set3 a=0.72

5 series / grouped




P008 Set3 a=0.72

3 series / lower region hatched




P009 Dark2 a=1

5 series / grouped




P009 Dark2 a=1

3 series / lower region hatched




P010 Dark2 a=0.72

5 series / grouped



P010 Dark2 a=0.72

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 11-15

Same data and geometry | white background | LAYOUT TEST - synthetic values


P011 Paired a=1

5 series / grouped




P011 Paired a=1

3 series / lower region hatched




P012 Paired a=0.72

5 series / grouped




P012 Paired a=0.72

3 series / lower region hatched




P013 Pastel2 a=1

5 series / grouped




P013 Pastel2 a=1

3 series / lower region hatched



P014 Pastel2 a=0.72

5 series / grouped




P014 Pastel2 a=0.72

3 series / lower region hatched



P015 Pastel1 a=1

5 series / grouped



P015 Pastel1 a=1

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 16-20

Same data and geometry | white background | LAYOUT TEST - synthetic values


P016 Pastel1 a=0.72

5 series / grouped




P016 Pastel1 a=0.72

3 series / lower region hatched




P017 Antique a=1

5 series / grouped




P017 Antique a=1

3 series / lower region hatched




P018 Antique a=0.72

5 series / grouped




P018 Antique a=0.72

3 series / lower region hatched




P019 Bold a=1

5 series / grouped




P019 Bold a=1

3 series / lower region hatched



P020 Bold a=0.72

5 series / grouped



P020 Bold a=0.72

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 21-25

Same data and geometry | white background | LAYOUT TEST - synthetic values


P021 Pastel a=1

5 series / grouped




P021 Pastel a=1

3 series / lower region hatched




P022 Pastel a=0.72

5 series / grouped




P022 Pastel a=0.72

3 series / lower region hatched




P023 Prism a=1

5 series / grouped




P023 Prism a=1

3 series / lower region hatched




P024 Prism a=0.72

5 series / grouped




P024 Prism a=0.72

3 series / lower region hatched



P025 NPG a=1

5 series / grouped



P025 NPG a=1

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 26-30

Same data and geometry | white background | LAYOUT TEST - synthetic values


P026 NPG a=0.72

5 series / grouped




P026 NPG a=0.72

3 series / lower region hatched




P027 Vivid a=1

5 series / grouped




P027 Vivid a=1

3 series / lower region hatched




P028 Vivid a=0.72

5 series / grouped




P028 Vivid a=0.72

3 series / lower region hatched




P029 bright a=1

5 series / grouped




P029 bright a=1

3 series / lower region hatched




P030 bright a=0.72

5 series / grouped



P030 bright a=0.72

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 31-35

Same data and geometry | white background | LAYOUT TEST - synthetic values


P031 vibrant a=1

5 series / grouped




P031 vibrant a=1

3 series / lower region hatched




P032 vibrant a=0.72

5 series / grouped




P032 vibrant a=0.72

3 series / lower region hatched




P033 muted a=1

5 series / grouped




P033 muted a=1

3 series / lower region hatched




P034 muted a=0.72

5 series / grouped




P034 muted a=0.72

3 series / lower region hatched




P035 dark a=1

5 series / grouped



P035 dark a=1

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 36-40

Same data and geometry | white background | LAYOUT TEST - synthetic values


P036 dark a=0.72

5 series / grouped




P036 dark a=0.72

3 series / lower region hatched




P037 pale a=1

5 series / grouped




P037 pale a=1

3 series / lower region hatched




P038 pale a=0.72

5 series / grouped




P038 pale a=0.72

3 series / lower region hatched




P039 light a=1

5 series / grouped




P039 light a=1

3 series / lower region hatched




P040 light a=0.72

5 series / grouped



P040 light a=0.72

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 41-45

Same data and geometry | white background | LAYOUT TEST - synthetic values


P041 actonS a=1

5 series / grouped




P041 actonS a=1

3 series / lower region hatched




P042 actonS a=0.72

5 series / grouped




P042 actonS a=0.72

3 series / lower region hatched




P043 bamakoS a=1

5 series / grouped




P043 bamakoS a=1

3 series / lower region hatched




P044 bamakoS a=0.72

5 series / grouped




P044 bamakoS a=0.72

3 series / lower region hatched




P045 batlowKS a=1

5 series / grouped



P045 batlowKS a=1

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 46-50

Same data and geometry | white background | LAYOUT TEST - synthetic values


P046 batlowKS a=0.72

5 series / grouped




P046 batlowKS a=0.72

3 series / lower region hatched




P047 batlowS a=1

5 series / grouped




P047 batlowS a=1

3 series / lower region hatched




P048 batlowS a=0.72

5 series / grouped




P048 batlowS a=0.72

3 series / lower region hatched




P049 batlowWS a=1

5 series / grouped




P049 batlowWS a=1

3 series / lower region hatched




P050 batlowWS a=0.72

5 series / grouped



P050 batlowWS a=0.72

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 51-55

Same data and geometry | white background | LAYOUT TEST - synthetic values


P051 bilbaoS a=1

5 series / grouped




P051 bilbaoS a=1

3 series / lower region hatched




P052 bilbaoS a=0.72

5 series / grouped




P052 bilbaoS a=0.72

3 series / lower region hatched




P053 budaS a=1

5 series / grouped




P053 budaS a=1

3 series / lower region hatched




P054 budaS a=0.72

5 series / grouped




P054 budaS a=0.72

3 series / lower region hatched




P055 davosS a=1

5 series / grouped



P055 davosS a=1

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 56-60

Same data and geometry | white background | LAYOUT TEST - synthetic values


P056 davosS a=0.72

5 series / grouped




P056 davosS a=0.72

3 series / lower region hatched




P057 devonS a=1

5 series / grouped




P057 devonS a=1

3 series / lower region hatched




P058 devonS a=0.72

5 series / grouped




P058 devonS a=0.72

3 series / lower region hatched




P059 glasgowS a=1

5 series / grouped




P059 glasgowS a=1

3 series / lower region hatched




P060 glasgowS a=0.72

5 series / grouped



P060 glasgowS a=0.72

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 61-65

Same data and geometry | white background | LAYOUT TEST - synthetic values


P061 hawaiiS a=1

5 series / grouped




P061 hawaiiS a=1

3 series / lower region hatched




P062 hawaiiS a=0.72

5 series / grouped




P062 hawaiiS a=0.72

3 series / lower region hatched




P063 imolaS a=1

5 series / grouped




P063 imolaS a=1

3 series / lower region hatched




P064 imolaS a=0.72

5 series / grouped




P064 imolaS a=0.72

3 series / lower region hatched




P065 lajollaS a=1

5 series / grouped



P065 lajollaS a=1

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 66-70

Same data and geometry | white background | LAYOUT TEST - synthetic values


P066 lajollaS a=0.72

5 series / grouped




P066 lajollaS a=0.72

3 series / lower region hatched




P067 lapazS a=1

5 series / grouped




P067 lapazS a=1

3 series / lower region hatched




P068 lapazS a=0.72

5 series / grouped




P068 lapazS a=0.72

3 series / lower region hatched




P069 lipariS a=1

5 series / grouped




P069 lipariS a=1

3 series / lower region hatched




P070 lipariS a=0.72

5 series / grouped



P070 lipariS a=0.72

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 71-75

Same data and geometry | white background | LAYOUT TEST - synthetic values


P071 naviaS a=1

5 series / grouped




P071 naviaS a=1

3 series / lower region hatched




P072 naviaS a=0.72

5 series / grouped




P072 naviaS a=0.72

3 series / lower region hatched




P073 nuukS a=1

5 series / grouped




P073 nuukS a=1

3 series / lower region hatched




P074 nuukS a=0.72

5 series / grouped




P074 nuukS a=0.72

3 series / lower region hatched




P075 osloS a=1

5 series / grouped



P075 osloS a=1

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 76-80

Same data and geometry | white background | LAYOUT TEST - synthetic values


P076 osloS a=0.72

5 series / grouped




P076 osloS a=0.72

3 series / lower region hatched




P077 tokyoS a=1

5 series / grouped




P077 tokyoS a=1

3 series / lower region hatched




P078 tokyoS a=0.72

5 series / grouped




P078 tokyoS a=0.72

3 series / lower region hatched




P079 turkuS a=1

5 series / grouped




P079 turkuS a=1

3 series / lower region hatched




P080 turkuS a=0.72

5 series / grouped



P080 turkuS a=0.72

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 81-85

Same data and geometry | white background | LAYOUT TEST - synthetic values


P081 tab10 a=1

5 series / grouped




P081 tab10 a=1

3 series / lower region hatched




P082 tab10 a=0.72

5 series / grouped




P082 tab10 a=0.72

3 series / lower region hatched




P083 tab20 a=1

5 series / grouped




P083 tab20 a=1

3 series / lower region hatched




P084 tab20 a=0.72

5 series / grouped




P084 tab20 a=0.72

3 series / lower region hatched




P085 NEJM a=1

5 series / grouped



P085 NEJM a=1

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 86-90

Same data and geometry | white background | LAYOUT TEST - synthetic values


P086 NEJM a=0.72

5 series / grouped




P086 NEJM a=0.72

3 series / lower region hatched




P087 Glasbey light a=1

5 series / grouped




P087 Glasbey light a=1

3 series / lower region hatched




P088 Glasbey light a=0.72

5 series / grouped




P088 Glasbey light a=0.72

3 series / lower region hatched




P089 Glasbey warm a=1

5 series / grouped




P089 Glasbey warm a=1

3 series / lower region hatched




P090 Glasbey warm a=0.72

5 series / grouped



P090 Glasbey warm a=0.72

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 91-95

Same data and geometry | white background | LAYOUT TEST - synthetic values


P091 Glasbey no-grey a=1

5 series / grouped




P091 Glasbey no-grey a=1

3 series / lower region hatched




P092 Glasbey no-grey a=0.72

5 series / grouped




P092 Glasbey no-grey a=0.72

3 series / lower region hatched




P093 AAAS a=1

5 series / grouped




P093 AAAS a=1

3 series / lower region hatched




P094 AAAS a=0.72

5 series / grouped




P094 AAAS a=0.72

3 series / lower region hatched




P095 Glasbey dark a=1

5 series / grouped



P095 Glasbey dark a=1

3 series / lower region hatched




Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.

Palette study / candidates 96-100

Same data and geometry | white background | LAYOUT TEST - synthetic values


P096 Glasbey dark a=0.72

5 series / grouped




P096 Glasbey dark a=0.72

3 series / lower region hatched




P097 glasbey_hv a=1

5 series / grouped




P097 glasbey_hv a=1

3 series / lower region hatched




P098 glasbey_hv a=0.72

5 series / grouped




P098 glasbey_hv a=0.72

3 series / lower region hatched




P099 Glasbey cool a=1

5 series / grouped




P099 Glasbey cool a=1

3 series / lower region hatched




P100 Glasbey cool a=0.72

5 series / grouped



P100 Glasbey cool a=0.72

3 series / lower region hatched



Colour distance is a diagnostic, not a beauty score. Lower hatching: independent overlaid heights.