

APPWEB-55 Smoke Checklist

Ticket: T-48 / TS04 - Assets API

Prerequisites

- MySQL is running locally.
- The configured user/password is `root` / `root`.
- The API starts successfully and Swagger is available at `/swagger/index.html`.
- At least one organization and one location exist in the same organization.

Manual Checks

1. Create an organization through `POST /api/v1/organization-sign-ups`.
2. Create a location under that organization through `POST /api/v1/organizations/{organizationId}/locations`.
3. Confirm `GET /api/v1/organizations/{organizationId}/assets` returns `200` and an empty array for a new organization.
4. Create an asset through `POST /api/v1/organizations/{organizationId}/assets` using the created location.
5. Confirm the response is `201` and includes `id`, `organizationId`, `locationId`, `uuid`, `type`, `name`, `capacity`, `description`, and `status`.
6. Confirm `GET /api/v1/organizations/{organizationId}/assets` returns the created asset.
7. Confirm `GET /api/v1/organizations/{organizationId}/assets/{assetId}` returns the created asset.
8. Update the asset through `PUT /api/v1/organizations/{organizationId}/assets/{assetId}`.
9. Confirm the response is `200` with the updated fields.
10. Confirm creating an asset with a `locationId` from another organization returns `404`.
11. Confirm requesting an asset through another organization scope returns `404`.
12. Confirm creating another asset with the same `uuid` in the same organization returns `409`.

Endpoint Coverage

- `GET /api/v1/organizations/{organizationId}/assets`
- `GET /api/v1/organizations/{organizationId}/assets/{assetId}`
- `POST /api/v1/organizations/{organizationId}/assets`
- `PUT /api/v1/organizations/{organizationId}/assets/{assetId}`

Contract Notes

- Assets belong to one organization and are placed in one location through `locationId` .
- `locationId` must belong to the same organization; otherwise the API returns `404` .
- `gatewayId` is not part of the asset resource; device assignment belongs to the IoT Devices API.
- The request payload includes `locationId` , `uuid` , `type` , `name` , `capacity` , `description` , and `status` .
- `POST` returns `201` with the created resource body.
- `PUT` returns `200` with the updated resource body.
- `uuid` is unique per organization.
- There is no delete endpoint in this ticket.
- Authentication IWT and role enforcement are out of scope for this ticket