#### Outline

Airlines Graph

Knight Transposition

Seven Bridges of Königsberg

Consider a small country with five cities: *A*, *B*, *C*, *D*, *E*.

There are six flights:

A - B, A - C, A - E,B - D, C - D, C - E.


Is there a direct flight from A to D? With one stop? With two stops?

Consider a small country with five cities: *A*, *B*, *C*, *D*, *E*.

There are six flights:

$$B-D, C-D, C-E$$
.  
Is there a direct  
flight from A to D?  
With one stop?  
With two stops?

A-B, A-C, A-E,




Consider a small country with five cities: *A*, *B*, *C*, *D*, *E*.

There are six flights:

$$B-D$$
,  $C-D$ ,  $C-E$ .  
Is there a direct  
flight from A to D?  
With one stop?

With two stops?

A-B, A-C, A-E,




Consider a small country with five cities: *A*, *B*, *C*, *D*, *E*.

There are six flights:

$$B-D, C-D, C-E$$
.  
Is there a direct  
flight from A to D?  
With one stop?  
With two stops?

A-B, A-C, A-E,




#### Outline

Airlines Graph

**Knight Transposition** 

Seven Bridges of Königsberg

## Guarini's Puzzle



# **Chess Knight**

A chess knight can move in an **L** shape in any direction




# **Chess Knight**


A chess knight can move in an **L** shape in any direction






















































































#### Outline

Airlines Graph

Knight Transposition

Seven Bridges of Königsberg

Königsberg, Prussia, 1735



Königsberg, Prussia, 1735

Walk through Königsberg

Cross each bridge exactly once



Königsberg, Prussia, 1735

Walk through Königsberg

Cross each bridge exactly once



Leonhard Euler



Königsberg, Prussia, 1735


Walk through Königsberg

Cross each bridge exactly once



Impossible!

Leonhard Euler




# Bridges of Königsberg. Graph





# Bridges of Königsberg. Graph






# Bridges of Königsberg. Graph








(A)


ВС




D









(D)








Is there a path which visits every edge exactly once?


**Eulerian Path** 









B and D have odd number of neighbors




B and D have odd number of neighbors




B and D have odd number of neighbors




B and D have odd number of neighbors



B and D have odd number of neighbors



B and D have odd number of neighbors



B and D have odd number of neighbors

