


Nov 3 05:43
vboxuser@apoorvaa: ~ — nano cpu_bound.c
GNU nano 8.7.1 cpu_bound.c
#include <stdio.h>
int main(){
long long counter=0;
while(1){
counter++;
if (counter % 100000000 == 0){
printf("CPU task running : %lld\n",counter);
}
}
return 0;
}
[Read 11 lines]
^G Help ^O Write Out ^F Where Is ^K Cut ^T Execute ^C Location M-U Undo M-A Set Mark M-] To Bracket
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy ^B Where Was


Nov 3 05:44
vboxuser@apoorvaa: ~ — nano exp7b.c
GNU nano 8.7.1 exp7b.c
#include <stdio.h>
#include <unistd.h>
int main() {
FILE *fp;
printf("Starting I/O task.....\n");
while (1) {
fp = fopen("dummy .txt","w");
if (fp != NULL){
fprintf(fp, "Writing disk data\n");
fclose(fp);
printf("File operation done\n");
}
sleep(1);
}
return 0;
}
Files
[Read 17 lines]
^G Help ^O Write Out ^F Where Is ^K Cut ^T Execute ^C Location M-U Undo M-A Set Mark M-] To Bracket
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy ^B Where Was