

OTOPAIR

INTERNAL TOOL SPECIFICATION · DOCUMENT 2 OF 3

# Shops Portal

The B2B relationship surface. Every shop, every mechanic, every bay, every payout — the workspace where Otopair manages its supply side like the partner network it is, from first handshake to hundredth completed job.

|             |                                                                 |        |                          |
|-------------|-----------------------------------------------------------------|--------|--------------------------|
| VERSION     | v1.0 — Build Specification                                      | DATE   | July 11, 2026            |
| BUILD OWNER | Daniel C.                                                       | DESIGN | AB                       |
| BACKEND     | Convex (production) · Clerk · Stripe Connect Express (MCC 7538) | STATUS | Ready for sprint scoping |

# 1 Purpose & Philosophy

---

Otopair's model is the barber shop model: users book a *specific trusted mechanic*, not an anonymous garage. That means the supply side is not an inventory of shops — it is a network of **relationships with people**, and the internal tool must treat it that way. The Shops Portal answers three questions at every zoom level (network → shop → mechanic → bay → hour): **Are they set up right? Are they performing? Are they getting paid?**

Four Staten Island shops are live as of the July 1 partner launch. That number is the whole point of this portal's timing: the habits, checklists, and data hygiene established while managing four shops become the machine that manages forty. Every workflow below is designed to survive that multiplication without redesign — the onboarding pipeline, the capacity model, and the performance views all scale by adding rows, not screens.

- **A shop is never just a row.** Shop Detail is the atomic unit of this portal — eleven tabs deep, because a partner relationship has eleven dimensions.
- **Mechanics are first-class.** They have their own directory, detail pages, calendars, and performance records independent of their shop — because that's what users book.
- **Payout health is partner trust.** Shops keep 100% of their rate (the 7% platform fee is customer-side, added on top). The Stripe Connect health page exists so no partner ever has to call asking where their money is.

2 Users & Permissions

| PERSONA      | WHO                                            | FOCUS                                                                                      |
|--------------|------------------------------------------------|--------------------------------------------------------------------------------------------|
| Super Admin  | Temur, AB                                      | Everything, incl. deactivating a shop and rate discussions.                                |
| Shop Success | Daniel (launch phase), future partner managers | Onboarding pipeline, day-to-day shop support, capacity setup, mechanic accounts.           |
| Ops Admin    | Cross-portal                                   | Read everything; write limited to booking-adjacent actions (slot fixes with shop consent). |
| Read-only    | Ahmad, Yassin, Bilal, Waleed                   | Context while building/QA-ing; Waleed reads Data Feedback tab often.                       |

| CAPABILITY                                                | SUPER ADMIN | SHOP SUCCESS                                                     | OPS ADMIN        | READ-ONLY   |
|-----------------------------------------------------------|-------------|------------------------------------------------------------------|------------------|-------------|
| View network, shops, mechanics, calendars, payouts status | ✓           | ✓                                                                | ✓                | ✓           |
| Create shop / advance onboarding stage                    | ✓           | ✓                                                                | —                | —           |
| Edit shop profile, hours, offerings, labor_rate           | ✓           | ✓ (rate changes require reason + Super Admin co-sign above ±15%) | —                | —           |
| Add/deactivate mechanic, reset portal access              | ✓           | ✓                                                                | —                | —           |
| Generate / block time slots                               | ✓           | ✓                                                                | ✓ (unblock only) | —           |
| Toggle is_active / is_verified                            | ✓           | ✓ (verify only; deactivation is Super Admin)                     | —                | —           |
| View Stripe Connect status / open Stripe dashboard link   | ✓           | ✓                                                                | ✓                | status only |

Shared shell

⌘K search, entity chips, write ceremony + admin\_audit\_log, four-state pages, index-only pagination, environment banner — identical to Ops Portal §4 (Doc 1). Not repeated here; it is one shell, three nav trees.


### 3 Information Architecture

---

```
SHOPS — portal switcher: [ Ops | Shops | Data ]
├─ Network Overview /shops
├─ PARTNERS
│  ├─ Directory /shops/all
│  │  └─ Shop Detail /shops/:id (11 tabs)
│  └─ Onboarding Pipeline /shops/onboarding (kanban)
├─ PEOPLE
│  └─ Mechanics /shops/mechanics
│     └─ Mechanic Detail /shops/mechanics/:id
├─ SUPPLY
│  ├─ Capacity & Scheduling /shops/capacity (heatmap · slot admin)
│  └─ Offerings Matrix /shops/offerings (shop × service grid)
├─ MONEY
│  └─ Stripe Connect Health /shops/stripe
└─ QUALITY
   ├─ Network Reviews /shops/reviews
   └─ Performance /shops/performance (variance · on-time · calibration)
```

### 3A Screen Anatomy — Shops sidebar & templates

The shell and five templates (T1 Dashboard · T2 List+drawer · T3 Detail-with-tabs · T4 Board · T5 Workspace) are defined visually in Doc 1 §3A and apply here unchanged — same tokens, same measurements. Below: this portal's exact sidebar and its one signature layout, the shop-week calendar.



The Shops shell showing Shop Detail (T3, 11 tabs) with the Calendar tab open — bays as columns, per the Jun 19 mechanic review ("whose bay is it? It's Bob's bay").

3B Page Layout Atlas — every Shops page, top to bottom

|                                                                     |                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>Network Overview</div> <div>T1 · sidebar item 1 · /shops</div> |                                                                                                                                                                                                                                    |
| KPI row                                                             | Active shops · Active mechanics · Bookings wk · Network GMV wk · Avg rating · Utilization 7d — same card spec as Ops T1.                                                                                                           |
| Map band                                                            | 320px map card, Staten Island framed; pins = health dots (green/amber/red) with white ring; pin click → 240px mini-card (name, rating, next slot, "Open →").                                                                       |
| Lower split                                                         | Left 55%: League table — one row per shop: name · bookings · completion % · variance · ★ (sortable). Right 45%: Needs Attention amber card (Stripe incomplete / hours missing / zero slots 7d / rating <4.0 / stalled onboarding). |

|                                                                        |                                                                                                                                                                                        |
|------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>Directory</div> <div>T2 · PARTNERS → Directory · /shops/all</div> |                                                                                                                                                                                        |
| Header                                                                 | "Shops" + count pill · right: + New Shop primary (creates row + onboarding record, jumps to Pipeline).                                                                                 |
| Table                                                                  | Name+health dot · City/ZIP · \$/hr · ★(n) · Mechanics · Bookings 7d · Util % · Active ✓ · Verified ✓ · Stripe state pill. Health dot hover = popover listing the exact failing checks. |

|                                                             |                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>Shop Detail</div> <div>T3 · 11 tabs · /shops/:id</div> |                                                                                                                                                                                                                                                              |
| Header card                                                 | Shop name 22px + health dot 10px · address line 13px with inline mini-map toggle · quick stats: \$/hr · ★(n) · mechanics · this-week bookings · right: is_active / is_verified toggles (ceremony) + ; .                                                      |
| Tab strip                                                   | Profile · Hours · Services & Rate · Mechanics · Calendar · Bookings · Reviews · Portfolio · Payments · Performance · Data Feedback.                                                                                                                          |
| Hours tab                                                   | 7-row week editor: day label 14px · open/close time pickers · Closed toggle; conflict banner amber when future slots violate hours ("Tue closed but 6 slots exist — Resolve →").                                                                             |
| Services & Rate                                             | Top card: labor_rate big input 24px with history link; ±15% co-sign notice 12px beneath. Below: 4 category groups, each service row = name · offered toggle · computed preview 13px #6B7280 "Oil change, '21 Camry ≈ \$X" · red INTERNAL tag on card corner. |
| Mechanics tab                                               | Roster cards 3-across: 56px photo · name 16px · title 13px · ★(n) · jobs count · next slot chip · Active toggle; "+ Add mechanic" dashed card last (invite flow via shop_invitations).                                                                       |
| Calendar tab                                                | The signature grid (wireframe above): week nav < > · columns per mechanic/bay (shop's naming choice) · slot cells 44px · Generate wizard button top-right · Block action on cell context menu (reason required).                                             |
| Data Feedback                                               | Three stacked cards: Variances flagged from this shop's jobs · Spec confirmations from its customers · Mechanic verification submissions — each with count badge and "what this partner teaches us" framing line 13px #6B7280.                               |

|                                                                                                      |                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>Onboarding Pipeline</div> <div>T4 · 7 columns · PARTNERS → Onboarding · /shops/onboarding</div> |                                                                                                                                                                                                                          |
| Header                                                                                               | "Onboarding" + median lead → live stat card right ("readiness metric for borough expansion").                                                                                                                            |
| Columns                                                                                              | Lead → Agreed → Stripe → Configured → Staffed → Test run → Live. Column header = stage + count; card = shop name 14px · stage-age badge (amber >5d) · owner avatar · next checklist item 12px #6B7280.                   |
| Card detail                                                                                          | Drawer: full checklist, auto-verified items show ✓ with the query that proved it (e.g. "Hours 7/7 ✓"); manual items have Complete buttons; Advance disabled until all ✓; test-run stage embeds the evidence BookingChip. |

|                                                                                                |                                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mechanics</b> <span>T2</span> → <b>Mechanic Detail</b> <span>T3</span> · PEOPLE → Mechanics |                                                                                                                                                                                                                                                                              |
| Directory                                                                                      | Photo+name · shop chip · title · Active ✓ · ★(n) · jobs · avg difficulty · next slot · <b>Data contributions</b> count (the barber-shop moat column).                                                                                                                        |
| Detail layout                                                                                  | Header (photo 64px, name, shop, toggle w/ reassignment guard) then 2x2 panel grid: Performance (jobs table + variance trend sparkline) · Reviews (list + trend) · Calendar (personal week strip) · Data contributions (verification stream rows with corrected-field chips). |

|                                                                                                  |                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Capacity &amp; Scheduling</b> <span>heatmap + T2</span> · SUPPLY → Capacity · /shops/capacity |                                                                                                                                                                                                          |
| Heatmap                                                                                          | Rows = shops (expander → per-mechanic sub-rows); columns = next 14 days; cell = availability density white → deep blue with booked hatch overlay; legend right; cell click filters the slot admin below. |
| Delay Monitors                                                                                   | Live panel (Appendix A discovery): late-start monitors · customer-late monitors · overrun check-ins — each row: booking chip · timer · state; empty = green "No active delays."                          |
| Integrity                                                                                        | Two always-on checks rendered as cards that should be empty: Double-booked slots · Booked-but-available; any row = red card + one-click fix (ceremony).                                                  |
| Bulk tools                                                                                       | Generate (multi-shop wizard) · Bulk block (holiday) · Orphan sweep list.                                                                                                                                 |

|                                                                                   |                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Offerings Matrix</b> <span>grid</span> · SUPPLY → Offerings · /shops/offerings |                                                                                                                                                                                                                                    |
| Grid                                                                              | Sticky first column = 23 services grouped by category (group header rows #F8FAFC); columns = shops; cell = ✓ (#059669) / — (#D1D5DB), click toggles (batched ceremony). Horizontal scroll past 8 shops with frozen service column. |
| Right rail                                                                        | Coverage gaps card ("offered by ≤1 shop" list, red) + per-service network price band mini-bars (min–max).                                                                                                                          |

|                                                                               |                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Stripe Connect Health</b> <span>T2</span> · MONEY → Stripe · /shops/stripe |                                                                                                                                                                                                                                                          |
| Default filter                                                                | "Not fully green" — the page opens on problems.                                                                                                                                                                                                          |
| Table                                                                         | Shop · acct id mono+copy · Onboarding pill · Charges ✓/✗ · Payouts ✓/✗ · Requirements due (chip list) · Last payout · "Open in Stripe →". Read-only mirror of webhook-synced status; a LOCKED banner notes refunds/disputes live in Stripe-hosted flows. |

|                                                                               |                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Network Reviews · Performance</b> <span>T2 + charts</span> · QUALITY group |                                                                                                                                                                                                                                                                                               |
| Reviews                                                                       | Ops reviews table grouped by shop → mechanic; per-shop trend sparkline in group header; "new ≤3★ this week" default.                                                                                                                                                                          |
| Performance                                                                   | Top: calibration chart — median labor variance % by service (bar, network) with per-shop overlay dots. Middle: on-time league table. Bottom: difficulty-vs-estimate scatter. Every aggregate click-throughs to underlying job rows; "systematically wrong" rows carry a "→ Data portal" chip. |



## 4 Page-by-Page Specification

### 4.1 Network Overview — </shops>

| ZONE            | CONTENTS                                                                                                                                                                                                                               | DATA SOURCE                                                                                                                                             |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| KPI row         | Active shops · Active mechanics · Bookings this week (network) · Network GMV this week · Avg shop rating · Slot utilization 7d (booked ÷ generated)                                                                                    | <a href="#">shops</a> , <a href="#">mechanics by_is_active</a> , <a href="#">bookings by_shop_and_date</a> , <a href="#">time_slots by_availability</a> |
| Map             | Pin per shop (lat/lng) colored by health: green = active+verified+Stripe complete, amber = setup gap, red = inactive or Stripe blocked. Click pin → mini-card → Shop Detail. Staten Island framed by default; zoom persists per admin. | <a href="#">shops</a>                                                                                                                                   |
| Needs attention | Stripe onboarding incomplete · hours missing (shop with <7 <a href="#">shops_hours</a> rows) · zero available slots next 7 days · rating dropped below 4.0 (30d) · onboarding stage stalled >5 days. Each row → the fixing surface.    | joins listed per row                                                                                                                                    |
| League table    | Per-shop 7d strip: bookings, completion rate, avg job variance, rating — a glanceable four-row table at four shops that becomes the network leaderboard at forty.                                                                      | <a href="#">bookings</a> , <a href="#">job_actuals</a> , <a href="#">reviews</a>                                                                        |

### 4.2 Directory — </shops/all> → Shop Detail — </shops/:id>

**Directory columns:** ShopChip (name + health dot) · City/ZIP · Labor rate \$/hr · Rating (+count) · Mechanics (active count) · Bookings 7d · Utilization 7d · Active ✓ · Verified ✓ · Stripe (complete/pending/blocked). Filters: active/verified, city, rating band, Stripe state. Primary action: **+ New Shop** (creates row + opens onboarding record, lands in pipeline \$4.3).

#### Shop Detail — eleven tabs

| TAB                 | CONTENTS & BEHAVIOR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | TABLES                                                                           |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| 1 · Profile         | Identity card: name, slug, full address with inline map, phone, <code>is_active</code> / <code>is_verified</code> toggles (ceremony; deactivation warns about open bookings and future slots, and lists them), created date, internal notes ( <a href="#">admin_notes</a> ). Header shows the health dot with a "why" popover (the exact checklist items failing).                                                                                                                                                                 | <a href="#">shops</a>                                                            |
| 2 · Hours           | Seven-row week editor (day, open/close, closed toggle) from <a href="#">shops_hours.by_shop_id</a> . Validation: overlaps impossible, missing days flagged. Banner if hours conflict with existing future slots ("Tuesday closed but 6 slots exist — resolve").                                                                                                                                                                                                                                                                    | <a href="#">shops_hours</a>                                                      |
| 3 · Services & Rate | <code>labor_rate</code> editor (ceremony; ±15% co-sign rule) with rate-change history from audit log. Below: this shop's row of the offerings matrix — all 23 catalog services grouped by the 4 categories, toggle <code>is_offered</code> per service ( <a href="#">shop_services.by_shop_id</a> ). Per service, computed preview: "Oil change on a 2021 Camry ≈ \$X at this rate" using <code>default_labor_hours</code> — instant sanity check when setting rates.<br><b>INTERNAL ONLY</b> pricing construction never exported. | <a href="#">shops</a> , <a href="#">shop_services</a> , <a href="#">services</a> |

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                  |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 4 • Mechanics      | Roster cards: photo, name, title (or shop name fallback per schema note), active toggle, rating + review_count, jobs completed (count via <code>job_actuals.by_mechanic_id</code> ), next available slot. Actions: + Add mechanic (creates <code>mechanics</code> row + portal account flow), deactivate (ceremony; blocks if future booked slots — must reassign first).                                                | <code>mechanics</code>                                                                                                           |
| 5 • Calendar       | Week grid, one column per mechanic (per-bay model): slots colored available / booked (BookingChip on hover) / blocked / past. From <code>time_slots.by_shop_and_date + by_mechanic_id</code> . Actions: block slot (reason), unblock, and <b>Generate slots</b> wizard — date range × mechanics × slot length, honoring Hours tab; preview count before commit; generation is one audited action with parameters stored. | <code>time_slots</code> , <code>bookings</code>                                                                                  |
| 6 • Bookings       | Scoped booking list ( <code>bookings.by_shop_id / by_shop_and_status</code> ), same columns as Ops §5.4 minus ShopChip. Rows deep-link to Ops Booking Detail — one detail page for the whole company, never two truths.                                                                                                                                                                                                  | <code>bookings</code>                                                                                                            |
| 7 • Reviews        | Shop-scoped reviews ( <code>reviews.by_shop_id</code> ), rating trend sparkline (30/90d), distribution histogram, mechanic breakdown. Moderation actions live in Ops §5.7; this tab links there.                                                                                                                                                                                                                         | <code>reviews</code>                                                                                                             |
| 8 • Portfolio      | Gallery grid from <code>shop_portfolio.by_shop_id → cdn_assets</code> (url, caption). Reorder by drag ( <code>display_order</code> ), add via upload → <code>cdn_assets</code> row, remove (soft). Preview rail shows exactly how the consumer app renders the gallery.                                                                                                                                                  | <code>shop_portfolio</code> , <code>cdn_assets</code>                                                                            |
| 9 • Payments       | Shop-received payments ( <code>payments</code> filtered by <code>shop_id</code> ) with booking chips; weekly volume chart; link-rail to Stripe Connect account (§4.7 holds the account-level health).                                                                                                                                                                                                                    | <code>payments</code>                                                                                                            |
| 10 • Performance   | Estimate-vs-actual for this shop: median labor variance % by service (joins <code>job_actuals-bookings</code> shop-scoped + <code>spec_variances</code> ), difficulty distribution, on-time rate ( <code>completed_at</code> within slot end + grace), <code>technician_notes</code> word-cloud-free honest list. Amber rows link to Data portal variance detail.                                                        | <code>job_actuals</code> , <code>spec_variances</code>                                                                           |
| 11 • Data Feedback | The shop's contribution to the data moat: <code>spec_variances</code> flagged from its jobs, <code>spec_confirmations</code> from its customers, and (from the enrichment pipeline tables) mechanic verification submissions by its mechanics. Framing matters: this tab is shown <i>to the team</i> as "what this partner teaches us" — the flywheel made visible per shop.                                             | <code>spec_variances</code> , <code>spec_confirmations</code> , <code>enrichment-side</code> <code>mechanic_verifications</code> |

### 4.3 Onboarding Pipeline — </shops/onboarding>

**Purpose:** Turn "we onboarded four shops by heroics" into a repeatable machine. Kanban with seven stages; a shop card advances only when its stage checklist is complete (checklist state stored in proposed [shop\\_onboarding](#), §6).

| # | STAGE      | EXIT CHECKLIST (AUTO-VERIFIED WHERE POSSIBLE)                                                                          |
|---|------------|------------------------------------------------------------------------------------------------------------------------|
| 1 | Lead       | Contact name/phone captured · visit scheduled                                                                          |
| 2 | Agreed     | Rate agreed (labor_rate entered) · shop row created (is_active=false)                                                  |
| 3 | Stripe     | Connect Express onboarding complete (MCC 7538) — auto-checked from webhook-synced status; blocked accounts flagged red |
| 4 | Configured | Hours: 7/7 rows ✓ (auto) · Services: ≥1 offered ✓ (auto) · Portfolio: ≥3 photos (auto count)                           |
| 5 | Staffed    | ≥1 active mechanic ✓ (auto) · mechanic portal login verified · slots generated ≥14 days ahead ✓ (auto)                 |
| 6 | Test run   | End-to-end test booking (book → accept → start → complete → pay) passed — links the test BookingChip as evidence       |
| 7 | Live       | is_active=true + is_verified=true flipped together (single ceremony) · appears in consumer app · welcome message sent  |

Card face: shop name, stage age (amber >5 days), owner (Shop Success member), next checklist item. Pipeline header: median lead → live time — the metric that tells us if borough expansion is operationally ready.

### 4.4 Mechanics — </shops/mechanics> → Mechanic Detail

**Directory:** MechanicChip (photo+name) · ShopChip · Title · Active ✓ · Rating (+count) · Jobs completed · Avg difficulty reported · Next available slot · Data contributions (verification count). Filters: shop, active, rating band. Cross-shop view matters: it's how we spot the network's best people.

**Detail** — </shops/mechanics/:id> : header card (photo via [cdn\\_assets](#), name, title, shop chip, active toggle w/ reassignment guard) · **Performance panel:** jobs list ([job\\_actuals.by\\_mechanic\\_id](#): booking chip, actual minutes vs estimate, parts cost, difficulty, notes), personal variance trend, empirical labor stats per service (their own actuals aggregated — the seed of empirical p25/p75) · **Reviews panel:** [reviews.by\\_mechanic\\_id](#) with trend · **Calendar panel:** personal week from [time\\_slots.by\\_mechanic\\_id](#) · **Data contributions panel:** their mechanic verifications and flagged corrections — because in the barber-shop model, the mechanic who fixes our data is as valuable as the one who fills the most slots, and this page is where that becomes visible and rewardable.

### 4.5 Capacity & Scheduling — </shops/capacity>

**Heatmap:** rows = shop (expandable to per-mechanic), columns = next 14 days; cell color = available-slot density (white none → deep blue high), booked overlay hatch. Instantly answers "where is supply thin next week?" Data:

[time\\_slots.by\\_shop\\_and\\_date](#) aggregated. **Utilization chart:** booked ÷ generated per shop per week, 8-week trend. **Slot admin:** bulk tools — generate (same wizard as Shop Detail, multi-shop), bulk block (holiday), orphan sweep (slots outside current hours → list → resolve). **Integrity checks (always-on):** double-booked slot detector (two bookings, one time\_slot\_id) and booked-but-available flag (booking exists, slot still is\_available=true) — both should be empty tables; any row is an incident with one-click fix + audit.

#### 4.6 Offerings Matrix — </shops/offerings>

The whole network's service coverage in one grid: rows = 23 services grouped by 4 categories, columns = shops, cell = ✓/— (from [shop\\_services](#) by [shop\\_and\\_service](#)), editable inline (ceremony batches edits). Right rail: coverage gaps — "services offered by 0–1 shops" (single point of failure for a booking search) and per-service network price band (min–max across shop rates × default\_labor\_hours). This page is also the launch-readiness check for each new borough: paste in target shops, see the coverage holes before going live.

#### 4.7 Stripe Connect Health — </shops/stripe>

One row per shop: ShopChip · Connect account id (mono, copy) · Onboarding state (complete / pending / restricted) · Charges enabled ✓ · Payouts enabled ✓ · Requirements due (list from synced account status) · Last payout (date+amount, if synced) · "Open in Stripe" link-out. Filter default: anything not fully green. **Data note:** Connect status arrives via the two existing webhooks (platform + connected, wired Sprint 4); this page reads the synced Convex mirror — it never calls Stripe live in the browser, and it never stores more than status fields. Alert row logic feeds Network Overview "needs attention." **LOCKED** Refund/dispute UI stays Stripe-hosted (Apr 23 decision) — this page links, never rebuilds.

#### 4.8 Network Reviews — </shops/reviews> · 4.9 Performance — </shops/performance>

**Network Reviews:** the Ops reviews table pre-filtered to supply-side lens: group by shop, then mechanic; rating trend per shop; "new ≤3★ this week" default view. Moderation deep-links to Ops. **Performance:** network-level calibration — median labor variance % by service across all shops (are our estimates systematically wrong on brakes?), shop-vs-network variance comparison, on-time completion league, difficulty-vs-estimate scatter (are hard jobs under-estimated?). Every aggregate row expands to the underlying [job\\_actuals/spec\\_variances](#) rows. This page is the bridge to the Data portal: its "systematically wrong estimate" findings become </data/verification> work items.

## 5 Cross-Portal Deep Links (Shops edition)

| FROM (SHOPS)                | CHIP / LINK | LANDS AT                                                                                 |
|-----------------------------|-------------|------------------------------------------------------------------------------------------|
| Shop Bookings tab row       | BookingChip | Ops · <a href="/ops/bookings/:id">/ops/bookings/:id</a> (single source of booking truth) |
| Performance variance row    | link        | Data · <a href="/data/verification?service=:id">/data/verification?service=:id</a>       |
| Mechanic data contributions | link        | Data · <a href="/data/verification?mechanic=:id">/data/verification?mechanic=:id</a>     |
| Booking card user           | UserChip    | Ops · <a href="/ops/users/:id">/ops/users/:id</a>                                        |
| Job parts_used OEM#         | PartChip    | Data · <a href="/data/parts/:oem">/data/parts/:oem</a>                                   |

6

Schema Additions Required

PROPOSED — WALEED

| TABLE / CHANGE            | DEFINITION                                                                                                                                                      | WHY                                                                                                                                                                          |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| shop_onboarding           | shop_id, stage (1-7), checklist (array of {key, done, done_by, done_at, evidence_ref}), owner_clerk_id, stage_entered_at, created_at · idx: by_shop, by_stage   | Pipeline state + auto-verified checklists; stage age alerts.                                                                                                                 |
| stripe_account_status     | shop_id, account_id, onboarding_state, charges_enabled, payouts_enabled, requirements_due (array), last_payout_at, last_payout_amount, synced_at · idx: by_shop | Webhook-synced mirror powering §4.7 (may already partially exist from Sprint 4 wiring — Daniel to confirm what the webhooks persist today and extend rather than duplicate). |
| time_slots.blocked_reason | v.optional(v.string()) (+ blocked_by, blocked_at)                                                                                                               | Distinguish "blocked by shop" from "booked" from "never generated" — required for honest utilization math.                                                                   |
| shops.contact fields      | owner_name, owner_email, preferred_channel (optional strings)                                                                                                   | The relationship half of the partner record; currently only shop phone exists.                                                                                               |

## 7 Migration & Build Plan

### 7.1 Existing → new home

| CURRENT (DANIEL SPRINTS 4–7)             | NEW HOME               | WORK                                  |
|------------------------------------------|------------------------|---------------------------------------|
| All Shops view                           | \$4.2 Directory        | Regroup + health dot + columns        |
| Shop onboarding from admin               | \$4.3 Pipeline         | Rebuild as staged kanban + checklists |
| Shop settings (hours, services)          | \$4.2 tabs 2–3         | Regroup + validation + rate ceremony  |
| Stripe Connect wiring (OAuth + webhooks) | \$4.7 reads its mirror | Extend persistence per \$6            |
| Mechanic customers / ratings (P1)        | \$4.4 Mechanic Detail  | Regroup + performance panels          |

### 7.2 Phasing

| PHASE | SCOPE                                                                                                                                        | EXIT TEST                                                                                                                                                                               |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| P0    | Network Overview · Directory + Shop Detail tabs 1–6 (Profile, Hours, Services&Rate, Mechanics, Calendar, Bookings) · Stripe Health read view | A brand-new shop can be taken from created → bookable using only this portal, and any of the four live shops' "where's my money / where's my Tuesday" questions answered in one screen. |
| P1    | Onboarding Pipeline with auto-checklists · Mechanic directory + detail · Capacity heatmap + integrity checks · Offerings Matrix              | Fifth Staten Island shop onboards via pipeline with zero steps done in the Convex dashboard; double-booking detector live.                                                              |
| P2    | Shop Detail tabs 7–11 (Reviews, Portfolio, Payments, Performance, Data Feedback) · Network Performance page                                  | Monthly partner review for any shop is generated from its Detail page alone.                                                                                                            |

## 8 Definition of Done — 10/10 Checklist

---

- Every shop's health dot is computed, never hand-set — the "why" popover always lists real failing checks.
- Slot integrity checks (double-book, booked-but-available, orphaned-vs-hours) run as live queries and render empty on production.
- Rate changes and (de)activations impossible without reason;  $\pm 15\%$  rate moves require co-sign; all visible in audit within a second.
- Onboarding stages cannot be skipped; every auto-checklist item is genuinely auto-verified against the tables, not a checkbox of vibes.
- No Stripe secret or token ever rendered; portal shows status + links out only.
- Booking truth lives in Ops — this portal deep-links and never forks a second booking detail page.
- All four page states implemented and screenshotted per page; index-only queries enforced in review.



A Appendix A — Live Production Validation

VALIDATED JUL 11, 2026

Measured read-only against live production and ahmad via Convex MCP. Where this conflicts with the body, the appendix wins.

A.1 The headline finding: the shop network isn't in production yet

Live production: `shops 0 · mechanics 0 · shop_services 0 · shops_hours 0 · time_slots 0`. Ahmad holds the built-out network: `shops 38 · mechanics 87 · shop_services 874 · shops_hours 217 · shop_portfolio 75 · shop_invitations 46 · shop_users 41`. **Consequence:** the four live Staten Island partners are not represented in the production deployment this portal will read — the §4.3 Onboarding Pipeline's first real job is therefore **onboarding the four existing partners into production**, which doubles as the pipeline's own end-to-end test. Confirm with Waleed/Daniel which deployment the shop portal currently serves before pointing anything anywhere.

A.2 Corrections and discoveries

| FINDING (MEASURED)                                                                                                                                                                                                                                                                                               | IMPACT                                                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>shop_users (41)</code> and <code>shop_invitations (46)</code> exist in <code>ahmad</code>                                                                                                                                                                                                                  | Shop-side auth + an invitation flow already have tables. §4.2 Mechanics tab and §4.3 stage 5 ("mechanic portal login verified") build on these, not on new tables; §6's contact-fields proposal partially collapses into <code>shop_users</code> .                 |
| <code>stripe_webhook_events</code> exists in live schema                                                                                                                                                                                                                                                         | Webhook persistence confirmed at the event level. §6's <code>stripe_account_status</code> proposal narrows to: derive/materialize account status from stored events rather than invent a parallel sync — Daniel confirms what the Sprint 4 handlers already write. |
| Delay/extended-repair system tables exist: <code>block_time_types</code> , <code>late_start_monitors</code> , <code>late_start_reviews</code> , <code>customer_late_monitors</code> , <code>customer_late_alerts</code> , <code>job_overrun_checkins</code> , <code>appointment_reminder_monitors</code> (ahmad) | The Extended-Repair framework from the concept docs is already schema-real. §4.5 Capacity gains a <b>Delay Monitors panel</b> (live late-start and overrun monitors per shop) — a straight read over these tables, high operational value on day one.              |
| Quote/booking workflow tables in ahmad: <code>booking_approvals</code> , <code>quote_request_dismissals</code> , <code>tire_quote_responses</code> , <code>rotor_quote_responses</code> , <code>labor_quote_snapshots</code> , <code>parts_quote_snapshots</code> , <code>invoice_counters</code>                | The quote pipeline is richer than the body spec modeled. Shop Detail gains a <b>Quotes tab (tab 12)</b> : quote requests, responses by type, snapshots, dismissals — scoped per shop.                                                                              |
| Ahmad hot tables ( <code>bookings</code> , <code>payments</code> , <code>time_slots</code> ) return count -1 via MCP                                                                                                                                                                                             | Reconfirms: all utilization and league-table math via indexed Convex queries, never MCP counts.                                                                                                                                                                    |

Otopair · Shops Portal Specification v1.0 + Appendix A · Prepared July 11, 2026 · Body verified against canonical schema; Appendix A measured against live deployments July 11, 2026.