

# BUILDING WEBPAGES WITH REACT NATIVE



AppWithUs

# BUILDING WEBPAGES\* WITH REACT NATIVE



AppWithUs

\*and Apps

WHAT WE HAVE

Code Base



WHAT WE WANT

Code Base



Code Base

```
graph TD; A[Code Base] --> B[iPhone]; A --> C[Web Browser];
```

Netzbetreiber  
Hello world!  
Current platform: iOS

16:50



React Native Web  
localhost:3000

Hello world!  
Current platform: Web



WHAT DO WE NEED



(react-native init)

react-native init

yarn add

react-native init

react-native-web

webpack

webpack-dev-server

babel-loader

add-asset-html-webpack-plugin

compression-webpack-plugin

copy-webpack-plugin

html-webpack-plugin

http-serve

json-loader

offline-plugin

url-loader

yarn add

react-native init

yarn add

Babel  
config

Webpack  
config

package.json  
config


react-native init


yarn add

Babel  
config

Webpack  
config

package.json  
config



Netzbetreiber  16:50   
Hello world!  
Current platform: iOS

React Native Web  
localhost:3000  
Hello world!  
Current platform: Web

# BUILDING WEBPAGES\* WITH REACT NATIVE



AppWithUs

\*and Apps

<https://github.com/AppWithUs/>