



## Plotting graph using Seaborn | Python

This article will introduce you to graphing in python with **Seaborn**, which is the most popular statistical visualization library in Python.

**Installation :** Easiest way to install seaborn is to use pip. Type following command in terminal:

```
pip install seaborn
```

OR, you can download it from [here](#) and install it manually.

### Plotting categorical scatter plots with Seaborn

#### Stripplot

```
# Python program to illustrate
# Plotting categorical scatter
# plots with Seaborn

# importing the required module
import matplotlib.pyplot as plt
import seaborn as sns

# x axis values
x =['sun', 'mon', 'fri', 'sat', 'tue', 'wed', 'thu']

# y axis values
y =[5, 6.7, 4, 6, 2, 4.9, 1.8]


# plotting strip plot with seaborn
ax = sns.stripplot(x, y);

# giving labels to x-axis and y-axis
ax.set(xlabel ='Days', ylabel ='Amount_spend')

# giving title to the plot
plt.title('My first graph');

# function to show plot
plt.show()
```

#### Output:



**Explanation :** This is the one of kind of scatter plot of categorical data with the help of seaborn.

- Categorical data is represented in x-axis and values correspond to them represented through y-axis.
- **.striplot()** function is used to define the type of the plot and to plot them on canvas using .
- **.set()** function is use to set labels of x-axis and y-aixs.
- **.title()** function is used to give title to the graph.
- To view plot we use **.show()** function.

**Strippplot using inbuilt data-set given in seaborn :**

```
# Python program to illustrate
# Strippplot using inbuilt data-set
# given in seaborn

# importing the required module
import matplotlib.pyplot as plt
import seaborn as sns

# use to set style of background of plot
sns.set(style = "whitegrid")


# loading data-set
iris = sns.load_dataset('iris');

# plotting strip plot with seaborn
# deciding the attributes of dataset on which plot should be made
ax = sns.strippplot(x = 'species', y = 'sepal_length', data = iris);

# giving title to the plot
plt.title('Graph')

# function to show plot
plt.show()
```

**Output:**



Explanation:

- **iris** is the dataset already present in seaborn module for use.
- We use **.load\_dataset()** function in order to load the data.We can also load any other file by giving path and name of file in the argument.
- **.set(style="whitegrid")** function here is also use to define the background of plot.We can use **"darkgrid"** instead of whitegrid if we want dark colored background.
- In **.stripplot()** function we have define which attribute of the dataset to be on x-axis and which attribute of dataset should on y-axis.**data = iris** means attributes which we define earlier should be taken from the given data.
- We can also draw this plot with matplotlib but problem with matplotlib is its default parameters. The reason why Seaborn is so great with DataFrames is, for example, labels from DataFrames are automatically propagated to plots or other data structures as you see in the above figure column name **species** comes on x-axis and column name **stepal\_length** comes on y-axes, that is not possible with matplotlib. We have to explicitly define the labels of x-axis and y-axis.

Swarmplot:

```
# Python program to illustrate
# plotting using Swarmplot

# importing the required module
import matplotlib.pyplot as plt
import seaborn as sns

# use to set style of background of plot
sns.set(style = "whitegrid")


# loading data-set
iris = sns.load_dataset('iris');

# plotting strip plot with seaborn
# deciding the attributes of dataset on which plot should be made
ax = sns.swarmplot(x = 'species', y = 'sepal_length', data = iris);

# giving title to the plot
plt.title('Graph')

# function to show plot
plt.show()
```

Output:



**Explanation:**

This is very much similar to stripplot but the only difference is that is do not allow overlapping of markers.It cause jittering in the markers of the plot so that graph can easily be readed without information loss as seen in the above plot.

- We use **.swarmplot()** function to plot swarn plot.
- Another difference that we can notice in Seaborn and Matplotlib is that working with DataFrames doesn't go quite as smoothly with Matplotlib, which can be annoying if we doing exploratory analysis with Pandas. And that's exactly what Seaborn do easily, the plotting functions operate on DataFrames and arrays that contain a whole dataset.

**NOTE :** If we want we can also change the representation of data on a particular axis. For example :

```
# importing the required module
import matplotlib.pyplot as plt
import seaborn as sns

# use to set style of background of plot
sns.set(style = "whitegrid")


# loading data-set
iris = sns.load_dataset('iris');

# plotting strip plot with seaborn
# deciding the attributes of dataset on which plot should be made
ax = sns.swarmplot(x = 'sepal_length', y = 'species', data = iris);

# giving title to the plot
plt.title('Graph')

# function to show plot
plt.show()
```

**Output:**



The same can be done in stripplot. At last we can say that Seaborn is extended version of matplotlib which tries to make a well-defined set of hard things easy.

## Recommended Posts:

[Graph Plotting in Python | Set 1](#)

[Graph Plotting in Python | Set 2](#)

[Graph Plotting in Python | Set 3](#)

[Python | Matplotlib Graph plotting using object oriented API](#)

[Python | Geographical plotting using plotly](#)

[Python | Plotting Google Map using folium package](#)

[SunPy | Plotting a Solar Image in Python](#)

[Python | Plotting Google Map using gmplot package](#)

[Python | Matplotlib Sub plotting using object oriented API](#)

[Python | Plotting Fibonacci spiral fractal using Turtle](#)

[Python | Plotting Data on Google Map using pygmaps package](#)

[Python | Plotting charts in excel sheet using openpyxl module | Set – 2](#)

[Python | Plotting Pie charts in excel sheet using XlsxWriter module](#)

[Python | Plotting charts in excel sheet using openpyxl module | Set 3](#)

[Python | Plotting bar charts in excel sheet using XlsxWriter module](#)



**[saloni1297](#)**

Check out this Author's [contributed articles](#).

---

If you like GeeksforGeeks and would like to contribute, you can also write an article using [contribute.geeksforgeeks.org](https://contribute.geeksforgeeks.org) or mail your article to [contribute@geeksforgeeks.org](mailto:contribute@geeksforgeeks.org). See your article appearing on the GeeksforGeeks main page and help other Geeks.

Please Improve this article if you find anything incorrect by clicking on the "Improve Article" button below.



Article Tags : [GBlog](#) [Machine Learning](#) [Python](#)

Practice Tags : [Machine Learning](#)



Be the First to upvote.

0

☐ To-do ☐ Done

No votes yet.

[Feedback/ Suggest Improvement](#)

[Add Notes](#)

[Improve Article](#)

Please write to us at [contribute@geeksforgeeks.org](mailto:contribute@geeksforgeeks.org) to report any issue with the above content.

Writing code in comment? Please use [ide.geeksforgeeks.org](https://ide.geeksforgeeks.org), generate link and share the link here.

Load Comments

5th Floor, A-118,  
Sector-136, Noida, Uttar Pradesh - 201305  
[feedback@geeksforgeeks.org](mailto:feedback@geeksforgeeks.org)

## COMPANY

[About Us](#)  
[Careers](#)  
[Privacy Policy](#)  
[Contact Us](#)

## LEARN

[Algorithms](#)  
[Data Structures](#)  
[Languages](#)  
[CS Subjects](#)  
[Video Tutorials](#)

## PRACTICE

[Courses](#)  
[Company-wise](#)  
[Topic-wise](#)  
[How to begin?](#)

## CONTRIBUTE

[Write an Article](#)  
[Write Interview Experience](#)  
[Internships](#)  
[Videos](#)



@geeksforgeeks, Some rights reserved

