RU Settings by container

The RUs on containers are moving down to reduce costs based on an analysis of a week's worth of data at a granularity of 1 minute. Then adding 30% to the highest peak, to safeguard us from overdoing it.

What does this mean for you? This means that when you want to do a heavy load operation on a container like a replay, or a rehydration, you'll need to scale it up to a higher value. Then after it's done, scale it back down to the calculated value.

This chart will have what we're now at, and what it was at before we modified them. A couple did actually have to go up, but most went down quite far.

Account: *cdbucxaclservice

DB: ACLServiceDB

container	environment	new value	old value
AuditLog	dv1	2000	10000
DeadLetter	dv1	1000	7000
RequestLookUp	dv1	1000	7000
AuditLog	in1	2000	10000
DeadLetter	in1	1000	7000
RequestLookUp	in1	1000	7000
AuditLog	pd1	4000	40000
DeadLetter	pd1	1000	7000
RequestLookUp	pd1	13000	128000

Account: *cdbucxaclserviceerss

DB: ucxaclserviceerssdb

container	environment	new value	old value
AuditLog	dv1	1000	7000
DeadLetter	dv1	1000	7000
DiagnosisMessages	dv1	1000	7000
DiagnosisState	dv1	1000	7000
ErssFinal	dv1	1000	7000
EventSourceMessages	dv1	1000	7000
EventSourceState	dv1	1000	7000
Qualifier	dv1	9000	7000
RequestLookUp	dv1	1000	7000
ServicingProviderInfo	dv1	1000	7000
ServicingProviderInfoV2	dv1	1000	7000
AuditLog	in1	4000	7000
DeadLetter	in1	1000	7000
DiagnosisMessages	in1	1000	7000
DiagnosisState	in1	1000	7000
ErssFinal	in1	7000	7000
EventSourceMessages	in1	3000	7000
EventSourceState	in1	5000	7000
Qualifier	in1	10000	7000

RequestLookUp	in1	1000	7000
ServicingProviderInfo	in1	2000	7000
ServicingProviderInfoV2	in1	2000	7000
AuditLog	pd1	58000	64000
DeadLetter	pd1	7000	64000
DiagnosisMessages	pd1	1000	64000
DiagnosisState	pd1	12000	64000
ErssFinal	pd1	113000	256000
EventSourceMessages	pd1	87000	64000
EventSourceState	pd1	123000	64000
Qualifier	pd1	206000	256000
RequestLookUp	pd1	7000	64000
ServicingProviderInfo	pd1	22000	64000
ServicingProviderInfoV2	pd1	22000	64000

For DV1 and IN1 the RUs can be 1K, but currently via terraform we are limited to a minimum of 4k.

Account: *cdbucxucxrequestsearchservice

DB: ucxrequestsearchservicedb

container	environment	new value	old value
RequestState	dv1	4000	7000

RequestMessages	dv1	4000	7000
RequestLock	dv1	4000	8000
RequestData	dv1	4000	7000
DeadLetter	dv1	4000	4000
RequestState	in1	4000	7000
RequestMessages	in1	4000	7000
RequestLock	in1	4000	8000
RequestData	in1	4000	7000
DeadLetter	in1	4000	4000
RequestState	pd1	8000	7000
RequestMessages	pd1	8000	7000
RequestLock	pd1	7000	8000
RequestData	pd1	4000	7000
DeadLetter	pd1	4000	4000

Account: *cdbucxattachmentsservice

DB: **ucxrequestsearchservicedb**

container	environment	new value	old value
RequestsAttachments	dv1	1000	8000
RequestsAttachmentsV2	dv1	1000	8000

RequestsAttachments	dv1	1000	8000
RequestsAttachmentsV2	dv1	1000	8000
RequestsAttachments	dv1	20000	64000
RequestsAttachmentsV2	in1	24000	67000

Account: *ucxrqstdetailcdb

DB: ucxrequestsearchservicedb

does throughput and database level 4000 RU - already has 70-100% utilization, so no updates.

Account: *cdbucxlookupservice

DB: ucxlookupservicedb

container	**environment**	**new value**	**old value**
DeadLetter	dv1	7000	7000
Lookup	dv1	7000	7000
LookupV2	dv1	1000	20000
DeadLetter	in1	1000	4000
Lookup	in1	1000	4000
LookupV2	in1	2000	20000
DeadLetter	pd1	2000	8000
Lookup	pd1	7000	8000
LookupV2	pd1	6000	40000

Account: *cdbucxucxheaderservice

DB: ucxheaderservicedb

container	**environment**	**new value**	**old value**
DeadLetter	dv1	1000	1000
DeadLetterV2	dv1	1000	1000
HeaderEventSource Messages	dv1	1000	7000
HeaderEventSource State	dv1	1000	7000
HeaderInfo	dv1	1000	1000
HeaderInfoV2	dv1	1000	7000
DeadLetter	in1	1000	1000
DeadLetterV2	in1	1000	1000
HeaderEventSource Messages	in1	2000	8000
HeaderEventSource State	in1	2000	8000
HeaderInfo	in1	1000	1000
HeaderInfoV2	in1	1000	7000
DeadLetter	pd1	1000	4000
DeadLetterV2	pd1	1000	4000
HeaderEventSource Messages	pd1	75000	64000
HeaderEventSource State	pd1	75000	64000
HeaderInfo	pd1	1000	4000

HeaderInfoV2	pd1	7000	7000

Account:

- dv1: eheu2dv1ucxcosmosdb-r1
- in1: eheu2in1ucxcosmosdb
- pd1: eheu2pd1ucxcosmosdb

DB: RequestForServiceEventsDB

container	**environment**	**new value**	**old value**
ActivityLog	dv1	3000	5000
RequestForServiceEvents	dv1	400	400
RfsKeyCorrection	dv1	1000	20000
DeadLetter	dv1	1000	4000
ActivityLog	in1	10000	10000
RequestForServiceEvents	in1	400	400
RfsKeyCorrection	in1	2000	20000
DeadLetter	in1	1000	1000
ActivityLog	pd1	20000	20000
RequestForServiceEvents	pd1	1000	4000
RfsKeyCorrection	pd1	10000	100000
DeadLetter	pd1	1000	1000

Account:

- dv1: eheu2dv1ucxcosmosdb-r1
- in1: eheu2in1ucxcosmosdb

- pd1: eheu2pd1ucxcosmosdb

DB: FreeFormNoteDB

container	**environment**	**new value**	**old value**
FreeFormNotesEvent	dv1	400	400
FreeFormNotesEvent	in1	400	400
FreeFormNotesEvent	pd1	400	400

Account:

- dv1: eheu2dv1ucxcosmosdb-r1
- in1: eheu2in1ucxcosmosdb
- pd1: eheu2pd1ucxcosmosdb

DB: NoteServiceDB

container	**environment**	**new value**	**old value**
Notes	dv1	1000	4000
Notes	in1	1000	4000
Notes	pd1	4000	4000
DeadLetter	dv1	1000	1000
DeadLetter	in1	1000	1000
DeadLetter	pd1	1000	1000

Account:

- dv1: eheu2dv1ucxcosmosdb-r1
- in1: eheu2in1ucxcosmosdb
- pd1: eheu2pd1ucxcosmosdb

DB: MemberHistoryService

container	**environment**	delete if possible	**new value**	**old value**
MemberHistory	dv1		1000	4000
MemberHistoryData	dv1	x	400	400
MemberHistoryErss	dv1		1000	4000
MemberHistoryV2	dv1		2000	20000
DeadLetter	dv1		1000	1000
MemberHistory	in1		1000	4000
MemberHistoryData	in1	x	1000	1000
MemberHistoryErss	in1		4000	4000
MemberHistoryV2	in1		2000	20000
DeadLetter	in1		1000	1000
MemberHistory	pd1		10000	10000
MemberHistoryData	pd1	x	7000	64000
MemberHistoryErss	pd1		4000	4000
MemberHistoryV2	pd1		21000	80000
DeadLetter	pd1		2000	2000

Account: *cdbucxstatuschangeservice-v3

DB: statuschangeservice

container	**environment**	**new value**	**old value**
AuditLog	dv1	1000	7000
DeadLetter	dv1	1000	7000
EventSourceMessages	dv1	1000	7000
EventSourceState	dv1	1000	7000
AuditLog	in1	2000	8000
DeadLetter	in1	1000	8000
EventSourceMessages	in1	2000	8000
EventSourceState	in1	2000	8000
AuditLog	pd1	13000	64000
DeadLetter	pd1	5000	64000
EventSourceMessages	pd1	16000	64000
EventSourceState	pd1	18000	64000

Account: *cdbucxqualifier

DB: ucxqualifier

container	**environment**	**new value**	**old value**
DeadLetter	dv1	1000	8000

Qualifiers	dv1	1000	8000
QualifiersMessages	dv1	1000	8000
QualifiersState	dv1	1000	8000
DeadLetter	in1	1000	8000
Qualifiers	in1	39000	384000
QualifiersMessages	in1	39000	384000
QualifiersState	in1	39000	384000
DeadLetter	pd1	7000	64000
Qualifiers	pd1	94000	384000
QualifiersMessages	pd1	39000	384000
QualifiersState	pd1	63000	384000

Account: *cdbucxdeterminationservice

DB: determinationservice

container	**environment**	**new value**	**old value**
AuditLog	dv1	1000	7000
DeadLetter	dv1	1000	7000
Decisions	dv1	1000	7000
Determinations	dv1	1000	7000
ProcedureMessages	dv1	1000	7000
Procedures	dv1	1000	7000
ProcedureState	dv1	1000	7000
RequestMessages	dv1	1000	7000
RequestState	dv1	1000	7000

AuditLog	in1	1000	8000
DeadLetter	in1	1000	8000
Decisions	in1	3000	8000
Determinations	in1	2000	8000
ProcedureMessages	in1	1000	8000
Procedures	in1	1000	8000
ProcedureState	in1	1000	8000
RequestMessages	in1	1000	8000
RequestState	in1	1000	8000
AuditLog	pd1	52000	512000
DeadLetter	pd1	26000	256000
Decisions	pd1	41000	384000
Determinations	pd1	80000	64000
ProcedureMessages	pd1	7000	64000
Procedures	pd1	7000	64000
ProcedureState	pd1	7000	64000
RequestMessages	pd1	300000	77000
RequestState	pd1	77000	768000

Account: *cdbucxrequestrouting

DB: *requestrouting

container	**environment**	**new value**	**old value**
requestHistoryBlue	dv1	1000	4000

requestHistoryGreen	dv1	1000	4000
StateConfiguration	dv1	1000	4000
UserConfiguration	dv1	1000	4000
requestHistoryBlue	test	1000	6000
requestHistoryGreen	test	1000	6000
StateConfiguration	test	1000	4000
UserConfiguration	test	1000	4000
requestHistoryBlue	prod	9000	12000
requestHistoryGreen	prod	9000	12000
StateConfiguration	prod	1000	4000
UserConfiguration	prod	1000	4000

Account: *cdbucxproceduresservice

DB: ucxproceduresservice

container	**environment**	**new value**	**old value**
procedures	dv1	1000	4000
procedures-v2	dv1	1000	4000
procedures	in1	1000	4000
procedures-v2	in1	1000	4000
procedures	pd1	7000	64000
procedures-v2	pd1	17000	64000