

The Zero-Cost Distinction Fallacy

How Formal Systems Generate Paradox by Treating Identity as Free

Dr. James Alexander Pugmire

May 2026

Abstract

Any formal system that treats the initial act of identity distinction as a zero-cost operation is making an empirically unsupported ontological commitment. In physical reality, no distinction is free: carving an entity from its background, stabilising a boundary, or declaring $A = A$ requires physical instantiation, substrate, and ongoing boundary maintenance, each of which incurs thermodynamic cost. Formal systems that ignore this cost do not merely simplify. They systematically reify their own computational artifacts as ontological primitives, licensing claims about the structure of reality that their own accounting cannot support. This paper identifies the zero-cost distinction fallacy as the single structural source of the major logical paradoxes and the quantum measurement problem. It provides a precise taxonomy distinguishing three mechanically distinct failure modes, demonstrates that these are not unrelated puzzles requiring separate solutions, and argues that a formal system which prices every distinction dissolves these problems rather than patching them. The formal implementation of this proposal is Propagation Logic (Pugmire, 2026), available at github.com/ApplePiesFromScratch/propagation-logic.

1. The Fallacy Stated

Classical logic, set theory, and standard physical formalisms share a foundational assumption that is never examined because it precedes examination: that identity is primitive. To write $A = A$, to declare the existence of a set, to posit a particle with a definite state, is treated as a zero-cost operation. The distinction between A and not- A , between element and non-element, between measured and unmeasured, arrives without charge.

This assumption is false.

Every distinction that exists in physical reality requires: a physical substrate to carry the distinction; work to establish the boundary between distinguished and undistinguished; and ongoing energy expenditure to maintain that boundary against thermal noise and environmental perturbation. There is no exception to this in known physics. The second law of thermodynamics governs the total entropy of closed systems, not only the operations performed within them:

$$\Delta S_{total} = \Delta S_{system} + \Delta S_{environment} \geq 0$$

Landauer's principle identifies the thermodynamic cost of erasing a bit of information as $kT \ln 2$. This is correct but incomplete. It accounts for the cost of destroying a distinction. It does not

account for the cost of creating one. The creation and stabilisation of a physical distinction also requires work: the system must be driven from an undifferentiated state to a differentiated one, and that state must be maintained. Landauer addresses the back end. The front end has no formal accounting.

Formal systems operate entirely on the front end. They create distinctions without cost, operate on them without cost, and generate outputs that are then treated as discoveries about reality. When those outputs are reified as ontological primitives, the bill comes due. The friction produced is what we call paradox.

2. Asymmetric Accounting

The zero-cost distinction fallacy produces a characteristic epistemic asymmetry. A formal system generates outputs through operations that presuppose free identity distinctions. Those outputs, having been generated, are then treated as grounding the very axioms that produced them. Labels become primitives. The map claims to be prior to the territory it mapped.

This asymmetry has a second feature: the formal system demands that any competing or underlying model provide full accounting for the ontological claims the formal system itself cannot support. Physics demands that any relational or process account explain how it grounds the discrete entities that physics assumed from the start. Logic demands that any revision of foundational axioms justify itself against the standards of the logic being revised.

This is not rigour. It is the demand that a challenger pay costs the incumbent never paid. A formal system that cannot explain how it made its initial identity distinctions for free has not earned the right to demand that explanation from others.

The correct demand runs in the other direction: any formal system that wishes to claim validity as a map of physical reality must account for the thermodynamic cost of every distinction it makes. Where it cannot, its outputs are formal artifacts, not ontological discoveries.

3. Paradox Taxonomy: Three Distinct Failure Modes

The major logical paradoxes are not a family of unrelated puzzles. They are instances of the zero-cost distinction fallacy operating through three mechanically distinct failure modes. Distinguishing these modes is essential: conflating them obscures the structure of the problem and prevents systematic resolution.

3.1 Value Self-Reference: The Liar Paradox

The statement “This sentence is false” creates a pattern whose designation (true or false) is defined as the negation of its own designation. In a formal system with a two-valued carrier $\{0, 1\}$:

$$| \quad v = 1 - v$$

This equation has no solution in the carrier. There is no fixed point. This is a value self-reference failure: the designation component of the pattern cannot stabilise.

Critically, this failure does not produce diverging computational load. Attempting to evaluate the Liar does not send a process into unbounded recursion. It finds no fixed point and halts. The failure is local: a propagation event that cannot cohere in the available carrier. It is not a

contradiction. It is a formal system attempting to produce a designation it cannot produce, and the correct response is classification, not resolution.

The Liar paradox is an artifact of treating the identity of “This sentence” as a zero-cost primitive with intrinsic designational content. Once the identity distinction is recognised as requiring a carrier and a context, the failure is mechanically predictable.

3.2 History Self-Reference: Gödel and Turing

Gödel's incompleteness and the Turing halting problem share a structure that is distinct from the Liar. Both involve a pattern whose propagation history is required to include itself.

In Gödel's construction, a statement G is built to assert its own unprovability. The proof history of G must contain a record of evaluating G , which requires a record of evaluating G , which requires a record of evaluating G . In the Turing halting problem, a hypothetical decider H must simulate its own operation on itself, which requires simulating the simulation, and so on.

This is history self-reference, not value self-reference. The designation component is not the source of instability. The informational load is. Each simulation depth d doubles the required load:

$$| \quad L(d) = 2^d$$

The load diverges. The statement or computation is not merely unresolvable in the carrier: it requires unbounded resources to evaluate. It is true in a metatheory with access to greater resources, but unreachable from within the system whose history it requires.

Gödel and Turing describe the same mechanism in different carriers. This is why the incompleteness theorems and the undecidability of the halting problem have the same logical structure: they are not analogous results. They are the same result.

The distinction from the Liar is structural and precise: Liar = value self-reference, no load divergence. Gödel/Turing = history self-reference, load diverges as 2^d . Conflating these, as most treatments do, makes the taxonomy appear arbitrary and the paradoxes appear irreducibly mysterious.

3.3 Gradient-Pattern Cut Collapse: Russell's Paradox

Russell's paradox constructs R as the set of all sets that do not contain themselves. The membership criterion that defines R attempts to specify its own gradient at the same level as the patterns it governs. The distinction between a rule and the entities the rule applies to, which every coherent formal system requires, collapses.

This is a third failure mode: not value self-reference, not history self-reference, but the collapse of the distinction between a gradient field (the rule governing membership) and the patterns it operates on. A membership criterion cannot coherently specify conditions for its own membership without stratifying into separate levels.

Type theory and ZF set theory are not solutions to Russell's paradox. They are context stratifications that restore the gradient-pattern distinction by separating levels. They work, but they do not explain why the distinction was required or what it costs to maintain it. A framework that explicitly accounts for the gradient-pattern distinction as a structural requirement dissolves the problem at its source.

4. Wave Function Collapse as Reified Artifact

Quantum mechanics in its Copenhagen formulation treats wave function collapse as a discrete event: prior to measurement, a system exists in superposition; upon measurement, it acquires a definite state. This discrete transition is not derived from the dynamics of quantum mechanics. It is inserted by hand to produce definite outcomes.

The measurement problem, which has occupied physicists and philosophers for nearly a century, asks when and why this collapse occurs, what constitutes a measurement, and what the physical mechanism is. These questions have resisted resolution because they are questions about a formal artifact, not about physical reality.

Collapse is what a formalism that treats definite states as zero-cost primitives generates when it attempts to interface with the relational processes of physical measurement. A quantum system does not have a definite state prior to interaction. Definiteness is not an intrinsic property of the system. It is the output of a propagation event: the pattern acquires a designation through interaction with a context.

When the cost of this distinction is acknowledged, collapse is not a discrete event requiring explanation. It is the continuous relational process of decoherence, in which the pattern propagates toward coherence with its environment through interaction. The discreteness is an artifact of the formalism demanding an ontology the physics does not support.

The observer paradox has the same structure. Treating the observer as a system with a discrete, pre-existing identity, prior to interaction with what it observes, generates the apparent mystery of how observation produces definite outcomes. The observer is not a discrete entity with intrinsic properties. It is a high-load relational pattern. The interaction constitutes both the observation and the observer as distinct patterns. No miracle is required.

5. What Accounting for Distinction Cost Requires

A formal system that correctly accounts for the cost of identity distinctions must meet four requirements.

First, it must not treat any distinction as free. Every pattern must carry a record of its propagation history, and that record must have a magnitude that reflects the actual cost of the operations that produced it. Seed states with no history exist, but they do not carry designations. Designations accrue with propagation.

Second, it must treat gradient fields, the rules that govern how patterns propagate, as patterns themselves, not as separate substances requiring separate grounding. A system that imports its rules from outside itself without accounting for their cost has simply relocated the zero-cost assumption. The rules must be patterns operating in a meta-context, subject to the same accounting as everything else.

Third, it must produce the standard formal systems as boundary conditions, not as competitors. Classical logic, modal logic, probability theory, and the calculus are not wrong. They are correct within their domains. A foundational framework must show what parameter settings generate each of them, and why those parameter settings are appropriate to those domains.

Fourth, it must dissolve paradoxes by correctly classifying the failure mode, not by adding axioms to prevent the failure from arising. The Liar requires a carrier analysis. Gödel and Turing require a load accounting. Russell requires a gradient-pattern stratification. These are different operations.

A system that handles all three with the same mechanism, correctly distinguishing them, has demonstrated that the taxonomy is structural rather than ad hoc.

Propagation Logic, developed formally in Pugmire (2026), implements these requirements. Every pattern carries an informational load reflecting its propagation history. Gradient fields are patterns occupying the gradient role contextually. Classical logic, intuitionistic logic, paraconsistent logic, modal logics, probability theory, and the differential calculus emerge as parameter settings of a single propagation operator. The three paradox types above are classified mechanically and correctly. The formal system has been verified computationally to machine precision across the relevant boundary conditions.

6. Conclusion

The zero-cost distinction fallacy is not a minor technical oversight. It is the foundational error from which the major paradoxes of logic and the central interpretive problems of physics derive. Formal systems that make this error do not merely simplify reality. They systematically generate outputs that exceed what their accounting can support, treat those outputs as ontological discoveries, and demand that any challenger explain what the systems themselves have never explained.

The resolution is not to patch the paradoxes individually or to retreat to formalism without ontological commitment. It is to account for the cost of every distinction, from the first one. Identity is not primitive. It is derived, through propagation, through interaction, through the accumulation of relational history that constitutes the difference between a seed state and a pattern with a designation.

The map does not tyrannise the territory when we pay for the ink.

References and Implementation

Pugmire, J.A. (2026). Propagation Logic v13: A Single-Mechanism Foundation for Logic, Mathematics, and Physical Law. Unpublished manuscript.

Formal implementation and computational verification:
github.com/ApplePiesFromScratch/propagation-logic

Landauer, R. (1961). Irreversibility and heat generation in the computing process. IBM Journal of Research and Development, 5(3), 183–191.

Bell, J.S. (1964). On the Einstein-Podolsky-Rosen paradox. Physics, 1(3), 195–200.

Gödel, K. (1931). Über formal unentscheidbare Sätze der Principia Mathematica und verwandter Systeme I. Monatshefte für Mathematik und Physik, 38, 173–198.