Accessibility Report For "https://localhost:3333/#!/section/wage-data"

Generated at: Tue Oct 03 2017 14:38:27 GMT-0400 (Eastern Daylight Time)

47 errors   10 warnings   146 notices

Notice: Check that the title element describes the document.
WCAG2AA.Principle2.Guideline2_4.2_4_2.H25.2
`<title>DOL WHD Section 14c</title>` (select with "html > head > title")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
`<a _ngcontent-c0="" class="brand" href="/"> <img _ngcontent-c0="" ...</a>` (select with "#NG2_UPGRADE_1_0 > header > a")

Notice: Ensure that the img element's alt text serves the same purpose and presents the same information as the image.
WCAG2AA.Principle1.Guideline1_1.1_1_1.G94.Image
`<img _ngcontent-c0="" alt="DOL Logo" class="brand--img" height="70" src="/images/dol-logo.png" width="70">` (select with "#NG2_UPGRADE_1_0 > header > a > img")

Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.
WCAG2AA.Principle1.Guideline1_1.1_1_1.G73,G74
`<img _ngcontent-c0="" alt="DOL Logo" class="brand--img" height="70" src="/images/dol-logo.png" width="70">` (select with "#NG2_UPGRADE_1_0 > header > a > img")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
`<a href="#" ng-click="vm.dashboardClick($event)">Dashboard</a>` (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(1) > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.userClick($event)">Account</a> (select with "html
> body > div > form-section > main-header-control > main-top-nav-control >
header > nav > ul > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.saveClick($event)">Sign Out</a> (select with "html
> body > div > form-section > main-header-control > main-top-nav-control >
header > nav > ul > li:nth-child(3) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="dol-nav-toggle" type="button" ng-click="vm.collapseMenu =
!vm.collapseMenu">Form Menu</button> (select with "html > body > div >
form-section > main-header-control > main-navigation-control > button")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.
WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" ng-click="vm.showAllHelp = !vm.showAllHelp">Show Help for All
Items</a> (select with "html > body > div > form-section > div > ng-
transclude > section-wage-data > div:nth-child(1) > div > ul > li:nth-
child(1) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" ng-click="vm.showAllHelp = !vm.showAllHelp">Show Help for All
Items</a> (select with "html > body > div > form-section > div > ng-
transclude > section-wage-data > div:nth-child(1) > div > ul > li:nth-
child(1) > a")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.
WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" ng-click="vm.showLinks = !vm.showLinks">Helpful Links</a>
(select with "html > body > div > form-section > div > ng-transclude >
section-wage-data > div:nth-child(1) > div > ul > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
```
<a href="" ng-click="vm.showLinks = !vm.showLinks">Helpful Links</a>
(select with "html > body > div > form-section > div > ng-transclude >
section-wage-data > div:nth-child(1) > div > ul > li:nth-child(2) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-
child(1) > div:nth-child(1) > button")
```

Error: This number input element does not have a name available to an accessibility API. Valid names are: label element, title attribute, aria-label attribute, aria-labelledby attribute.
WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputNumber.Name
```
<input id="numWorkers" name="numWorkers" aria-describedby="numWorkersHelp"
type="number" class="numeric7 ng-pristine ng-untouched ng-valid ng-not-
empty ng-valid-min ng-valid-step" min="0" step="1" ng-
model="formData[modelPrefix()].numWorkers"> (select with "#numWorkers")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="numWorkers" name="numWorkers" aria-describedby="numWorkersHelp"
type="number" class="numeric7 ng-pristine ng-untouched ng-valid ng-not-
empty ng-valid-min ng-valid-step" min="0" step="1" ng-
model="formData[modelPrefix()].numWorkers"> (select with "#numWorkers")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
```

```
div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-
child(2) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="jobName" name="jobName" aria-describedby="jobNameHelp"
type="text" ng-model="formData[modelPrefix()].jobName" class="ng-pristine
ng-untouched ng-valid ng-empty"> (select with "#jobName")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<textarea id="jobDescription" name="jobDescription" ng-
model="formData[modelPrefix()].jobDescription" class="ng-pristine ng-
untouched ng-valid ng-empty"></textarea> (select with "#jobDescription")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-
child(4) > div > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
```
<a href="https://www.dol.gov/whd/regs/compliance/whdfs39b.pdf"
target="_blank" class="ng-scope">Fact Sheet #39B: Prevailing Wag...</a>
(select with "#wageMethodHelp > ng-transclude > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="prevailingWageDetermined" name="prevailingWageDetermined"
type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-step" min="0" step="0.01" ng-
model="formData[modelPrefix()].mostRecentPrevailingWageS... (select with
"#prevailingWageDetermined")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-
child(5) > div > div:nth-child(2) > label > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="sourceEmployerName" name="sourceEmployerName" aria-
describedby="sourceEmployerNameHelp" type="text" ng-
model="vm.activeSourceEmployer.employerName" class="ng-pristine ng-
untouched ng-valid ng-empty"> (select with "#sourceEmployerName")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="mailing-address-1" name="mailing-address-1" type="text" ng-
model="vm.activeSourceEmployer.address.streetAddress" class="ng-pristine
ng-untouched ng-valid ng-empty"> (select with "#mailing-address-1")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="city" name="city" type="text" ng-
model="vm.activeSourceEmployer.address.city" class="ng-pristine ng-
untouched ng-valid ng-empty"> (select with "#city")
```

Warning: If this selection list contains groups of related options, they should be grouped with optgroup.
WCAG2AA.Principle1.Guideline1_3.1_3_1.H85.2
```
<select id="state" name="state" ng-
model="vm.activeSourceEmployer.address.state" class="ng-pristine ng-
untouched ng-valid ng-empty"> <option va...</select> (select with "#state")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<select id="state" name="state" ng-
model="vm.activeSourceEmployer.address.state" class="ng-pristine ng-
untouched ng-valid ng-empty"> <option va...</select> (select with "#state")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input class="usa-input-medium ng-pristine ng-untouched ng-valid ng-empty
ng-valid-pattern" id="zip" name="zip" type="text" mask="99999-?9?9?9?9?"
pattern="[\d]{5}(-[\d]{4})?" data-grouplength="5,4" data-delimiter="-"
data-politespace="" ng-model="vm... (select with "#zip")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="sourceEmployerPhone" name="sourceEmployerPhone" type="text"
mask="999-999-9999" class="phoneno ng-pristine ng-untouched ng-valid ng-
empty" ng-model="vm.activeSourceEmployer.phone"> (select with
"#sourceEmployerPhone")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="sourceEmployerContactName" name="sourceEmployerContactName"
type="text" ng-model="vm.activeSourceEmployer.contactName" class="ng-
pristine ng-untouched ng-valid ng-empty"> (select with
"#sourceEmployerContactName")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="sourceEmployerContactTitle" name="sourceEmployerContactTitle"
type="text" ng-model="vm.activeSourceEmployer.contactTitle" class="ng-
pristine ng-untouched ng-valid ng-empty"> (select with
"#sourceEmployerContactTitle")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint"
```

```
id="15_Month" name="15_Month" pattern="0?[1-9]|1[012]" type="number"
min="1" max="12" value="" ng-model="... (select with "#15_Month")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint"
id="15_Day" name="15_Day" pattern="0?[1-9]|1[0-9]|2[0-9]|3[01]"
type="number" min="1" max="31" value="" n... (select with "#15_Day")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint"
id="15_Year" name="15_Year" pattern="[0-9]{4}" type="number" min="1900"
max="3000" value="" ng-model="vm.... (select with "#15_Year")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="sourceEmployerJobDescription"
name="sourceEmployerJobDescription" type="text" ng-
model="vm.activeSourceEmployer.jobDescription" class="ng-pristine ng-
untouched ng-valid ng-empty"> (select with "#sourceEmployerJobDescription")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="sourceEmployerWage" name="sourceEmployerWage" type="number"
class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min
ng-valid-step" min="0" step="0.01" ng-
model="vm.activeSourceEmployer.experiencedWorkerWageProvided"> (select with
"#sourceEmployerWage")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="sourceEmployerBasis" name="sourceEmployerBasis" type="text" ng-
model="vm.activeSourceEmployer.conclusionWageRateNotBasedOnEntry"
```

class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#sourceEmployerBasis")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<button class="grey-button" ng-click="vm.cancelAddSourceEmployer()">Cancel</button>` (select with "html > body > div > form-section > div > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(5) > div > div:nth-child(2) > div:nth-child(3) > div:nth-child(11) > button")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<button class="green-button" ng-click="vm.addSourceEmployer()">Save Source Employer</button>` (select with "html > body > div > form-section > div > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(5) > div > div:nth-child(2) > div:nth-child(3) > div:nth-child(11) > span > button")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<button ng-click="vm.addingEmployer = true" ng-hide="vm.addingEmployer" class="">Add a Source Employer</button>` (select with "html > body > div > form-section > div > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(5) > div > div:nth-child(2) > div:nth-child(4) > button")

Notice: This table appears to be a data table. If it is meant to instead be a layout table, ensure there are no th elements, and no summary or caption.
WCAG2AA.Principle1.Guideline1_3.1_3_1.DataTable
`<table class="usa-table-borderless ng-hide" ng-show="formData[modelPrefix()].mostRecentPrevailingWageSurvey.sourceEmployers <thead> ...</table>` (select with "html > body > div > form-section > div > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(5) > div > div:nth-child(2) > table")

Warning: If this table is a data table, consider using a caption element to the table element to identify this table.
WCAG2AA.Principle1.Guideline1_3.1_3_1.H39.3.NoCaption
```
<table class="usa-table-borderless ng-hide" ng-
show="formData[modelPrefix()].mostRecentPrevailingWageSurvey.sourceEmployers
 <thead> ...</table> (select with "html > body > div > form-section > div >
ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-
form:nth-child(3) > div > div:nth-child(5) > div > div:nth-child(2) >
table")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-
child(6) > div > div > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
```
<a href="www.bls.gov/bls/blswage.htm">www.bls.gov/bls/blswage.htm</a>
(select with "#alternateWorkDescriptionHelp > ng-transclude > p:nth-
child(2) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<textarea id="alternateWorkDescription" name="alternateWorkDescription"
aria-describedby="alternateWorkDescriptionHelp" ng-
model="formData[modelPrefix()].alternateWageData.alternateWorkDescription"
class="ng-pristine ng-untouched ng-valid ng-empty"><... (select with
"#alternateWorkDescription")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="alternateDataSourceUsed" name="alternateDataSourceUsed"
type="text" ng-
model="formData[modelPrefix()].alternateWageData.alternateDataSourceUsed"
```

```
class="ng-pristine ng-untouched ng-valid ng-empty"> (select with
"#alternateDataSourceUsed")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="prevailingWageProvidedBySource"
name="prevailingWageProvidedBySource" type="number" class="wage-rate ng-
pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0"
step="0.01" ng-model="formData[modelPrefix()].alternateWage... (select with
"#prevailingWageProvidedBySource")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint"
id="17_Month" name="17_Month" pattern="0?[1-9]|1[012]" type="number"
min="1" max="12" value="" ng-model="... (select with "#17_Month")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint"
id="17_Day" name="17_Day" pattern="0?[1-9]|1[0-9]|2[0-9]|3[01]"
type="number" min="1" max="31" value="" n... (select with "#17_Day")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint"
id="17_Year" name="17_Year" pattern="[0-9]{4}" type="number" min="1900"
max="3000" value="" ng-model="vm.... (select with "#17_Year")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
```

```
div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-
child(7) > div > div > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
```
<a href="www.bls.gov/bls/blswage.htm">www.bls.gov/bls/blswage.htm</a>
(select with "#scaWageDeterminationAttachmentHelp > ng-transclude > p:nth-
child(2) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="19_FileUpload" class="upload-file-input ng-hide" type="file" ng-
hide="true"
onchange="angular.element(this).scope().vm.onAttachmentSelected(this)"
accept=".doc,.docx,.xls,.xlsx,.pdf,.jpg,.jpeg,.png"> (select with
"#19_FileUpload")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="19" name="19" class="upload-input" type="text" disabled="">
(select with "#19")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-
child(8) > div:nth-child(1) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="workMeasurementFrequency" name="workMeasurementFrequency" aria-
describedby="workMeasurementFrequencyHelp" type="text" ng-
model="formData[modelPrefix()].workMeasurementFrequency" class="ng-pristine
ng-untouched ng-valid ng-empty"> (select with "#workMeasurementFrequency")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<button type="button" class="help-link">?</button>` (select with "html > body > div > form-section > div > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(8) > div:nth-child(2) > div > button")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="22_FileUpload" class="upload-file-input ng-hide" type="file" ng-hide="true" onchange="angular.element(this).scope().vm.onAttachmentSelected(this)" accept=".doc,.docx,.xls,.xlsx,.pdf,.jpg,.jpeg,.png">` (select with "#22_FileUpload")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="22" name="22" class="upload-input" type="text" disabled="">` (select with "#22")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<button type="button" class="help-link">?</button>` (select with "html > body > div > form-section > div > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(9) > div:nth-child(1) > div:nth-child(1) > button")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="pieceRateWorkDescription" name="pieceRateWorkDescription" aria-describedby="pieceRateWorkDescriptionHelp" type="text" ng-model="formData[modelPrefix()].pieceRateWorkDescription" class="ng-pristine ng-untouched ng-valid ng-empty">` (select with "#pieceRateWorkDescription")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="prevailingWageDeterminedForJob"
name="prevailingWageDeterminedForJob" type="number" class="wage-rate
sidelabeled ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-
valid-step" min="0" step="0.01" ng-model="formData[modelPrefix()].p...
(select with "#prevailingWageDeterminedForJob")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="standardProductivity" name="standardProductivity" type="number"
class="wage-rate sidelabeled ng-pristine ng-untouched ng-valid ng-empty ng-
valid-min ng-valid-step" min="0" step="0.01" ng-
model="formData[modelPrefix()].standardProductivity"> (select with
"#standardProductivity")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="pieceRatePaidToWorkers" name="pieceRatePaidToWorkers"
type="number" class="wage-rate sidelabeled ng-pristine ng-untouched ng-
valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.01" ng-
model="formData[modelPrefix()].pieceRatePaidToWo... (select with
"#pieceRatePaidToWorkers")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-
child(9) > div:nth-child(2) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="25_FileUpload" class="upload-file-input ng-hide" type="file" ng-
hide="true"
onchange="angular.element(this).scope().vm.onAttachmentSelected(this)"
```

```
accept=".doc,.docx,.xls,.xlsx,.pdf,.jpg,.jpeg,.png"> (select with
"#25_FileUpload")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="25" name="25" class="upload-input" type="text" disabled="">
(select with "#25")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-
child(1) > div:nth-child(1) > button")
```

Error: Duplicate id attribute value "numWorkersHelp " found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<div id="numWorkersHelp " class="help-text"> <ng-transclude>Count...</div>
(select with "#numWorkersHelp ")
```

Error: Duplicate id attribute value "numWorkers" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<input id="numWorkers" name="numWorkers" aria-describedby="numWorkersHelp"
type="number" class="numeric7 ng-pristine ng-untouched ng-valid ng-not-
empty ng-valid-min ng-valid-step" min="0" step="1" ng-
model="formData[modelPrefix()].numWorkers"> (select with "#numWorkers")
```

Error: This number input element does not have a name available to an accessibility API. Valid names are: label element, title attribute, aria-label attribute, aria-labelledby attribute.
WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputNumber.Name
```
<input id="numWorkers" name="numWorkers" aria-describedby="numWorkersHelp"
type="number" class="numeric7 ng-pristine ng-untouched ng-valid ng-not-
empty ng-valid-min ng-valid-step" min="0" step="1" ng-
model="formData[modelPrefix()].numWorkers"> (select with "#numWorkers")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="numWorkers" name="numWorkers" aria-describedby="numWorkersHelp" type="number" class="numeric7 ng-pristine ng-untouched ng-valid ng-not-empty ng-valid-min ng-valid-step" min="0" step="1" ng-model="formData[modelPrefix()].numWorkers">` (select with "#numWorkers")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<button type="button" class="help-link">?</button>` (select with "html > body > div > form-section > div > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-child(2) > div:nth-child(1) > button")

Error: Duplicate id attribute value "jobNameHelp " found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<div id="jobNameHelp " class="help-text"> <ng-transclude>Ident...</div>` (select with "#jobNameHelp ")

Error: Duplicate id attribute value "jobName" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<input id="jobName" name="jobName" aria-describedby="jobNameHelp" type="text" ng-model="formData[modelPrefix()].jobName" class="ng-pristine ng-untouched ng-valid ng-empty">` (select with "#jobName")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="jobName" name="jobName" aria-describedby="jobNameHelp" type="text" ng-model="formData[modelPrefix()].jobName" class="ng-pristine ng-untouched ng-valid ng-empty">` (select with "#jobName")

Error: Duplicate id attribute value "jobDescription" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<textarea id="jobDescription" name="jobDescription" ng-model="formData[modelPrefix()].jobDescription" class="ng-pristine ng-untouched ng-valid ng-empty"></textarea>` (select with "#jobDescription")

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<textarea id="jobDescription" name="jobDescription" ng-
model="formData[modelPrefix()].jobDescription" class="ng-pristine ng-
untouched ng-valid ng-empty"></textarea> (select with "#jobDescription")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-
child(4) > div > button")
```

Error: Duplicate id attribute value "wageMethodHelp " found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<div id="wageMethodHelp " class="help-text"> <ng-transclude> ...</div>
(select with "#wageMethodHelp ")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
```
<a href="https://www.dol.gov/whd/regs/compliance/whdfs39b.pdf"
target="_blank" class="ng-scope">Fact Sheet #39B: Prevailing Wag...</a>
(select with "#wageMethodHelp > ng-transclude > a")
```

Error: Duplicate id attribute value "prevailingWageDetermined" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<input id="prevailingWageDetermined" name="prevailingWageDetermined"
type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-step" min="0" step="0.01" ng-
model="formData[modelPrefix()].mostRecentPrevailingWageS... (select with
"#prevailingWageDetermined")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="prevailingWageDetermined" name="prevailingWageDetermined"
type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-step" min="0" step="0.01" ng-
model="formData[modelPrefix()].mostRecentPrevailingWageS... (select with
"#prevailingWageDetermined")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<button type="button" class="help-link">?</button> (select with "html > body > div > form-section > div > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-child(5) > div > div:nth-child(2) > label > button")`

Error: Duplicate id attribute value "sourceEmployerNameHelp " found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<div id="sourceEmployerNameHelp " class="help-text"> <ng-transclude> ... </div> (select with "#sourceEmployerNameHelp ")`

Error: Duplicate id attribute value "sourceEmployerName" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<input id="sourceEmployerName" name="sourceEmployerName" aria-describedby="sourceEmployerNameHelp" type="text" ng-model="vm.activeSourceEmployer.employerName" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#sourceEmployerName")`

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="sourceEmployerName" name="sourceEmployerName" aria-describedby="sourceEmployerNameHelp" type="text" ng-model="vm.activeSourceEmployer.employerName" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#sourceEmployerName")`

Error: Duplicate id attribute value "mailing-address-1" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<input id="mailing-address-1" name="mailing-address-1" type="text" ng-model="vm.activeSourceEmployer.address.streetAddress" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#mailing-address-1")`

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="mailing-address-1" name="mailing-address-1" type="text" ng-model="vm.activeSourceEmployer.address.streetAddress" class="ng-pristine`

ng-untouched ng-valid ng-empty"> (select with "#mailing-address-1")

Error: Duplicate id attribute value "city" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
<input id="city" name="city" type="text" ng-model="vm.activeSourceEmployer.address.city" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#city")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
<input id="city" name="city" type="text" ng-model="vm.activeSourceEmployer.address.city" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#city")

Error: Duplicate id attribute value "state" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
<select id="state" name="state" ng-model="vm.activeSourceEmployer.address.state" class="ng-pristine ng-untouched ng-valid ng-empty"> <option va...</select> (select with "#state")

Warning: If this selection list contains groups of related options, they should be grouped with optgroup.
WCAG2AA.Principle1.Guideline1_3.1_3_1.H85.2
<select id="state" name="state" ng-model="vm.activeSourceEmployer.address.state" class="ng-pristine ng-untouched ng-valid ng-empty"> <option va...</select> (select with "#state")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
<select id="state" name="state" ng-model="vm.activeSourceEmployer.address.state" class="ng-pristine ng-untouched ng-valid ng-empty"> <option va...</select> (select with "#state")

Error: Duplicate id attribute value "zip" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
<input class="usa-input-medium ng-pristine ng-untouched ng-valid ng-empty ng-valid-pattern" id="zip" name="zip" type="text" mask="99999-?9?9?9?9?"

```
pattern="[\d]{5}(-[\d]{4})?" data-grouplength="5,4" data-delimiter="-"
data-politespace="" ng-model="vm... (select with "#zip")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input class="usa-input-medium ng-pristine ng-untouched ng-valid ng-empty
ng-valid-pattern" id="zip" name="zip" type="text" mask="99999-?9?9?9?9?"
pattern="[\d]{5}(-[\d]{4})?" data-grouplength="5,4" data-delimiter="-"
data-politespace="" ng-model="vm... (select with "#zip")
```

Error: Duplicate id attribute value "sourceEmployerPhone" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<input id="sourceEmployerPhone" name="sourceEmployerPhone" type="text"
mask="999-999-9999" class="phoneno ng-pristine ng-untouched ng-valid ng-
empty" ng-model="vm.activeSourceEmployer.phone"> (select with
"#sourceEmployerPhone")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="sourceEmployerPhone" name="sourceEmployerPhone" type="text"
mask="999-999-9999" class="phoneno ng-pristine ng-untouched ng-valid ng-
empty" ng-model="vm.activeSourceEmployer.phone"> (select with
"#sourceEmployerPhone")
```

Error: Duplicate id attribute value "sourceEmployerContactName" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<input id="sourceEmployerContactName" name="sourceEmployerContactName"
type="text" ng-model="vm.activeSourceEmployer.contactName" class="ng-
pristine ng-untouched ng-valid ng-empty"> (select with
"#sourceEmployerContactName")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="sourceEmployerContactName" name="sourceEmployerContactName"
type="text" ng-model="vm.activeSourceEmployer.contactName" class="ng-
pristine ng-untouched ng-valid ng-empty"> (select with
"#sourceEmployerContactName")
```

Error: Duplicate id attribute value "sourceEmployerContactTitle" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<input id="sourceEmployerContactTitle" name="sourceEmployerContactTitle" type="text" ng-model="vm.activeSourceEmployer.contactTitle" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#sourceEmployerContactTitle")`

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="sourceEmployerContactTitle" name="sourceEmployerContactTitle" type="text" ng-model="vm.activeSourceEmployer.contactTitle" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#sourceEmployerContactTitle")`

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint" id="31_Month" name="31_Month" pattern="0?[1-9]|1[012]" type="number" min="1" max="12" value="" ng-model="... (select with "#31_Month")`

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint" id="31_Day" name="31_Day" pattern="0?[1-9]|1[0-9]|2[0-9]|3[01]" type="number" min="1" max="31" value="" n... (select with "#31_Day")`

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint" id="31_Year" name="31_Year" pattern="[0-9]{4}" type="number" min="1900" max="3000" value="" ng-model="vm.... (select with "#31_Year")`

Error: Duplicate id attribute value "sourceEmployerJobDescription" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<input id="sourceEmployerJobDescription" name="sourceEmployerJobDescription" type="text" ng-model="vm.activeSourceEmployer.jobDescription" class="ng-pristine ng-untouched ng-valid ng-empty">` (select with `"#sourceEmployerJobDescription"`)

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="sourceEmployerJobDescription" name="sourceEmployerJobDescription" type="text" ng-model="vm.activeSourceEmployer.jobDescription" class="ng-pristine ng-untouched ng-valid ng-empty">` (select with `"#sourceEmployerJobDescription"`)

Error: Duplicate id attribute value "sourceEmployerWage" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<input id="sourceEmployerWage" name="sourceEmployerWage" type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.01" ng-model="vm.activeSourceEmployer.experiencedWorkerWageProvided">` (select with `"#sourceEmployerWage"`)

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="sourceEmployerWage" name="sourceEmployerWage" type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.01" ng-model="vm.activeSourceEmployer.experiencedWorkerWageProvided">` (select with `"#sourceEmployerWage"`)

Error: Duplicate id attribute value "sourceEmployerBasis" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<input id="sourceEmployerBasis" name="sourceEmployerBasis" type="text" ng-model="vm.activeSourceEmployer.conclusionWageRateNotBasedOnEntry" class="ng-pristine ng-untouched ng-valid ng-empty">` (select with `"#sourceEmployerBasis"`)

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="sourceEmployerBasis" name="sourceEmployerBasis" type="text" ng-
model="vm.activeSourceEmployer.conclusionWageRateNotBasedOnEntry"
class="ng-pristine ng-untouched ng-valid ng-empty"> (select with
"#sourceEmployerBasis")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button class="grey-button" ng-
click="vm.cancelAddSourceEmployer()">Cancel</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-
child(5) > div > div:nth-child(2) > div:nth-child(3) > div:nth-child(11) >
button")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button class="green-button" ng-click="vm.addSourceEmployer()">Save Source
Employer</button> (select with "html > body > div > form-section > div >
ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-
form:nth-child(4) > div > div:nth-child(5) > div > div:nth-child(2) >
div:nth-child(3) > div:nth-child(11) > span > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button ng-click="vm.addingEmployer = true" ng-hide="vm.addingEmployer"
class="">Add a Source Employer</button> (select with "html > body > div >
form-section > div > ng-transclude > section-wage-data > div:nth-child(3) >
wage-data-pay-type-form:nth-child(4) > div > div:nth-child(5) > div >
div:nth-child(2) > div:nth-child(4) > button")
```

Notice: This table appears to be a data table. If it is meant to instead be a layout table, ensure there are no th elements, and no summary or caption.
WCAG2AA.Principle1.Guideline1_3.1_3_1.DataTable
```
<table class="usa-table-borderless ng-hide" ng-
show="formData[modelPrefix()].mostRecentPrevailingWageSurvey.sourceEmployers
```

```
<thead> ...</table> (select with "html > body > div > form-section > div >
ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-
form:nth-child(4) > div > div:nth-child(5) > div > div:nth-child(2) >
table")
```

Warning: If this table is a data table, consider using a caption element to the table element to identify this table.
WCAG2AA.Principle1.Guideline1_3.1_3_1.H39.3.NoCaption
```
<table class="usa-table-borderless ng-hide" ng-
show="formData[modelPrefix()].mostRecentPrevailingWageSurvey.sourceEmployers
 <thead> ...</table> (select with "html > body > div > form-section > div >
ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-
form:nth-child(4) > div > div:nth-child(5) > div > div:nth-child(2) >
table")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-
child(6) > div > div > button")
```

Error: Duplicate id attribute value "alternateWorkDescriptionHelp " found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<div id="alternateWorkDescriptionHelp " class="help-text"> <ng-transclude>
...</div> (select with "#alternateWorkDescriptionHelp ")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
```
<a href="www.bls.gov/bls/blswage.htm">www.bls.gov/bls/blswage.htm</a>
(select with "#alternateWorkDescriptionHelp > ng-transclude > p:nth-
child(2) > a")
```

Error: Duplicate id attribute value "alternateWorkDescription" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77

```
<textarea id="alternateWorkDescription" name="alternateWorkDescription"
aria-describedby="alternateWorkDescriptionHelp" ng-
model="formData[modelPrefix()].alternateWageData.alternateWorkDescription"
class="ng-pristine ng-untouched ng-valid ng-empty"><... (select with
"#alternateWorkDescription")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<textarea id="alternateWorkDescription" name="alternateWorkDescription"
aria-describedby="alternateWorkDescriptionHelp" ng-
model="formData[modelPrefix()].alternateWageData.alternateWorkDescription"
class="ng-pristine ng-untouched ng-valid ng-empty"><... (select with
"#alternateWorkDescription")
```

Error: Duplicate id attribute value "alternateDataSourceUsed" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<input id="alternateDataSourceUsed" name="alternateDataSourceUsed"
type="text" ng-
model="formData[modelPrefix()].alternateWageData.alternateDataSourceUsed"
class="ng-pristine ng-untouched ng-valid ng-empty"> (select with
"#alternateDataSourceUsed")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="alternateDataSourceUsed" name="alternateDataSourceUsed"
type="text" ng-
model="formData[modelPrefix()].alternateWageData.alternateDataSourceUsed"
class="ng-pristine ng-untouched ng-valid ng-empty"> (select with
"#alternateDataSourceUsed")
```

Error: Duplicate id attribute value "prevailingWageProvidedBySource" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<input id="prevailingWageProvidedBySource"
name="prevailingWageProvidedBySource" type="number" class="wage-rate ng-
pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0"
step="0.01" ng-model="formData[modelPrefix()].alternateWage... (select with
"#prevailingWageProvidedBySource")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prevailingWageProvidedBySource"
name="prevailingWageProvidedBySource" type="number" class="wage-rate ng-
pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0"
step="0.01" ng-model="formData[modelPrefix()].alternateWage... (select with
"#prevailingWageProvidedBySource")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint"
id="33_Month" name="33_Month" pattern="0?[1-9]|1[012]" type="number"
min="1" max="12" value="" ng-model="... (select with "#33_Month")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint"
id="33_Day" name="33_Day" pattern="0?[1-9]|1[0-9]|2[0-9]|3[01]"
type="number" min="1" max="31" value="" n... (select with "#33_Day")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint"
id="33_Year" name="33_Year" pattern="[0-9]{4}" type="number" min="1900"
max="3000" value="" ng-model="vm.... (select with "#33_Year")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-
child(7) > div > div > button")
```

Error: Duplicate id attribute value "scaWageDeterminationAttachmentHelp " found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<div id="scaWageDeterminationAttachmentHelp " class="help-text"> <ng-transclude> ...</div> (select with "#scaWageDeterminationAttachmentHelp ")`

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
`<a href="www.bls.gov/bls/blswage.htm">www.bls.gov/bls/blswage.htm</a> (select with "#scaWageDeterminationAttachmentHelp > ng-transclude > p:nth-child(2) > a")`

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="35_FileUpload" class="upload-file-input ng-hide" type="file" ng-hide="true" onchange="angular.element(this).scope().vm.onAttachmentSelected(this)" accept=".doc,.docx,.xls,.xlsx,.pdf,.jpg,.jpeg,.png"> (select with "#35_FileUpload")`

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="35" name="35" class="upload-input" type="text" disabled=""> (select with "#35")`

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<button type="button" class="help-link">?</button> (select with "html > body > div > form-section > div > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-child(8) > div:nth-child(1) > div:nth-child(1) > button")`

Error: Duplicate id attribute value "workMeasurementFrequencyHelp " found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77

```
<div id="workMeasurementFrequencyHelp " class="help-text"> <ng-
transclude>Indic...</div> (select with "#workMeasurementFrequencyHelp ")
```

Error: Duplicate id attribute value "workMeasurementFrequency" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<input id="workMeasurementFrequency" name="workMeasurementFrequency" aria-
describedby="workMeasurementFrequencyHelp" type="text" ng-
model="formData[modelPrefix()].workMeasurementFrequency" class="ng-pristine
ng-untouched ng-valid ng-empty"> (select with "#workMeasurementFrequency")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="workMeasurementFrequency" name="workMeasurementFrequency" aria-
describedby="workMeasurementFrequencyHelp" type="text" ng-
model="formData[modelPrefix()].workMeasurementFrequency" class="ng-pristine
ng-untouched ng-valid ng-empty"> (select with "#workMeasurementFrequency")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-
child(8) > div:nth-child(2) > div > button")
```

Error: Duplicate id attribute value "workMeasurementAttachmentHelp " found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<div id="workMeasurementAttachmentHelp " class="help-text"> <ng-
transclude>Selec...</div> (select with "#workMeasurementAttachmentHelp ")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="38_FileUpload" class="upload-file-input ng-hide" type="file" ng-
hide="true"
onchange="angular.element(this).scope().vm.onAttachmentSelected(this)"
accept=".doc,.docx,.xls,.xlsx,.pdf,.jpg,.jpeg,.png"> (select with
"#38_FileUpload")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="38" name="38" class="upload-input" type="text" disabled="">`
(select with "#38")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<button type="button" class="help-link">?</button>` (select with "html > body > div > form-section > div > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-child(9) > div:nth-child(1) > div:nth-child(1) > button")`

Error: Duplicate id attribute value "pieceRateWorkDescriptionHelp " found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<div id="pieceRateWorkDescriptionHelp " class="help-text"> <ng-transclude>Provi...</div>` (select with "#pieceRateWorkDescriptionHelp ")

Error: Duplicate id attribute value "pieceRateWorkDescription" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
`<input id="pieceRateWorkDescription" name="pieceRateWorkDescription" aria-describedby="pieceRateWorkDescriptionHelp" type="text" ng-model="formData[modelPrefix()].pieceRateWorkDescription" class="ng-pristine ng-untouched ng-valid ng-empty">` (select with "#pieceRateWorkDescription")

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
`<input id="pieceRateWorkDescription" name="pieceRateWorkDescription" aria-describedby="pieceRateWorkDescriptionHelp" type="text" ng-model="formData[modelPrefix()].pieceRateWorkDescription" class="ng-pristine ng-untouched ng-valid ng-empty">` (select with "#pieceRateWorkDescription")

Error: Duplicate id attribute value "prevailingWageDeterminedForJob" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77

```
<input id="prevailingWageDeterminedForJob"
name="prevailingWageDeterminedForJob" type="number" class="wage-rate
sidelabeled ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-
valid-step" min="0" step="0.01" ng-model="formData[modelPrefix()].p...
(select with "#prevailingWageDeterminedForJob")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="prevailingWageDeterminedForJob"
name="prevailingWageDeterminedForJob" type="number" class="wage-rate
sidelabeled ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-
valid-step" min="0" step="0.01" ng-model="formData[modelPrefix()].p...
(select with "#prevailingWageDeterminedForJob")
```

Error: Duplicate id attribute value "standardProductivity" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<input id="standardProductivity" name="standardProductivity" type="number"
class="wage-rate sidelabeled ng-pristine ng-untouched ng-valid ng-empty ng-
valid-min ng-valid-step" min="0" step="0.01" ng-
model="formData[modelPrefix()].standardProductivity"> (select with
"#standardProductivity")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="standardProductivity" name="standardProductivity" type="number"
class="wage-rate sidelabeled ng-pristine ng-untouched ng-valid ng-empty ng-
valid-min ng-valid-step" min="0" step="0.01" ng-
model="formData[modelPrefix()].standardProductivity"> (select with
"#standardProductivity")
```

Error: Duplicate id attribute value "pieceRatePaidToWorkers" found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<input id="pieceRatePaidToWorkers" name="pieceRatePaidToWorkers"
type="number" class="wage-rate sidelabeled ng-pristine ng-untouched ng-
valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.01" ng-
model="formData[modelPrefix()].pieceRatePaidToWo... (select with
"#pieceRatePaidToWorkers")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="pieceRatePaidToWorkers" name="pieceRatePaidToWorkers"
type="number" class="wage-rate sidelabeled ng-pristine ng-untouched ng-
valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.01" ng-
model="formData[modelPrefix()].pieceRatePaidToWo... (select with
"#pieceRatePaidToWorkers")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-
child(9) > div:nth-child(2) > div:nth-child(1) > button")
```

Error: Duplicate id attribute value "standardProductivityAttachmentHelp " found on the web page.
WCAG2AA.Principle4.Guideline4_1.4_1_1.F77
```
<div id="standardProductivityAttachmentHelp " class="help-text"> <ng-
transclude>Attac...</div> (select with "#standardProductivityAttachmentHelp
")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="41_FileUpload" class="upload-file-input ng-hide" type="file" ng-
hide="true"
onchange="angular.element(this).scope().vm.onAttachmentSelected(this)"
accept=".doc,.docx,.xls,.xlsx,.pdf,.jpg,.jpeg,.png"> (select with
"#41_FileUpload")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107
```
<input id="41" name="41" class="upload-input" type="text" disabled="">
(select with "#41")
```

Warning: If this element contains a navigation section, it is recommended that it be marked up as a list.
WCAG2AA.Principle1.Guideline1_3.1_3_1.H48

```
<div class="links-block ng-hide" ng-show="vm.showLinks === true">
Prevailing Wage Calculator...</div> (select with "html > body > div > form-
section > div > ng-transclude > section-wage-data > div:nth-child(4) >
div")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/StraightAverage.htm"
target="_blank">Straight or Simple Average</a> (select with "html > body >
div > form-section > div > ng-transclude > section-wage-data > div:nth-
child(4) > div > a:nth-child(2)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/WeightedAverage.htm"
target="_blank">Weighted Average</a> (select with "html > body > div >
form-section > div > ng-transclude > section-wage-data > div:nth-child(4) >
div > a:nth-child(4)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/Rework.htm"
target="_blank">Rework</a> (select with "html > body > div > form-section >
div > ng-transclude > section-wage-data > div:nth-child(4) > div > a:nth-
child(8)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a
href="https://www.dol.gov/whd/sec14c/calculators/WeightedTask_Standard.htm"
target="_blank">Weighted Tasks, Standard Weight...</a> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(4) > div > a:nth-child(10)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/WeightedTask_WwD.htm"
target="_blank">Weighted Tasks, Ww/D Weight Fac...</a> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(4) > div > a:nth-child(12)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/90-10-
Task_Var_Time.htm" target="_blank">90/10 Form, Single Task, Variab...</a>
(select with "html > body > div > form-section > div > ng-transclude >
section-wage-data > div:nth-child(4) > div > a:nth-child(14)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/90-10-
Task_Var_Units.htm" target="_blank">90/10 Form, Fixed Time, Variabl...</a>
(select with "html > body > div > form-section > div > ng-transclude >
section-wage-data > div:nth-child(4) > div > a:nth-child(16)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a
href="https://www.dol.gov/whd/sec14c/calculators/FixedUnit_VariableTime9.htm
 target="_blank">Fixed Number of Units, PF&amp;D...</a> (select with "html
> body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(4) > div > a:nth-child(20)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a
href="https://www.dol.gov/whd/sec14c/calculators/FixedUnit_VariableTime10.ht
 target="_blank">Fixed Number of Units, PF&amp;D...</a> (select with "html
```

```
> body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(4) > div > a:nth-child(22)")
```

```
<a
href="https://www.dol.gov/whd/sec14c/calculators/FixedTime_VariableUnit9.htm
 target="_blank">Fixed Time, PF&amp;D 9 min</a> (select with "html > body >
div > form-section > div > ng-transclude > section-wage-data > div:nth-
child(4) > div > a:nth-child(24)")
```

```
<a
href="https://www.dol.gov/whd/sec14c/calculators/FixedTime_VariableUnit10.ht
 target="_blank">Fixed Time, PF&amp;D 10 min</a> (select with "html > body
> div > form-section > div > ng-transclude > section-wage-data > div:nth-
child(4) > div > a:nth-child(26)")
```

```
<a href="https://www.dol.gov/whd/sec14c/calculators/PieceRate.htm"
target="_blank">Piece Rate Calculator</a> (select with "html > body > div >
form-section > div > ng-transclude > section-wage-data > div:nth-child(4) >
div > a:nth-child(28)")
```

```
<a href="https://www.dol.gov/whd/sec14c/calculators/NewMinimumWage.htm"
target="_blank">New Prevailing Wage Calculator ...</a> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(4) > div > a:nth-child(32)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/specialemployment/calculatorGuide.pdf"
target="_blank">Section 14(c) Online Calculator...</a> (select with "html >
body > div > form-section > div > ng-transclude > section-wage-data >
div:nth-child(4) > div > a:nth-child(36)")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="back-button ng-binding" ng-show="vm.hasBack" ng-
click="vm.onBackClick()">Back</button> (select with "html > body > div >
form-section > form-footer-controls > div > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.
WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="next-button ng-binding" ng-
click="vm.onNextClick()">Next</button> (select with "html > body > div >
form-section > form-footer-controls > div > div:nth-child(1) > div >
button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" class="brand" href="/"> <img _ngcontent-c1="...</a>
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(1) > a")
```

Notice: Ensure that the img element's alt text serves the same purpose and presents the same information as the image.
WCAG2AA.Principle1.Guideline1_1.1_1_1.G94.Image

```
<img _ngcontent-c1="" alt="DOL Logo" class="brand--img" height="70"
src="/images/dol-logo-white.png" width="70"> (select with "#NG2_UPGRADE_0_0
> footer > div:nth-child(1) > a > img")
```

Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.
WCAG2AA.Principle1.Guideline1_1.1_1_1.G73,G74

```
<img _ngcontent-c1="" alt="DOL Logo" class="brand--img" height="70"
src="/images/dol-logo-white.png" width="70"> (select with "#NG2_UPGRADE_0_0
> footer > div:nth-child(1) > a > img")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.
WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2
```
<div _ngcontent-c1="" class="dol-footer--content"> <div _ngcontent-c1=""
...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2)")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.
WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2
```
<div _ngcontent-c1="" class="usa-grid-full"> <div _ngcontent-c1="...</div>
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.
WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2
```
<div _ngcontent-c1="" class="usa-width-one-fourth content-group"> 200
Constitution A...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-
child(2) > div > div")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
```
<a _ngcontent-c1="" href="https://www.dol.gov/">www.dol.gov</a> (select
with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > div > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.
WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID
```
<a _ngcontent-c1="" href="#!">Link 1</a> (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
`<a _ngcontent-c1="" href="#!">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(2) > a")`

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.
WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID
`<a _ngcontent-c1="" href="#!">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(3) > a")`

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
`<a _ngcontent-c1="" href="#!">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(3) > a")`

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.
WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID
`<a _ngcontent-c1="" href="#!">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(4) > a")`

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
`<a _ngcontent-c1="" href="#!">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(4) > a")`

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.
WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID
`<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(5) > a")`

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
`<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(5) > a")`

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.
WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID
`<a _ngcontent-c1="" href="#!">Link 1</a>` (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(2) > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
`<a _ngcontent-c1="" href="#!">Link 1</a>` (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(2) > a")

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.
WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID
`<a _ngcontent-c1="" href="#!">Link 2</a>` (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(3) > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
`<a _ngcontent-c1="" href="#!">Link 2</a>` (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(3) > a")

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.
WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID
`<a _ngcontent-c1="" href="#!">Link 3</a>` (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(4) > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
`<a _ngcontent-c1="" href="#!">Link 3</a>` (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(4) > a")

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.
WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

<a _ngcontent-c1="" href="#!">Link 4 (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(5) > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
<a _ngcontent-c1="" href="#!">Link 4 (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(5) > a")

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.
WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID
<a _ngcontent-c1="" href="#!">Link 1 (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(2) > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
<a _ngcontent-c1="" href="#!">Link 1 (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(2) > a")

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.
WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID
<a _ngcontent-c1="" href="#!">Link 2 (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(3) > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.
WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81
<a _ngcontent-c1="" href="#!">Link 2 (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(3) > a")

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.
WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID
<a _ngcontent-c1="" href="#!">Link 3 (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(4) > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 3</a> (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(4) > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(5) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(5) > a")
```