




BUSINESS REQUIREMENTS DOCUMENT

# Push Notification

Customer journey alerts in the Super App — Credit Card, Personal Loan and CASA

V1.3 / 07 October 2026



VERSION HISTORY

| Date       | Version | Author         | Change Description                                                                                                                                                                                                                                                                                                                                      |
|------------|---------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 28-09-2026 | 1.0     | Hailey (Appro) | Created BRD                                                                                                                                                                                                                                                                                                                                             |
| 28-09-2026 | 1.1     | Hailey (Appro) | Trigger events and push content in one table; push results tracked in the backend only, not on the audit trail; sample request and response exactly as the middleware specification                                                                                                                                                                     |
| 06-10-2026 | 1.2     | Hailey (Appro) | Business review of 29/09 incorporated: updated wording for P01, P04, P05 and P09; device and session scenarios; reminder stop rules and sending time; middleware specification v0.2 values and error codes (05/10), retry values to be confirmed by Business; duplicate-prevention rule BR5; future enhancements (post-MVP, dedicated development team) |
| 07-10-2026 | 1.3     | Hailey (Appro) | Business-approved event content of 07/10 incorporated: English and Arabic title and body and the resuming screen for each notification; P09, P10 and P11 wording per the approval; P05 and P08 removed from the MVP scope (not part of the approved event content)                                                                                      |

TABLE OF CONTENTS

1. FEATURE OVERVIEW AND KEY COVERED AREAS.....3

2. SCOPE..... 5

3. TRIGGER POINTS AND PUSH CONTENT.....6

4. PUSH NOTIFICATION API INTEGRATION.....8

5. RESPONSE HANDLING AND RETRY.....11

6. BUSINESS RULES.....11

7. IMPACT ANALYSIS.....12

8. FUTURE ENHANCEMENTS (POST-MVP).....13

APPENDIX 1: SAMPLE REQUEST/RESPONSE.....14

1. FEATURE OVERVIEW AND KEY COVERED AREAS

This document describes the requirements for **Push Notification** in the Reem Bank customer journey for **Credit Card, Personal Loan and CASA**, on iOS and Android.

Today the customer learns about decisions and required actions on an application — a credit decision, a Direct Debit Authority response, the end of the cooling-off period — by **email and in-app notification only**. When the customer is outside the Super App, nothing reaches the device, and the application waits until the customer returns.

Push Notification adds a device-level alert at each agreed trigger event. The Appro platform sends the push request to the Reem Bank middleware Push API, following the same integration pattern as the existing SMS and email integration. When the customer taps the notification, the customer is navigated to the Super App login screen, and the Appro journey opens at the screen where the application continues (Resume screen) or the Super App, depending on the event.

This BRD covers the following areas:

- **Trigger events and push content** — nine notifications, each with its title and body in English and Arabic, and the screen it opens
- **Language** — English or Arabic, following the customer’s current language
- **Middleware integration** — the Push API request, headers and response
- **Response handling and automatic retry**
- **Business rules** — personal data and excluded templates




Figure 1 — How a push reaches the customer (green = start, amber = system action, blue = step, purple = end)

### Key steps

1. A trigger event is reached on the application, for example an offer is displayed or a document is requested.
2. The system builds one push for the event: the Push ID, the title and the body, in the customer's current language.
3. The system sends the push request to the Reem Bank middleware Push API.
4. The middleware delivers the notification to the customer's device through the Super App.
5. The customer taps the notification and is navigated to the Super App login screen; after login, the Appro journey opens at the screen where the application continues (Resume screen) or the Super App, depending on the event.
6. The result is tracked in the backend. A failed push is retried automatically and never blocks the application.

**Note:** Push content is fixed per notification and is not configurable in Super Portal in this release. Customer actions on a notification (open, dismiss, ignore) are not tracked. Existing email and in-app notifications are unchanged. Business-managed configuration and Super Portal visibility are planned as post-MVP enhancements (section 8).

## 2. SCOPE

### 2.1 Product scope

**Credit Card, Personal Loan and CASA**, on **iOS and Android**. Each notification applies only to the products listed against it in section 3.

### 2.2 In-scope notifications

- **P01** — Offer ready (Credit Card, Personal Loan)
- **P01 (CASA)** — Account approved in principle (CASA)
- **P02** — Offer expiry reminder, once per day for 15 days (all products)
- **P03** — Offer expired (all products)
- **P04** — Update on the application after a rejection (all products)
- **P06** — Application active again after the cooling-off period (Credit Card, Personal Loan)
- **P09** — Direct debit rejected by the customer's bank (Personal Loan)
- **P10** — Loan on its way after disbursement (Personal Loan)
- **P11** — Product ready: card issued (Credit Card, CASA) or loan approved (Personal Loan)

### 2.3 Not in scope

- OTP messages — never sent as push (BR3).
- Bank and internal-user notifications — never sent as push (BR4).
- Configuring push content in Super Portal — content is fixed per notification in this release.
- Tracking customer actions on a notification — open, dismiss or ignore.
- Changes to the existing email and in-app notifications — they remain unchanged (BR1).

- P05 (document requested) and P08 (direct debit set up) — not part of the Business-approved event content of 07/10; they can be added post-MVP by the dedicated development team (section 8).

3. TRIGGER POINTS AND PUSH CONTENT

3.1 Trigger events and push content

A push is fired at the same trigger point as the existing email and in-app notification for the same event. Existing email and in-app notifications remain unchanged.

| Push ID    | Priority | Applies to     | Trigger event                                                                                                                     | Title (EN, max 40 characters)                | Body (EN, max 100 characters)                                 | Resuming screen                             |
|------------|----------|----------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------------------------------------------------------|---------------------------------------------|
| P01        | P0       | CC · PL        | AIP given (at least one offer displayed), or Credit Queue approves / overrides the application                                    | Your offer is ready                          | Review your offer and continue your application.              | AIP screen (Appro SDK)                      |
| P01 (CASA) | P0       | CASA           | Account application approved in principle                                                                                         | Your account is approved                     | Tap to continue and complete your account opening.            | AIP screen (Appro SDK)                      |
| P02        | P0       | CC · PL · CASA | Scheduled reminder once per day for 15 days, starting after the first offer is displayed                                          | Your offer expires in %%COUNTING_DOWN%% days | Complete your application before your approval expires.       | AIP screen (Appro SDK)                      |
| P06        | P0       | CC · PL        | Cooling-off end date reached (start + 5 days, configurable) with no customer action; application returns to Approved In Principle | Your application is active again             | Your cooling-off period has ended. Tap to continue or cancel. | KFS screen (Appro SDK)                      |
| P09        | P0       | PL             | Customer's bank rejects the Direct Debit Authority                                                                                | Your direct debit needs attention            | Your bank could not approve the request. Contact Us.          | Super App                                   |
| P04        | P1       | CC · PL · CASA | Queue user rejects (Credit, Sale, Risk or Compliance), Rule Engine filtration fails, or minimum income not met                    | There's an update on your application        | Tap to view the latest status of your application.            | Application Unsuccessful screen (Appro SDK) |
| P10        | P1       | PL             | Disbursement Checker approves and releases the disbursement                                                                       | Your loan is on its way                      | Funds will reach your account shortly.                        | PL Congratulation screen (Appro SDK)        |
| P11        | P1       | CC · PL · CASA | Card issued (CC, CASA) or loan approved (PL)                                                                                      | Your %%PRODUCT_TYPE%% is ready               | Congratulations Tap to see what happens next.                 | AIP screen (Appro SDK)                      |
| P03        | P2       | CC · PL · CASA | Offer validity (30 days) elapses with no acceptance                                                                               | Your offer has expired                       | You can reapply whenever you're ready.                        | Super App                                   |

3.2 Arabic content — approved by RB Business (07/10)

The Arabic title and body below were approved by the Business together with the English content. The push follows the customer's current App language (section 3.4).

| Push ID    | Title (AR, max 40 characters)                            | Body (AR, max 100 characters)                                    |
|------------|----------------------------------------------------------|------------------------------------------------------------------|
| P01        | تمت الموافقة المبدئية على طلبكم                          | يُرجى الاطلاع على التفاصيل لمتابعة استكمال طلبكم.                |
| P01 (CASA) | تمت الموافقة على طلب فتح حسابكم                          | يُرجى النقر لاستكمال الإجراءات المتبقية لفتح الحساب.             |
| P02        | تنتهي صلاحية التمويل المقترح خلال %%COUNTING_DOWN%% أيام | يُرجى استكمال طلبكم قبل انتهاء صلاحية الموافقة الممنوحة لكم.     |
| P06        | تمت إعادة تفعيل طلبكم                                    | انتهت فترة التراجع. يُرجى النقر للمتابعة أو إلغاء الطلب.         |
| P09        | يتطلب الخصم المباشر إجراءً منكم                          | تعدّ اعتماد طلب الخصم المباشر من قبل بنككم. يُرجى مراجعته البنك. |
| P04        | يوجد تحديث على طلبكم                                     | يُرجى النقر للاطلاع على آخر مستجدات طلبكم.                       |
| P10        | جارٍ تحويل مبلغ القرض                                    | سيتم إيداع المبلغ في حسابكم قريباً.                              |
| P11        | %%PRODUCT_TYPE%% جاهز الآن                               | تهانينا، يُرجى النقر للاطلاع على الخطوات التالية.                |
| P03        | انتهت مدة صلاحية الموافقة                                | يسعدنا استقبال طلبكم مجدداً في الوقت الذي يناسبكم.               |

3.3 Content rules

- [%%PRODUCT\_TYPE%%] and [%%COUNTING\_DOWN%%] must be replaced with actual values before sending. No placeholder is ever shown to the customer.
- The title must not exceed **40 characters** and the body **100 characters**, after replacement.
- Content is fixed per Push ID and is not configurable in Super Portal in this release.

3.4 Language

- The push is sent in **English or Arabic**, following the language the customer is currently using.
- Arabic title and body for every notification — approved by RB Business on 07/10 (section 3.2).

3.5 Device and session scenarios

Each scenario has one owner. App rows are covered by this BRD; the Super App and middleware rows are **TBC by Avanza**.

| Scenario                                                         | Owner      | Behaviour                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Customer logged out or session expired                           | Super App  | The Super App completes the login first, then opens the Appro journey at the screen for the event.                                                                                                                                                                                                                           |
| Customer changed device, or multiple registered devices          | Super App  | The push follows the device-token registration held by the Super App.                                                                                                                                                                                                                                                        |
| Push permission disabled on the device                           | Super App  | No device alert. The application and the existing email and in-app notifications continue unchanged.                                                                                                                                                                                                                         |
| Device token invalid or expired                                  | Middleware | The middleware returns 404 UNREGISTERED — tracked in the backend as Failed, no retry (section 4.5).                                                                                                                                                                                                                          |
| Application completed, cancelled, withdrawn, rejected or expired | Appro      | The outcome notification for the event itself is sent once (e.g. P03 offer expired, P04 application update, P11 product ready). After the terminal status, the P02 reminders stop immediately and no further push is sent for the application (section 3.6). On a late tap, the journey opens the application status screen. |

| Scenario                    | Owner | Behaviour                                                                            |
|-----------------------------|-------|--------------------------------------------------------------------------------------|
| Customer no longer eligible | Appro | A push is built only at its trigger event on a live application — no event, no push. |

3.6 Reminder and stop rules (P02)

- P02 is sent once per day for 15 days, starting after the first offer is displayed. The interval and the maximum count are backend configuration parameters (default: daily, 15).
- P02 stops immediately when the customer selects or rejects the offer, or when the application is completed, cancelled or withdrawn, rejected or expired, or the product is booked or issued.
- A terminal status still sends its own outcome notification once — P03 (offer expired), P04 (application update), P11 (product ready). The stop rules apply to the reminders and to any further push after that notification.
- One push per Push ID per trigger occurrence per application (BR5).

3.7 Sending time

- Event-driven pushes are sent immediately at the trigger event.
- Scheduled pushes — the P02 reminder and P03 (offer expired) — are released at 10:00 UAE time (backend configuration parameter).

4. PUSH NOTIFICATION API INTEGRATION

4.1 Request details

| Item           | Value                                                          |
|----------------|----------------------------------------------------------------|
| Method         | POST                                                           |
| Endpoint       | http://<MW URL>/api/notifications/push<br><b>TBC by Avanza</b> |
| Authentication | Bearer token<br><b>TBC by Avanza</b>                           |

4.2 Header parameters

| Parameter     | Type   | Required? (Y/N) | Description                                      | Values / Data Source                                                          |
|---------------|--------|-----------------|--------------------------------------------------|-------------------------------------------------------------------------------|
| stan          | String | Y               | Unique system audit trace number in each request | Generated by Appro, unique per request. 6–12 characters (specification v0.2). |
| Authorization | String | Y               | Authorization header                             | Bearer <token>                                                                |
| Content-Type  | String | Y               | Request format                                   | application/json                                                              |
| channel_id    | String | Y               | Channel id of the calling system                 | <b>TBC by Avanza</b> - value assigned to Appro                                |



4.3 Request parameters

| Parameter             | Type   | Required?<br>(Y/N) | Description                    | Values / Data Source                                                                                                                                                                                                                                                                          |
|-----------------------|--------|--------------------|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| requestId             | String | Y                  | Unique message id              | Generated by Appro, unique per push. Every retry reuses the same requestId. <b>TBC by Avanza: middleware de-duplication on the requestId.</b>                                                                                                                                                 |
| timestamp             | String | Y                  | Request date-time              | ISO 8601 UTC with milliseconds, e.g. 2026-09-28T06:49:02.366Z                                                                                                                                                                                                                                 |
| type                  | String | Y                  | Notification type              | Fixed: <b>APPRO_NOTIFICATION</b>                                                                                                                                                                                                                                                              |
| action.id             | String | Y                  | Push identifier                | Push ID from section 3, e.g. P01. P01 (CASA) is sent as P01 with action.value = CASA                                                                                                                                                                                                          |
| action.type           | String | Y                  | NONE / POPUP / APPRO_JOURNEY   | APPRO_JOURNEY: a tap opens the Appro journey at the screen for the event. NONE: no forced action — the tap opens the Super App; used for P03 and P09 (call of 05/10). POPUP: not used by Appro. <b>TBC by Avanza: Super App hand-over of action.id and action.value to the Appro journey.</b> |
| action.value          | String | Y                  | Product                        | CREDIT_CARD / PERSONAL_LOAN / CASA, from the application.                                                                                                                                                                                                                                     |
| recipient.mobilePhone | String | Y                  | Customer mobile number         | From the application. Format 9715XXXXXXX — country code 971, no plus sign (specification v0.2).                                                                                                                                                                                               |
| recipient.customerId  | String | Conditional        | Customer CIF — required if ETB | ETB: customer CIF. NTB: not sent.                                                                                                                                                                                                                                                             |
| recipient.email       | String | N                  | Customer email                 | No mapping – Optional field                                                                                                                                                                                                                                                                   |
| content.title         | String | Y                  | Push title                     | Per section 3.1, in the customer's current language                                                                                                                                                                                                                                           |
| content.body          | String | Y                  | Push body                      | Per section 3.1, in the customer's current language                                                                                                                                                                                                                                           |
| content.message       | String | N                  | Notification message           | Sent empty (""). Pop-up content, used only with action type POPUP (specification v0.2).                                                                                                                                                                                                       |
| content.language      | String | Y                  | Language — "EN" / "AR"         | Customer's current language — "EN" or "AR" (specification v0.2).                                                                                                                                                                                                                              |

4.4 Response parameters

| Parameter | Type   | Description                           | Values / Handling      |
|-----------|--------|---------------------------------------|------------------------|
| messageId | String | Message id returned by the middleware | Tracked in the backend |

| Parameter     | Type   | Description        | Values / Handling                                          |
|---------------|--------|--------------------|------------------------------------------------------------|
| error.code    | String | Result code        | "000" = Processed Ok. Full error-code list in section 4.5. |
| error.message | String | Result description | Tracked in the backend with error.code                     |

4.5 Error codes (middleware specification v0.2)

| Code | Description           | Appro handling                                                                |
|------|-----------------------|-------------------------------------------------------------------------------|
| 000  | PROCESSED OK          | Push sent — tracked in the backend as Success.                                |
| 403  | SENDER_ID_MISMATCH    | Final, no retry — configuration issue, raised with Avanza. Tracked as Failed. |
| 404  | UNREGISTERED          | Final, no retry — the device token is not registered. Tracked as Failed.      |
| 429  | QUOTA_EXCEEDED        | Retried per section 5.                                                        |
| 500  | INTERNAL SERVER ERROR | Retried per section 5.                                                        |

Retry classification proposed by Appro — TBC by Avanza.

4.6 Open items with Avanza

Open as of 06 October 2026 (our questions of 28/09; specification v0.2 and the alignment call of 05/10 closed the rest):

- Middleware endpoint and credentials per environment. **TBC by Avanza**
- channel\_id value assigned to Appro. **TBC by Avanza**
- De-duplication on the requestId when a retry resends the same id. **TBC by Avanza**
- Super App hand-over of action.id and action.value to the Appro journey, and keeping the destination through the login. **TBC by Avanza**

5. RESPONSE HANDLING AND RETRY

- If the HTTP code is **20x** and [error.code] = "000" (Processed Ok) → the push is sent → tracked in the backend as **Success** → the journey proceeds.
- Else → the system retries automatically after **X minutes**, up to **N attempts**. The interval and the number of attempts are backend configuration parameters.
  - "Else" covers a timeout, any non-20x HTTP code and any [error.code] other than "000".
  - Error codes 429 and 500, and a timeout, are retried. 403 and 404 are final and are not retried (section 4.5).
  - Every retry reuses the same requestId, so a retry never creates a duplicate notification (BR5).
  - **Retry interval (X) and number of attempts (N) – To be confirmed by RB Business**
- If the push is still not successful after the last attempt → tracked in the backend as **Failed** → the journey proceeds. A push failure must not block, delay or change the application status.
- The system tracks the API delivery result only, in the backend; it is not shown in the Super Portal audit trail. Customer actions on the notification (open, dismiss, ignore) are not tracked. The backend record per push: Push ID, date and time, number of attempts, final status (Success / Failed) and the failure reason. Until a Super Portal view is available (section 8), Appro support provides the status of a push for a given application on request from the Contact Centre.




Figure 2 — Response handling and automatic retry (X and N configurable)

6. BUSINESS RULES

| No. | Rule                                                                                                                                                                                                               |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BR1 | Push is additional; existing email and in-app notifications are unchanged.                                                                                                                                         |
| BR2 | No personal data in the title or body: no name, Application ID, IBAN or amounts.                                                                                                                                   |
| BR3 | OTP content (ET17, ET18, ET35, NT04, NT05) is never sent as push.                                                                                                                                                  |
| BR4 | Bank and internal-user templates are never sent as push.                                                                                                                                                           |
| BR5 | One notification per event: a push is sent once per Push ID per trigger occurrence per application, and every retry reuses the same requestId — a system retry, timeout or reprocessing never creates a duplicate. |

7. IMPACT ANALYSIS

| Area                         | Impact                                                                                                                                                                                                               | Screen                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |                     |        |      |         |   |                                                                |  |        |  |   |                                           |  |      |  |   |                                            |  |      |  |   |                          |  |        |  |   |                                             |  |        |  |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------------------|--------|------|---------|---|----------------------------------------------------------------|--|--------|--|---|-------------------------------------------|--|------|--|---|--------------------------------------------|--|------|--|---|--------------------------|--|--------|--|---|---------------------------------------------|--|--------|--|
| Customer journey (Super App) | A device notification at nine trigger events. A tap opens the Apro journey at the screen for that event; existing journey screens are reused as the destinations.                                                    | <div><div>SUPER APP</div><div><div></div><div>Your Credit Card offer is ready</div><div>Tap to review your offer and continue your application.</div></div><div>now</div></div> <div>P01 CC - PL → opens Offer selection</div>                                                                                                                                                                                                                                                                                                                                                                                                               |        |                     |        |      |         |   |                                                                |  |        |  |   |                                           |  |      |  |   |                                            |  |      |  |   |                          |  |        |  |   |                                             |  |        |  |
| Middleware integration       | New outbound call from the Apro platform to the Reem Bank middleware Push API, following the SMS and email integration pattern. Endpoint, credentials and channel id per environment: <b>TBC by Avanza.</b>          | <div><div>Apro platform</div><div>notification - scheduler - audit trail</div><div>↓</div><div>Reem Bank middleware — Push API</div><div>New outbound integration, same pattern as SMS / Email</div><div>↓</div><div>Super App</div><div>iOS and Android - opens the Apro journey on tap</div></div>                                                                                                                                                                                                                                                                                                                                         |        |                     |        |      |         |   |                                                                |  |        |  |   |                                           |  |      |  |   |                                            |  |      |  |   |                          |  |        |  |   |                                             |  |        |  |
| Communication Setup          | No change. Existing email and in-app templates keep working as today and remain the trigger reference for each push. Push content is fixed per notification in this release and is not added to Communication Setup. | <table><tr><th>No</th><th>Email Template Name</th><th>Status</th><th>Type</th><th>Send To</th></tr><tr><td>1</td><td>If the Rule Engine is "Stale" or "Refer" (move to Credit Team)</td><td></td><td>Client</td><td></td></tr><tr><td>2</td><td>Application cancellation request rejected</td><td></td><td>Bank</td><td></td></tr><tr><td>3</td><td>Application cancellation request completed</td><td></td><td>Bank</td><td></td></tr><tr><td>4</td><td>Application is cancelled</td><td></td><td>Client</td><td></td></tr><tr><td>5</td><td>Customer doesn't realise off cooling period</td><td></td><td>Client</td><td></td></tr></table> | No     | Email Template Name | Status | Type | Send To | 1 | If the Rule Engine is "Stale" or "Refer" (move to Credit Team) |  | Client |  | 2 | Application cancellation request rejected |  | Bank |  | 3 | Application cancellation request completed |  | Bank |  | 4 | Application is cancelled |  | Client |  | 5 | Customer doesn't realise off cooling period |  | Client |  |
| No                           | Email Template Name                                                                                                                                                                                                  | Status                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Type   | Send To             |        |      |         |   |                                                                |  |        |  |   |                                           |  |      |  |   |                                            |  |      |  |   |                          |  |        |  |   |                                             |  |        |  |
| 1                            | If the Rule Engine is "Stale" or "Refer" (move to Credit Team)                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Client |                     |        |      |         |   |                                                                |  |        |  |   |                                           |  |      |  |   |                                            |  |      |  |   |                          |  |        |  |   |                                             |  |        |  |
| 2                            | Application cancellation request rejected                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Bank   |                     |        |      |         |   |                                                                |  |        |  |   |                                           |  |      |  |   |                                            |  |      |  |   |                          |  |        |  |   |                                             |  |        |  |
| 3                            | Application cancellation request completed                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Bank   |                     |        |      |         |   |                                                                |  |        |  |   |                                           |  |      |  |   |                                            |  |      |  |   |                          |  |        |  |   |                                             |  |        |  |
| 4                            | Application is cancelled                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Client |                     |        |      |         |   |                                                                |  |        |  |   |                                           |  |      |  |   |                                            |  |      |  |   |                          |  |        |  |   |                                             |  |        |  |
| 5                            | Customer doesn't realise off cooling period                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Client |                     |        |      |         |   |                                                                |  |        |  |   |                                           |  |      |  |   |                                            |  |      |  |   |                          |  |        |  |   |                                             |  |        |  |
| Audit trail                  | No change in this release. Push results are tracked in the backend only; Apro support provides the status of a push on request (section 5). A Super Portal view is a post-MVP enhancement (section 8).               | No screen change                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |        |                     |        |      |         |   |                                                                |  |        |  |   |                                           |  |      |  |   |                                            |  |      |  |   |                          |  |        |  |   |                                             |  |        |  |
| Application status           | No change. A push — sent or not — never changes, blocks or delays the application.                                                                                                                                   | <div><div>Approved in Principle</div><div>push sent<br/>or failed</div><div>Approved in Principle</div><div>Application status unchanged — success or failure</div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |                     |        |      |         |   |                                                                |  |        |  |   |                                           |  |      |  |   |                                            |  |      |  |   |                          |  |        |  |   |                                             |  |        |  |
| Reporting                    | The API delivery result is tracked. Customer actions on a notification (open, dismiss, ignore) are not tracked in this implementation scope                                                                          | No screen change                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |        |                     |        |      |         |   |                                                                |  |        |  |   |                                           |  |      |  |   |                                            |  |      |  |   |                          |  |        |  |   |                                             |  |        |  |

## 8. FUTURE ENHANCEMENTS (POST-MVP)

The items below are agreed as enhancements after the MVP 1.1 sign-off, delivered by the dedicated development team based on launch feedback — not as change requests. The MVP design is scalable, so they are added on the same framework, without redesign.

- Business-managed configuration in Super Portal, wherever technically feasible without source-code modification: enable / disable per notification, English and Arabic content, reminder frequency and maximum count, validity period, priority, trigger and product mapping, and new Push IDs.
- Sending notifications from Super Portal.
- Push visibility in Super Portal: an audit-trail entry or a notification report with the sent / failed status per application.
- Configurable sending hours and customer local time.
- Additional products, journeys and notification types on the same framework.

APPENDIX 1: SAMPLE REQUEST/RESPONSE

Sample request

```
{
  "requestId": "1234567891011121",
  "timestamp": "2020-07-20T06:49:02.366Z",
  "type": "APPRO_NOTIFICATION",
  "action": {
    "id": "P01",
    "type": "APPRO_JOURNEY",
    "value": "CASA"
  },
  "recipient": {
    "mobilePhone": "971528045456 ",
    "customerId": "104278",
    "email": "abc@test.com"
  },
  "content": {
    "title": "CASA Journey",
    "body": "Please resume your CASA journey",
    "message": "",
    "language": "EN"
  }
}
```

Sample response

```
{
  "messageId": "0:1790341509514173%d5881a7ad5881a7a",
  "error": {
    "code": "000",
    "message": "Processed 0k"
  }
}
```

Product mapping

| Product on the application | action.value  |
|----------------------------|---------------|
| Credit Card                | CREDIT_CARD   |
| Personal Loan              | PERSONAL_LOAN |
| CASA                       | CASA          |