




BUSINESS REQUIREMENTS DOCUMENT

Push Notification

Customer journey alerts in the Super App — Credit Card, Personal Loan and CASA

V1.1 / 28 September 2026



VERSION HISTORY

Date	Version	Author	Change Description
28-09-2026	1.0	Hailey (Appro)	Created BRD
28-09-2026	1.1	Hailey (Appro)	Trigger events and push content in one table; push results tracked in the backend only, not on the audit trail; sample request and response exactly as the middleware specification

TABLE OF CONTENTS

1. FEATURE OVERVIEW AND KEY COVERED AREAS.....3

2. SCOPE..... 4

3. TRIGGER POINTS AND PUSH CONTENT.....5

4. PUSH NOTIFICATION API INTEGRATION.....6

5. RESPONSE HANDLING AND RETRY.....8

6. BUSINESS RULES.....8

7. IMPACT ANALYSIS.....9

APPENDIX 1: SAMPLE REQUEST/RESPONSE.....10

1. FEATURE OVERVIEW AND KEY COVERED AREAS

This document describes the requirements for **Push Notification** in the Reem Bank customer journey for **Credit Card, Personal Loan and CASA**, on iOS and Android.

Today the customer learns about decisions and required actions on an application — a credit decision, a Direct Debit Authority response, the end of the cooling-off period — by **email and in-app notification only**. When the customer is outside the Super App, nothing reaches the device, and the application waits until the customer returns.

Push Notification adds a device-level alert at each agreed trigger event. The Appro platform sends the push request to the Reem Bank middleware Push API, following the same integration pattern as the existing SMS and email integration. When the customer taps the notification, the Appro journey opens at the screen where the application continues.

This BRD covers the following areas:

- **Trigger events and push content** — eleven notifications, each with its title, body and the screen it opens
- **Language** — English or Arabic, following the customer’s current language
- **Middleware integration** — the Push API request, headers and response
- **Response handling and automatic retry**
- **Business rules** — personal data and excluded templates




Figure 1 — How a push reaches the customer (green = start, amber = system action, blue = step, purple = end)

Key steps

1. A trigger event is reached on the application, for example an offer is displayed or a document is requested.
2. The system builds one push for the event: the Push ID, the title and the body, in the customer’s current language.
3. The system sends the push request to the Reem Bank middleware Push API.
4. The middleware delivers the notification to the customer’s device through the Super App.
5. The customer taps the notification, and the Appro journey opens at the screen for that event.
6. The result is tracked in the backend. A failed push is retried automatically and never blocks the application.

Note: Push content is fixed per notification and is not configurable in Super Portal in this release. Customer actions on a notification (open, dismiss, ignore) are not tracked. Existing email and in-app notifications are unchanged.

2. SCOPE

2.1 Product scope

Credit Card, Personal Loan and CASA, on **iOS and Android**. Each notification applies only to the products listed against it in section 3.

2.2 In-scope notifications

- **P01** — Offer ready (Credit Card, Personal Loan)
- **P01 (CASA)** — Account approved in principle (CASA)
- **P02** — Offer expiry reminder, once per day for 15 days (all products)
- **P03** — Offer expired (all products)
- **P04** — Update on the application after a rejection (all products)
- **P05** — Document requested from the customer (all products)
- **P06** — Application active again after the cooling-off period (Credit Card, Personal Loan)
- **P08** — Direct debit set up (Personal Loan)
- **P09** — Direct debit rejected by the customer's bank (Personal Loan)
- **P10** — Loan on its way after disbursement (Personal Loan)
- **P11** — Product ready: card issued (Credit Card, CASA) or loan approved (Personal Loan)

2.3 Not in scope

- OTP messages — never sent as push (BR3).
- Bank and internal-user notifications — never sent as push (BR4).
- Configuring push content in Super Portal — content is fixed per notification in this release.
- Tracking customer actions on a notification — open, dismiss or ignore.
- Changes to the existing email and in-app notifications — they remain unchanged (BR1).

3. TRIGGER POINTS AND PUSH CONTENT

3.1 Trigger events and push content

A push is fired at the same trigger point as the existing email and in-app notification for the same event. Existing email and in-app notifications remain unchanged.

Push ID	Priority	Applies to	Trigger event	Title (EN, max 40 characters)	Body (EN, max 100 characters)	Opens at (deep-link screen)
P01	P0	CC · PL	AIP given (at least one offer displayed), or Credit Queue approves / overrides the application	Your %%PRODUCT_TYPE%% offer is ready	Tap to review your offer and continue your application.	Offer selection
P01 (CASA)	P0	CASA	Account application approved in principle	Your account is approved	Tap to continue and complete your account opening.	Resume application
P02	P0	CC · PL · CASA	Scheduled reminder once per day for 15 days, starting after the first offer is displayed	Your offer expires in %%COUNTING_DOWN%% days	Complete your application before your approval expires.	Offer selection
P05	P0	CC · PL · CASA	Credit or Sales team returns the case requesting documents from the customer	We need a document from you	Upload it to keep your application moving.	Document upload
P06	P0	CC · PL	Cooling-off end date reached (start + 5 days, configurable) with no customer action; application returns to Approved In Principle	Your application is active again	Your cooling-off period has ended. Tap to continue or cancel.	Application Ready to Continue screen, then KFS
P09	P0	PL	Customer's bank rejects the Direct Debit Authority	Action needed on your direct debit	Your bank didn't accept the authority. Tap to see next steps.	DDA screen / next steps
P04	P1	CC · PL · CASA	Queue user rejects (Credit, Sale, Risk or Compliance), Rule Engine filtration fails, or minimum income not met	Update on your application	Tap to view the status of your %%PRODUCT_TYPE%% application.	Application status
P08	P1	PL	Customer's bank accepts the Direct Debit Authority	Direct debit is set up	Your bank approved your direct debit. Tap to view your loan.	Loan details
P10	P1	PL	Disbursement Checker approves and releases the disbursement	Your loan is on its way	Funds will reach your account shortly. Tap for details.	Loan details
P11	P1	CC · PL · CASA	Card issued (CC, CASA) or loan approved (PL)	Your %%PRODUCT_TYPE%% is ready	Tap to see what happens next.	Product screen (card / loan / account)
P03	P2	CC · PL · CASA	Offer validity (30 days) elapses with no acceptance	Your offer has expired	You can reapply whenever you're ready.	SDK start (new application)

Priority: P0 highest.

3.2 Content rules

- [%%PRODUCT_TYPE%%] and [%%COUNTING_DOWN%%] must be replaced with actual values before sending. No placeholder is ever shown to the customer.
- The title must not exceed **40 characters** and the body **100 characters**, after replacement.
- Content is fixed per Push ID and is not configurable in Super Portal in this release.

3.3 Language

- The push is sent in **English or Arabic**, following the language the customer is currently using.
- Arabic title and body for every notification – **To be provided by RB Business**

4. PUSH NOTIFICATION API INTEGRATION

4.1 Request details

Item	Value
Method	POST
Endpoint	http://<MW URL>/api/notifications/push TBC by Avanza
Authentication	Bearer token TBC by Avanza

4.2 Header parameters

Parameter	Type	Required? (Y/N)	Description	Values / Data Source
stan	String	Y	Unique system audit trace number in each request	Generated by Appro, unique per request. TBC by Avanza - format and length
Authorization	String	Y	Authorization header	Bearer <token>
Content-Type	String	Y	Request format	application/json
channel_id	String	Y	Channel id of the calling system	TBC by Avanza - value assigned to Appro

4.3 Request parameters

Parameter	Type	Required? (Y/N)	Description	Values / Data Source
requestId	String	Y	Unique message id	Generated by Appro, unique per push. TBC by Avanza - same or new id on retry
timestamp	String	Y	Request date-time	ISO 8601 UTC with milliseconds, e.g. 2026-09-28T06:49:02.366Z
type	String	Y	Notification type	Fixed: APPRO_NOTIFICATION
action.id	String	Y	Push identifier	Push ID from section 3, e.g. P01. P01 (CASA) is sent as P01 with action.value = CASA

Parameter	Type	Required? (Y/N)	Description	Values / Data Source
action.type	String	Y	NONE / POPUP / APPRO_JOURNEY	APPRO_JOURNEY for every Push ID, so a tap opens the Appro journey. TBC by Avanza: behaviour of NONE / POPUP, and how the Super App hands action.id and action.value to the Appro journey
action.value	String	Y	Product	CREDIT_CARD / PERSONAL_LOAN / CASA, from the application.
recipient.mobilePhone	String	Y	Customer mobile number	From the application. TBC by Avanza: format (E.g. 971XXXX or what is actual format?)
recipient.customerId	String	Conditional	Customer CIF — required if ETB	ETB: customer CIF. NTB: not sent.
recipient.email	String	N	Customer email	No mapping – Optional field
content.title	String	Y	Push title	Per section 3.1, in the customer's current language
content.body	String	Y	Push body	Per section 3.1, in the customer's current language
content.message	String	N	Notification message	Sent empty (""). TBC by Avanza: Why needs this field since body are there
content.language	String	Y	Language — en / ar	Customer's current language. TBC by Avanza: "EN" or "en"? since sample mentioned "EN" but description mention "en"

4.4 Response parameters

Parameter	Type	Description	Values / Handling
messageId	String	Message id returned by the middleware	Tracked in the backend
error.code	String	Result code	"000" = Processed Ok TBC by Avanza: full code list for Appro to handle the error scenarios
error.message	String	Result description	Tracked in the backend with error.code

5. RESPONSE HANDLING AND RETRY

- If the HTTP code is **20x** and [error.code] = "000" (Processed Ok) → the push is sent → tracked in the backend as **Success** → the journey proceeds.
- Else → the system retries automatically after **X minutes**, up to **N attempts**. X and N are configurable.
 - "Else" covers a timeout, any non-20x HTTP code and any [error.code] other than "000".
 - The full error-code list, and any code that should not be retried – **To be provided by Avanza**
- If the push is still not successful after the last attempt → tracked in the backend as **Failed** → the journey proceeds. A push failure must not block, delay or change the application status.
- The system tracks the API delivery result only, in the backend; it is not shown in the Super Portal audit trail. Customer actions on the notification (open, dismiss, ignore) are not tracked.








Figure 2 — Response handling and automatic retry (X and N configurable)

6. BUSINESS RULES

No.	Rule
BR1	Push is additional; existing email and in-app notifications are unchanged.
BR2	No personal data in the title or body: no name, Application ID, IBAN or amounts.
BR3	OTP content (ET17, ET18, ET35, NT04, NT05) is never sent as push.
BR4	Bank and internal-user templates are never sent as push.

7. IMPACT ANALYSIS

Area	Impact	Screen
Customer journey (Super App)	A device notification at eleven trigger events. A tap opens the Apro journey at the screen for that event; existing journey screens are reused as the destinations.	
Middleware integration	New outbound call from the Apro platform to the Reem Bank middleware Push API, following the SMS and email integration pattern. Endpoint, credentials and channel id per environment: TBC by Avanza.	
Communication Setup	No change. Existing email and in-app templates keep working as today and remain the trigger reference for each push. Push content is fixed per notification in this release and is not added to Communication Setup.	
Audit trail	No change. Push results are tracked in the backend only and are not shown in the Super Portal audit trail.	No screen change
Application status	No change. A push — sent or not — never changes, blocks or delays the application.	
Reporting	The API delivery result is tracked. Customer actions on a notification (open, dismiss, ignore) are not tracked in this implementation scope	No screen change

APPENDIX 1: SAMPLE REQUEST/RESPONSE

Sample request

```
{
  "requestId": "123456789101112",
  "timestamp": "2020-07-20T06:49:02.366Z",
  "type": "APPRO_NOTIFICATION",
  "action": {
    "id": "P01",
    "type": "APPRO_JOURNEY",
    "value": "CASA"
  },
  "recipient": {
    "mobilePhone": "971528045456 ",
    "customerId": "104278",
    "email": "abc@test.com"
  },
  "content": {
    "title": "CASA Journey",
    "body": "Please resume your CASA journey",
    "message": "",
    "language": "EN"
  }
}
```

Sample response

```
{
  "messageId": "0:1790341509514173%d5881a7ad5881a7a",
  "error": {
    "code": "000",
    "message": "Processed 0k"
  }
}
```

Product mapping

Product on the application	action.value
Credit Card	CREDIT_CARD
Personal Loan	PERSONAL_LOAN
CASA	CASA