PROFILE ASSESSMENT

Ricardo Pereira Maiostri

30th March, 2023

PROFILE INFORMATION

NAME	Ricardo Pereira Maiostri
ORGANISATION	On Morumbi Clinica Medica
DATE OF BIRTH	19th September, 1988
GENDER	Male
HEIGHT	180cm / 70in
WEIGHT	81kg / 179lb
AGE	34

Standing Posture

Posture and Stability Assessment

Standing Posture is a baseline postural assessment that can provide insight into an individual's structural balance, alignment, and postural strategy.

RESULTS

BALANCE SNAPSHOT



SIDETRAK POSTURAL DEVIATION (SAGITTAL PLANE/SIDE VIEW)



KEY RESULTS

Neck lateral flexion	2.4° Right ▼
Trunk lateral flexion	1.1° Right ▼
Pelvis Lateral Tilt	0.9° Right ▼
Trunk Flexion	2.4° Posterior

SWAYTRAK MOVEMENT PATHS (KNEES AND CENTRE OF MASS)



PRACTITIONER COMMENTS

Cervical Spine Flexion/Extension

Range of Motion Assessment

Cervical Spine Flexion (forward) / Extension (backwards) calculated by taking the inclination of the head relative to the line of the trunk in the sagittal plane (side view).

RESULTS

PEAK FLEXION SNAPSHOT	PEAK EXTENSION SNAPSHOT
	

KEY RESULTS	STARTING POSITION	PEAK FLEXION	PEAK EXTENSION	TOTAL RANGE
Flexion/Extension	0.0°	20.2°	13.0°	33.2°
Trunk Flexion	4.7° **Posterior**	3.7° **Posterior**	4.4° **Posterior**	N/A
Trunk lateral flexion	0.7°	0.6° **Right** ▼	0.4° **Right** ▼	N/A

PRACTITIONER COMMENTS

Cervical Spine Lateral Flexion

Range of Motion Assessment

Cervical Spine Lateral Flexion (left and right) is calculated by taking the inclination of the head relative to the line of the trunk in the frontal plane (front view).

RESULTS

PEAK LEFT LATERAL FLEXION	PEAK RIGHT LATERAL FLEXION
	

KEY RESULTS	PEAK FLEXION (LEFT)	PEAK FLEXION (RIGHT)	IMBALANCE
Lateral Flexion	19.6°	23.6°	+4.0°
Trunk Flexion	4.0° **Posterior**	3.3° **Posterior**	N/A
Trunk lateral flexion at Peak Flexion	2.4° **Left** ▼	3.5° **Right** ▼	+1.1°

PRACTITIONER COMMENTS



Shoulder Adduction/Abduction

Range of Motion Assessment

Shoulder Adduction/Abduction is calculated by taking the angle created by the humerus (upper arm) relative to the line of the trunk in the frontal plane (front view).

RESULTS

PEAK ADDUCTION		PEAK ABDUCTION	
LEFT	RIGHT	LEFT	RIGHT
			

KEY RESULTS	LEFT	RIGHT	IMBALANCE
Shoulder Adduction	4.5°	8.4°	+3.9°
Shoulder Abduction	183.4°	183.5°	+0.2°
Trunk lateral flexion at Peak Abduction	3.9° Right ▼	2.4° Left ▼	+1.5°

PRACTITIONER COMMENTS (LEFT)

PRACTITIONER COMMENTS (RIGHT)

Shoulder Flexion/Extension

Range of Motion Assessment

Shoulder Flexion/Extension is calculated by taking the angle created by the humerus (upper arm) relative to the line of the trunk in the sagittal plane (side view).

RESULTS

PEAK FLEXION		PEAK EXTENSION	
LEFT	RIGHT	LEFT	RIGHT
			

KEY RESULTS	LEFT	RIGHT	IMBALANCE
Shoulder Flexion	202.3°	209.5°	+7.2°
Shoulder Extension	45.4°	47.9°	+2.5°
Trunk lateral flexion at Peak Flexion	1.2° Right ▼	0.5° Right ▼	+0.6°

PRACTITIONER COMMENTS (LEFT)

PRACTITIONER COMMENTS (RIGHT)



Shoulder Internal/External Rotation

Range of Motion Assessment

Shoulder Internal/External Rotation calculated by taking the angle created by the forearm relative to horizontal in the sagittal plane (side view).

RESULTS

PEAK INTERNAL ROTATION

LEFT	RIGHT
	

PEAK EXTERNAL ROTATION

LEFT	RIGHT
	

KEY RESULTS	LEFT	RIGHT	IMBALANCE
Shoulder Internal Rotation	82.8°	88.9°	+6.1°
Shoulder External Rotation	104.1°	110.6°	+6.5°
Total ROM	186.9°	199.5°	+12.7°
Trunk lateral flexion at Peak Internal Rotation	1.9° Right ▼	1.3° Left ▼	+0.6°

PRACTITIONER COMMENTS (LEFT)

PRACTITIONER COMMENTS (RIGHT)

Hip Internal/External Rotation

Range of Motion Assessment

Hip Internal/External Rotation is calculated by taking the angle created by the tibia relative to vertical in the frontal plane (front view) while seated with 90˚ of hip flexion.

RESULTS

PEAK INTERNAL ROTATION

LEFT	RIGHT
	

PEAK EXTERNAL ROTATION

LEFT	RIGHT
	

KEY RESULTS	LEFT	RIGHT	IMBALANCE
Peak Internal Rotation	18.2°	24.0°	+5.7°
Peak External Rotation	47.2°	53.4°	+6.2°
Total ROM	65.4°	77.4°	+11.9°

PRACTITIONER COMMENTS (LEFT)

PRACTITIONER COMMENTS (RIGHT)

Single Leg Stand

Balance Assessment

Standing balance over time is assessed while standing on one leg.

Eyes	Open
Surface	Stable
Time	10.0 s

RESULTS

BALANCE RESULTS (LEFT)

SNAPSHOT – START OF TEST	CENTER OF MASS PATH
	

KEY METRICS	RESULTS
Ellipse Area	1.14 cm-2
COM Path Length	18.27 cm
Range – ML	2.62 cm
Range – AP	3.14 cm
Pelvis Lateral Tilt	8.6° Left ▼
Trunk lateral flexion	4.1° Left ▼

PRACTITIONER COMMENTS

Single Leg Stand

Balance Assessment

Standing balance over time is assessed while standing on one leg.

Eyes	Open
Surface	Stable
Time	10.0 s

RESULTS

BALANCE RESULTS (RIGHT)

SNAPSHOT – START OF TEST	CENTER OF MASS PATH
	

KEY METRICS	RESULTS
Ellipse Area	1.70 cm-2
COM Path Length	22.39 cm
Range – ML	3.89 cm
Range – AP	4.92 cm
Pelvis Lateral Tilt	7.2° Right ▼
Trunk lateral flexion	4.3° Right ▼

PRACTITIONER COMMENTS

Lunge

Lower Body Dynamic Assessment

The Lunge assesses the strength and range of motion of the knees and hips.

RESULTS

PEAK KNEE FLEXION	
LEFT	RIGHT





KEY METRICS	LEFT LEG	RIGHT LEG	ASYMMETRY
Peak Hip Flexion	50.7°	58.9°	13.9%
Peak Knee Flexion	69.2°	87.2°	20.6%
Peak Spine Lateral Tilt	0.3° **Anterior**	0.8° **Posterior**	N/A
Peak Pelvic Lateral Tilt	0.3° **Left**	0.8° **Right**	N/A

PRACTITIONER COMMENTS (LEFT)

Dor joelho +

PRACTITIONER COMMENTS (RIGHT)

Dor joelho

Squat

Lower Body Dynamic Assessment

Squat is a dynamic movement assessment providing insight into an individual's balance, stability, flexibility, and strength.

RESULTS

SNAPSHOTS			
START	REP 1: PEAK KNEE FLEXION	REP 2: PEAK KNEE FLEXION	REP 3: PEAK KNEE FLEXION
			

KEY RESULTS	REP 1	REP 2	REP 3
Peak Knee Flexion (Left)	120.3°	122.0°	115.4°
Peak Knee Flexion (Right)	118.4°	118.9°	114.2°
Spine Tilt at Peak Knee Flexion	49.4° Anterior	29.6° Anterior	29.5° Anterior
Trunk lateral flexion at Peak Knee Flexion	4.3° Left ▼	1.2° Right ▼	2.1° Left ▼

PRACTITIONER COMMENTS

Dor nos joelhos (+ esquerdo)

Overhead Squat

Lower Body Dynamic Assessment

Overhead squat is a dynamic movement assessment providing insight into an individual's balance, stability, flexibility, and strength.

RESULTS

SNAPSHOTS			
START	REP 1: PEAK KNEE FLEXION	REP 2: PEAK KNEE FLEXION	REP 3: PEAK KNEE FLEXION
			

KEY RESULTS	REP 1	REP 2	REP 3
Peak Knee Flexion (Left)	115.8°	110.6°	109.9°
Peak Knee Flexion (Right)	112.6°	110.2°	106.7°
Trunk Flexion at Peak Knee Flexion	18.0° Anterior	12.7° Anterior	12.3° Anterior
Trunk lateral flexion at Peak Knee Flexion	0.2° Right ▼	0.4° Left ▼	0.9° Right ▼

PRACTITIONER COMMENTS

Dor joelhos (+ esquerdo)

Countermovement Jump

Lower Body Dynamic Assessment

The Countermovement Jump assesses the landing posture during an explosive dynamic exercise.

RESULTS

PEAK KNEE FLEXION
after landing



KEY METRICS (TORSO)			
Jump Height	21.43 cm		
Peak Spine Tilt after landing	23.6° **Anterior**		
Peak Lateral Spine Tilt after landing	0.4° **Left**		
Peak Lateral Pelvic Tilt after landing	2.3° **Right**		
KEY METRICS (LEGS)	**LEFT LEG**	**RIGHT LEG**	**ASYMMETRY**
Peak Hip Flexion after landing	44.8°	45.3°	1.2%
Peak Knee Flexion after landing	53.3°	52.4°	1.6%
Peak Knee Valgus/Varus after landing	10.3° **Varus**	12.9° **Varus**	20.3%

PRACTITIONER COMMENTS

Dor na aterrizagem

Drop Jump

Lower Body Dynamic Assessment

Drop Jump is used to assess coordination, balance, joint stability and power, requiring the patient to drop from a box or platform and transition from landing into an explosive jump .

Height unspecified

RESULTS

PHASE	Initial Contact	Peak Knee Flexion
SNAPSHOTS		
Result		
Knee-Ankle Separation Ratio	1.1	1.2
Hip Flexion (Left)	24.1°	29.5°
Hip Flexion (Right)	16.3°	18.2°
Knee Flexion (Left)	58.2°	61.1°
Knee Flexion (Right)	6.3°	9.0°



PRACTITIONER COMMENTS

Single Leg Squat

Lower Body Dynamic Assessment

Single Leg Squat is a dynamic movement assessment that provides insight into an individual's balance, stability, flexibility, and strength.

RESULTS

LEFT LEG

SNAPSHOTS

START	REP 1: PEAK KNEE FLEXION	REP 2: PEAK KNEE FLEXION	REP 3: PEAK KNEE FLEXION
			

KEY RESULTS	REP 1	REP 2	REP 3
Peak Knee Flexion	76.8°	80.3°	76.8°
Knee Displacement (total)	9.4 cm	6.0 cm	7.3 cm
Peak Knee Valgus	0.0°	0.0°	0.0°
Peak Knee Varus	21.4° **Varus**	19.7° **Varus**	10.5° **Varus**
Trunk lateral flexion at Peak Knee Flexion	10.9° **Left** ▼	10.9° **Left** ▼	0.7° **Left** ▼

PRACTITIONER COMMENTS

RESULTS

RIGHT LEG

SNAPSHOTS

START	REP 1: PEAK KNEE FLEXION	REP 2: PEAK KNEE FLEXION	REP 3: PEAK KNEE FLEXION
			

KEY RESULTS	REP 1	REP 2	REP 3
Peak Knee Flexion	76.2°	80.1°	81.1°
Knee Displacement (total)	17.5 cm	10.3 cm	14.2 cm
Peak Knee Valgus	0.0°	2° Valgus	0.0°
Peak Knee Varus	11° Varus	7.3° Varus	8.1° Varus
Trunk lateral flexion at Peak Knee Flexion	4.7° Right ▼	3.3° Right ▼	13.0° Right ▼

PRACTITIONER COMMENTS