

Ricardo Maiostri 27th March, 2024

PROFILE INFORMATION

| NAME | Ricardo Maiostri |
|---------------|----------------------------------|
| ORGANISATION | On Morumbi Clinica Medica |
| DATE OF BIRTH | 19 th September, 1988 |
| GENDER | Male |
| HEIGHT | 180cm / 70in |
| WEIGHT | 77kg / 170lb |
| AGE | 35 |




Standing Posture Posture and Stability Assessment

Standing Posture is a baseline postural assessment that can provide insight into an individual's structural balance, alignment, and postural strategy.

RESULTS







SWAYTRAK MOVEMENT PATHS (KNEES AND CENTRE OF MASS)

| Neck lateral flexion | 1.3° Right ▼ |
|------------------------|----------------|
| Trunk lateral flexion | 0.7° Left ▼ |
| Pelvis Lateral Tilt | 1.0° Left ▼ |
| Trunk Flexion | 1.3° Posterior |
| | |





Single Leg Stand Balance Assessment

Standing balance over time is assessed while standing on one leg.

Eyes Open Surface Stable Time 10.0 s


RESULTS

BALANCE RESULTS (LEFT)

SNAPSHOT - START OF TEST







| KEY METRICS | RESULTS |
|-----------------------|-------------|
| Ellipse Area | 0.24 cm-2 |
| COM Path Length | 12.12 cm |
| Range - ML | 1.64 cm |
| Range - AP | 1.76 cm |
| Pelvis Lateral Tilt | 6.6° Left ▼ |
| Trunk lateral flexion | 2.5° Left ▼ |





Single Leg Stand Balance Assessment

Standing balance over time is assessed while standing on one leg.

Eyes Open Surface Stable Time 10.0 s


RESULTS

BALANCE RESULTS (RIGHT)

SNAPSHOT - START OF TEST







| KEY METRICS | RESULTS |
|-----------------------|--------------|
| Ellipse Area | 0.26 cm-2 |
| COM Path Length | 10.29 cm |
| Range - ML | 1.27 cm |
| Range - AP | 2.71 cm |
| Pelvis Lateral Tilt | 9.4° Right ▼ |
| Trunk lateral flexion | 5.3° Right ▼ |



Tandem Stand

Balance Assessment

Standing balance over time is assessed with one foot directly in front of the other.

Eyes Closed Surface Stable Time 10.0 s

RESULTS

BALANCE RESULTS (LEFT)


SNAPSHOT - START OF TEST



CENTER OF MASS PATH

| L |
|---|

| KEY METRICS | RESULTS |
|-----------------------|--------------|
| Ellipse Area | 0.38 cm-2 |
| COM Path Length | 16.33 cm |
| Range - ML | 3.02 cm |
| Range - AP | 1.79 cm |
| Pelvis Lateral Tilt | 1.5° Right ▼ |
| Trunk lateral flexion | 0.9° Right ▼ |





Tandem Stand

Balance Assessment

Standing balance over time is assessed with one foot directly in front of the other.

Eyes Closed Surface Stable Time 10.0 s

RESULTS

BALANCE RESULTS (RIGHT)

SNAPSHOT - START OF TEST





| KEY METRICS | RESULTS |
|-----------------------|-------------|
| Ellipse Area | 0.75 cm-2 |
| COM Path Length | 20.61 cm |
| Range - ML | 3.61 cm |
| Range – AP | 2.12 cm |
| Pelvis Lateral Tilt | 2.7° Left ▼ |
| Trunk lateral flexion | 2.4° Left ▼ |






Cervical Spine Flexion/Extension Range of Motion Assessment

Cervical Spine Flexion (forward) / Extension (backwards) calculated by taking the inclination of the head relative to the line of the trunk in the sagittal plane (side view).

RESULTS





| KEY RESULTS | STARTING POSITION | PEAK FLEXION | PEAK EXTENSION | TOTAL RANGE |
|-----------------------|----------------------|---------------|-----------------|-------------|
| Flexion/Extension | 0.0° | 30.9° | 15.1° | 46.0° |
| Trunk Flexion | 4.2° Posterior | 0.7° Anterior | 10.3° Posterior | N/A |
| Trunk lateral flexion | 0.3° | 0.7° Left ▼ | 0.1° Right ▼ | N/A |





Cervical Spine Lateral Flexion Range of Motion Assessment

Cervical Spine Lateral Flexion (left and right) is calculated by taking the inclination of the head relative to the line of the trunk in the frontal plane (front view).

RESULTS

PEAK LEFT LATERAL FLEXION







| KEY RESULTS | PEAK FLEXION (LEFT) | PEAK FLEXION (RIGHT) | IMBALANCE |
|---------------------------------------|---------------------|----------------------|-----------|
| Lateral Flexion | 20.0° | 25.2° | +5.3° |
| Trunk Flexion | 4.4° Posterior | 4.0° Posterior | N/A |
| Trunk lateral flexion at Peak Flexion | 4.3° Left ▼ | 2.2° Right ▼ | +2.1° |



Drop Jump Lower Body Dynamic Assessment

Drop Jump is used to assess coordination, balance, joint stability and power, requiring the patient to drop from a box or platform and transition from landing into an explosive jump .

Height

unspecified

RESULTS

| PHASE | Initia | al Contact | Pea | k Knee Flexion |
|---|--------|------------|--------|--|
| SNAPSHOTS | | | | |
| Result | | | | |
| Knee-Ankle Separation Ratio | 0.8 | | 1.0 | |
| Hip Flexion (Left) | 25.4° | | 61.2° | |
| Hip Flexion (Right) | 7.7° | | 6.5° | |
| Knee Flexion (Left) | 49.5° | | 110.2° | |
| Knee Flexion (Right) | 28.6° | | 28.3° | |
| 150 valve ank each of the sep of | - | | | KASR Initial Contact Peak Knee Flexion Full Knee Extension |
| 0 | 10000 | 20000 | 30000 |) |






Countermovement Jump

Lower Body Dynamic Assessment

The Countermovement Jump assesses the landing posture during an explosive dynamic exercise.

RESULTS

PEAK KNEE FLEXION after landing



KEY METRICS (TORSO)

Jump Height 37.54 cm

Peak Spine Tilt after landing 42.6° Anterior

Peak Lateral Spine Tilt after landing 2.6° Left

Peak Lateral Pelvic Tilt
after landing

2.6° Right

| a.to. ia.taii.g | | | |
|--------------------------------------|-------------|-------------|-----------|
| KEY METRICS (LEGS) | LEFT LEG | RIGHT LEG | ASYMMETRY |
| Peak Hip Flexion after landing | 90.9° | 94.1° | 3.4% |
| Peak Knee Flexion after landing | 95.9° | 92.1° | 3.9% |
| Peak Knee Valgus/Varus after landing | 52.3° Varus | 47.2° Varus | 9.8% |





Overhead Squat

Lower Body Dynamic Assessment

Overhead squat is a dynamic movement assessment providing insight into an individual's balance, stability, flexibility, and strength.

RESULTS

REP 1: REP 2: REP 3: **START** PEAK KNEE FLEXION PEAK KNEE FLEXION PEAK KNEE FLEXION **KEY RESULTS** REP 1 REP 2 REP 3 Peak Knee Flexion (Left 133.6° 136.8° 127.0° Peak Knee Flexion (129.0° 132.2° 123.2° Right) Trunk Flexion 32.5° Anterior 35.8° Anterior 38.7° Anterior at Peak Knee Flexion Trunk lateral flexion 1.5° Left ▼ 1.9° **Left** ▼ 0.2° Right ▼ at Peak Knee Flexion





Shoulder Adduction/Abduction

Range of Motion Assessment

Shoulder Adduction/Abduction is calculated by taking the angle created by the humerus (upper arm) relative to the line of the trunk in the frontal plane (front view).

RESULTS

| PEAK AD | DUCTION | PEAK ABDUCTION | | |
|---|--------------|---------------------|--------------|--|
| LEFT | RIGHT | LEFT | RIGHT | |
| | | | | |
| KEY RESULTS | LEFT | RIGHT | IMBALANCE | |
| Shoulder Adduction | 53.6° | 61.7° | +8.1° | |
| Shoulder Abduction | 191.2° | 191.0° | +0.2° | |
| Trunk lateral flexion at Peak Abduction | 0.6° Right ▼ | 0.5° Left ▼ | +0.1° | |
| PRACTITIONER COMMENT | S(LEFT) | PRACTITIONER COMMEN | TS (RIGHT) | |





Shoulder Flexion/Extension

Range of Motion Assessment

Shoulder Flexion/Extension is calculated by taking the angle created by the humerus (upper arm) relative to the line of the trunk in the sagittal plane (side view).

RESULTS

| PEAK FLEXION | | PEAK EXTENSION | |
|---------------------------------------|-------------|---------------------|--------------|
| LEFT | RIGHT | LEFT | RIGHT |
| | | | |
| KEY RESULTS | LEFT | RIGHT | IMBALANCE |
| Shoulder Flexion | 199.0° | 210.3° | +11.3° |
| Shoulder Extension | 44.0° | 51.3° | +7.2° |
| Trunk lateral flexion at Peak Flexion | 1.0° Left ▼ | 0.8° Left ▼ | +0.2° |
| PRACTITIONER COMMENT | S(LEFT) | PRACTITIONER COMMEN | TS (RIGHT) |





Shoulder Internal/External Rotation


Range of Motion Assessment


Shoulder Internal/External Rotation calculated by taking the angle created by the forearm relative to horizontal in the sagittal plane (side view).

RESULTS

PEAK INTERNAL ROTATION

LEFT R





PEAK EXTERNAL ROTATION

LEFT RIGHT





| KEY RESULTS | LEFT | RIGHT | IMBALANCE |
|---|--------------|-------------|-----------|
| Shoulder Internal Rotation | 85.0° | 85.7° | +0.7° |
| Shoulder External Rotation | 103.8° | 102.4° | +1.4° |
| Total ROM | 188.8° | 188.1° | +0.7° |
| Trunk lateral flexion at Peak Internal Rotation | 0.7° Right ▼ | 1.6° Left ▼ | +0.9° |

PRACTITIONER COMMENTS (LEFT) PRACTITIONER COMMENTS (RIGHT)



Single Leg Squat Lower Body Dynamic Assessment


Single Leg Squat is a dynamic movement assessment that provides insight into an individual's balance, stability, flexibility, and strength.

RESULTS

LEFT LEG


START







REP 3: PEAK KNEE FLEXION










| KEY RESULTS | REP 1 | REP 2 | REP 3 |
|--|-------------------|--------------------|-------------|
| Peak Knee Flexion | 84.8° | 90.0° | 89.6° |
| Knee Displacement (total) | 9.9 cm | 8.9 cm | 16.8 cm |
| Peak Knee Valgus | 0.0° | 0.9° Valgus | 2° Valgus |
| Peak Knee Varus | 5.9° Varus | 5.9° Varus | 6.8° Varus |
| Trunk lateral flexion at Peak Knee Flexion | 3.9° Left ▼ | 1.3° Left ▼ | 2.7° Left ▼ |


RESULTS

RIGHT LEG


SNAPSHOTS


START







REP 3: PEAK KNEE FLEXION









| KEY RESULTS | REP 1 | REP 2 | REP 3 |
|---------------------------|--------------|--------------|--------------------|
| Peak Knee Flexion | 83.8° | 81.9° | 88.3° |
| Knee Displacement (total) | 12.0 cm | 10.4 cm | 30.9 cm |
| Peak Knee Valgus | 0.0° | 0.0° | 0.0° |
| Peak Knee Varus | 8.3° Varus | 12.3° Varus | 11.7° Varus |
| Trunk lateral flexion | 2.7° Right ▼ | 4.2° Right ▼ | 4.3° Right ▼ |



30 Second Sit To Stand

Lower Body Dynamic Assessment

30 Second Sit To Stand is an assessment that provides information on function leg power and strength of participants.

RESULTS

| KEY RESULTS | OVERALL |
|-------------------------------|---------------------|
| Successful Repetitions | 17 |
| Peak Knee Extension | L 3.2° R 3.3° |
| Knee Displacement | L 12.6 cm R 12.1 cm |
| Peak Lateral Trunk Flexion | 2.3° Left ▼ |

SNAPSHOTS

START


1st REP: PEAK TRUNK FLFXION Q1 REP: PEAK TRUNK FLEXION MEDIAN REP: PEAK TRUNK FLEXION

- Q3 REP: PEAK TRUNK FLEXION LAST REP: PEAK














| KEY METRICS | 1st REP | Q1 REP | MEDIAN REP | Q3 REP | LAST REP |
|-----------------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Knee-Ankle Separation Ratio | 1.4 | 1.3 | 1.3 | 1.3 | 1.3 |
| Lateral Trunk Flexion | 0.5° Left ▼ | 1.7° Left ▼ | 0.9° Left ▼ | 1.1° Right ▼ | 0.5° Left ▼ |
| Knee Flexion | L 87.5° R 82.2° | L 86.6° R 78.6° | L 87.4° R 77.8° | L 92.9° R 86.1° | L 84.7° R 78.0° |
| Hip Flexion | L 62.1° R 61.3° | L 72.8° R 71.5° | L 71.9° R 70.6° | L 80.5° R 79.3° | L 71.9° R 71.2° |
| Trunk Flexion | 0.5° Anterior | 1.7° Anterior | 0.9° Anterior | 1.1° Posterior | 0.5° Anterior |







Squat Lower Body Dynamic Assessment

Squat is a dynamic movement assessment providing insight into an individual's balance, stability, flexibility, and strength.


RESULTS


START


REP 1: PEAK KNEE FLEXION



REP 2: PEAK KNEE FLEXION







| KEY RESULTS | REP 1 | REP 2 | REP 3 |
|--|----------------|----------------|----------------|
| Peak Knee Flexion (Left) | 119.0° | 119.2° | 109.4° |
| Peak Knee Flexion (Right) | 113.7° | 113.9° | 105.7° |
| Spine Tilt at Peak Knee Flexion | 34.2° Anterior | 36.3° Anterior | 38.7° Anterior |
| Trunk lateral flexion at Peak Knee Flexion | 3.2° Left ▼ | 0.7° Left ▼ | 1.9° Left ▼ |



Lunge Lower Body Dynamic Assessment

The Lunge assesses the strength and range of motion of the knees and hips.

RESULTS

PEAK KNEE FLEXION

LEFT





| KEY METRICS | LEFT LEG | RIGHT LEG | ASYMMETRY |
|--------------------------|------------------|---------------|-----------|
| Peak Hip Flexion | 73.4° | 56.6° | 22.8% |
| Peak Knee Flexion | 105.4° | 81.9° | 22.3% |
| Peak Spine Lateral Tilt | 1.0° Anterior | 0.9° Anterior | N/A |
| Peak Pelvic Lateral Tilt | 2.1° Left | 1.5° Right | N/A |
| | | | |

PRACTITIONER COMMENTS (LEFT)

PRACTITIONER COMMENTS (RIGHT)

