




Push API Document: Tracking Status

Overview:

This Push API for Tracking service provides **incremental** tracking events to customers whenever there is a new scan event generated in the DTDC system. Incremental scan event data will be pushed for the particular shipment with status code, status Date & Time, status Locations and necessary remarks etc.

The Status Tracking data will be pushed from the DTDC System whenever a new event gets generated and the data will be pushed in the form of JSON to the customer web server.

Push API Workflow



Parameter	Description	Sample Value
Shipment		
strShipmentNo	The consignment number	B32242001
strRefNo	The reference Number	123456789
strCNTypeCode	Customer Code	BF014
strCNProduct	Service Type	LITE
strOrigin	Consignment booked city by or at the office	BANGALORE
strBookedOn	Consignment booked on date (DDMMYYYY)	20012021
strWeight	Weight	1.6
strRtoNumber	RTO number	000082737748
strExpectedDeliveryDate	EDD - ddMMyyyy	24072024
strRevExpectedDeliveryDate	REDD - ddMMyyyy	25072024
ShipmentStatus		
strAction	Shipment Status code, refer sheet: https://docs.google.com/spreadsheets/d/1U0u_9UOyxjP5FpeYMvIWZWs7k6U-vzSZLCWPq0iCQKs/edit#gid=0	BKD
strActionDesc	Shipment Status Description	Booked
strManifestNo	Manifest Number	
strOrigin	Location name for the status	GOREGAON BRANCH , MUMBAI
stractionDate	Status Date (DDMMYYYY)	21062017
strActionTime	Status Time (HHMM)	112200
strRemarks	Non-delivery reason / Held Up reason	
strLatitude	Latitude	18.58670400
strLongitude	Longitude	73.73671050
strSCDOTP	SCD OTP Flag for delivery; Y/N	Y
strNDCOTP	SCD OTP Flag for Attempt; Y/N	Y

Request Body:-

```
Sample 1;
{
  "shipment": {
    "strRefNo": "",
    "strOrigin": "MUMBAI",
    "strWeight": "1.301",
    "strBookedOn": "05022025",
    "strCNProduct": "STANDARD",
    "strRtoNumber": "",
    "strCNTypeCode": "GL2867",
    "strShipmentNo": "7D110128963",
    "strExpectedDeliveryDate": "07022025",
    "strRevExpectedDeliveryDate": "07022025"
  },
  "shipmentStatus": [
    {
      "strAction": "DLV",
      "strOrigin": "WHITE FIELD BRANCH , BANGALORE",
      "strSCDOTP": "Y",
      "strRemarks": "null",
      "strLatitude": "12.93902930",
      "strLongitude": "77.71974460",
      "strActionDate": "10022025",
      "strActionDesc": "OTP Based Delivered",
      "strActionTime": "141424",
      "strManifestNo": "5067722173"
    }
  ]
}
```

Sample 2:

```
{
  "shipment": {
    "strRefNo": "",
    "strOrigin": "MUMBAI",
    "strWeight": "7.258",
    "strBookedOn": "08022025",
    "strCNProduct": "STANDARD",
    "strRtoNumber": "",
    "strCNTYPECode": "GL4849",
    "strShipmentNo": "I49568332",
    "strExpectedDeliveryDate": "10022025",
    "strRevExpectedDeliveryDate": "11022025"
  },
  "shipmentStatus": [
    {
      "strAction": "NONDLV",
      "strNDCOTP": "Y",
      "strOrigin": "THANE BRANCH , MUMBAI",
      "strRemarks": "PRF|RECEIVER REFUSED DELIVERY(CIR)",
      "strLatitude": "19.20948470",
      "strLongitude": "72.98311020",
      "stractionDate": "10022025",
      "strActionDesc": "Not Delivered",
      "strActionTime": "122933",
      "strManifestNo": "001395847781VA"
    }
  ]
}
```

#Scan Code and Description

- https://docs.google.com/spreadsheets/d/1U0u_9U0yxjP5FpeYMvIWZWs7k6U-vzS_ZLCWPq0iCQKs/edit#gid=0

Prerequisites:-

- Customers must agree to the predefined standard JSON format of DTDC Response for tracking results.
- DTDC has a standard set of prefixed Tracking Events & Non-Delivery Reasons which needs to be referred by the customer for the events mapping.
- Customers must share the Staging & Production URL's along with DTDC Contract Code(DP Code).
- Customers have to whitelist shared DTDC API's if there are any restrictions.
- Tracking events will be pushed every 30 minutes if there is any change in the status of booked shipments and for the shipments booking from the date when push api was enabled, events will be ignored if any events performed after 50 days from booking date.
- Customer has to provide the Authentication Token if any for UAT & Production.
- Customer's api must be a POST method to push tracking status data in the request body, GET method is not supported
- The customer's API must respond back in milliseconds.
- Pull based tracking api will disabled automatically after 1 month of enabling push api for the same customer code if pull based tracking api is enabled.