```
/* Freek Keijzer, myBrand, 04.09.2019
Dataset for flattened hierarchy of GL Account.
In this view "steps up" are translated to a certain level.
_____
Change-log:
JIRA-story 12345, 27-05-2020, Danny Linders
Parametrized version of ZB FI RACCT HIER
with fagl 011zc/pc.versn = parameter p versn in order
to be able to use 1 view for different hierarchies.
----*/
@EndUserText.label: 'FI: Data for G/L Account Hierarchy'
@AbapCatalog.sqlViewName: 'ZPFIRACCTHIERPAR'
@AbapCatalog.compiler.compareFilter: true
@AbapCatalog.preserveKey: true
@AccessControl.authorizationCheck: #CHECK
define view ZP FI RACCT HIER PAR
 with parameters
   p versn : versn 011
as select from ZB FI RACCT HIER PAR(p versn: :p versn)
//ska1
key ktopl,
                               //Chart of Accounts (skal.ktopl)
key saknr,
                               //G/L Account Number (skal.saknr)
//fagl 011zc, fagl 011pc
   stufe,
                               //Financial Statement Item Hierarchy Level (fagl 011pc.stufe)
    case stufe
     when '10' then ergsl_up9
     when '09' then ergsl up8
     when '08' then ergsl up7
     when '07' then ergsl up6
     when '06' then ergsl up5
     when '05' then ergsl up4
     when '04' then ergsl up3
     when '03' then ergsl up2
     when '02' then ergsl up1
     else ''
    end as ergsl lev00,
                              //Financial Statement Item (fagl 011zc.ergsl) level 0
    case stufe
     when '10' then ergsl up8
     when '09' then ergsl up7
```

```
when '08' then ergsl up6
 when '07' then ergsl up5
 when '06' then ergsl up4
 when '05' then ergsl up3
 when '04' then ergsl up2
 when '03' then ergsl up1
 when '02' then ergsl
 else ''
case stufe
 when '10' then ergsl up7
 when '09' then ergsl up6
 when '08' then ergsl up5
 when '07' then ergsl up4
 when '06' then ergsl up3
 when '05' then ergsl up2
 when '04' then ergsl up1
 when '03' then ergsl
 else ''
case stufe
 when '10' then ergsl up6
 when '09' then ergsl up5
 when '08' then ergsl up4
 when '07' then ergsl up3
 when '06' then ergsl up2
 when '05' then ergsl up1
 when '04' then ergsl
 else ''
case stufe
 when '10' then ergsl up5
 when '09' then ergsl up4
 when '08' then ergsl up3
 when '07' then ergsl up2
 when '06' then ergsl up1
 when '05' then ergsl
 else ''
case stufe
 when '10' then ergsl up4
 when '09' then ergsl up3
 when '08' then ergsl up2
```

```
when '07' then ergsl up1
when '06' then ergsl
else ''
case stufe
when '10' then ergsl up3
when '09' then ergsl up2
when '08' then ergsl up1
when '07' then ergsl
else ''
case stufe
when '10' then ergsl up2
when '09' then ergsl up1
when '08' then ergsl
else ''
case stufe
when '10' then ergsl up1
when '09' then ergsl
else ''
case stufe
when '10' then ergsl
else ''
```

}