

# The Definitive Guide to iReport™



Giulio Toffoli

## **The Definitive Guide to iReport™**

**Copyright © 2007 by JasperSoft Corporation**

All rights reserved. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage or retrieval system, without the prior written permission of the copyright owner and the publisher.

ISBN-13 (pbk): 978-1-59059-928-0

ISBN-10 (pbk): 1-59059-928-4

Printed and bound in the United States of America 9 8 7 6 5 4 3 2 1

Trademarked names may appear in this book. Rather than use a trademark symbol with every occurrence of a trademarked name, we use the names only in an editorial fashion and to the benefit of the trademark owner, with no intention of infringement of the trademark.

JasperSoft, the JasperSoft logo, JasperAnalysis, JasperServer, JasperETL, JasperReports, JasperStudio, iReport, and Jasper4 products are trademarks and/or registered trademarks of JasperSoft Corporation in the United States and in jurisdictions throughout the world. All other company and product names are or may be trade names or trademarks of their respective owners.

Lead Editor: Steve Anglin

Editorial Board: Steve Anglin, Ewan Buckingham, Gary Cornell, Jonathan Gennick,

Jason Gilmore, Jonathan Hassell, Chris Mills, Matthew Moodie, Jeffrey Pepper,

Ben Renow-Clarke, Dominic Shakeshaft, Matt Wade, Tom Welsh

Project Manager: Kylie Johnston

Copy Editor: Ami Knox

Assistant Production Director: Kari Brooks-Copony

Production Editor: Laura Esterman

Compositor: Molly Sharp

Proofreader: Elizabeth Berry

Indexer: Brenda Miller

Artist: April Milne

Cover Designer: Kurt Krames

Manufacturing Director: Tom DeBolski

Distributed to the book trade worldwide by Springer-Verlag New York, Inc., 233 Spring Street, 6th Floor, New York, NY 10013. Phone 1-800-SPRINGER, fax 201-348-4505, e-mail [orders-ny@springer-sbm.com](mailto:orders-ny@springer-sbm.com), or visit <http://www.springeronline.com>.

For information on translations, please contact Apress directly at 2855 Telegraph Avenue, Suite 600, Berkeley, CA 94705. Phone 510-549-5930, fax 510-549-5939, e-mail [info@apress.com](mailto:info@apress.com), or visit <http://www.apress.com>.

The information in this book is distributed on an “as is” basis, without warranty. Although every precaution has been taken in the preparation of this work, neither the author(s) nor Apress shall have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the information contained in this work.

The source code for this book is available to readers at <http://www.apress.com> in the Source Code/Download section.

*To my wonderful wife, Caterina*



# Contents at a Glance

Foreword .....	xv
About the Author .....	xvii
Acknowledgments .....	xix
Introduction .....	xxi
■ <b>CHAPTER 1</b> Getting Started .....	1
■ <b>CHAPTER 2</b> Basic Notions of JasperReports .....	15
■ <b>CHAPTER 3</b> Report Structure .....	25
■ <b>CHAPTER 4</b> Report Elements .....	41
■ <b>CHAPTER 5</b> Fonts and Styles .....	73
■ <b>CHAPTER 6</b> Fields, Parameters, and Variables .....	83
■ <b>CHAPTER 7</b> Bands and Groups .....	97
■ <b>CHAPTER 8</b> Subreports .....	109
■ <b>CHAPTER 9</b> Datasources and Query Executors .....	127
■ <b>CHAPTER 10</b> Internationalization .....	191
■ <b>CHAPTER 11</b> Scriptlets .....	197
■ <b>CHAPTER 12</b> Templates .....	203
■ <b>CHAPTER 13</b> Charts .....	211
■ <b>CHAPTER 14</b> Subdatasets .....	221
■ <b>CHAPTER 15</b> Crosstabs .....	233
■ <b>CHAPTER 16</b> Other Interface Components .....	253
■ <b>CHAPTER 17</b> Plug-Ins and Additional Tools .....	261
■ <b>CHAPTER 18</b> Solutions to Common Problems .....	275
■ <b>CHAPTER 19</b> iReport Options .....	287
■ <b>APPENDIX A</b> GNU General Public License .....	293
■ <b>APPENDIX B</b> DTD Definitions .....	299
■ <b>APPENDIX C</b> iReport and JasperReports Versions .....	315
■ <b>INDEX</b> .....	317



# Contents

Foreword .....	xv
About the Author .....	xvii
Acknowledgments .....	xix
Introduction .....	xxi

<b>CHAPTER 1</b>	<b>Getting Started</b> .....	1
	Requirements .....	1
	Downloading iReport .....	1
	Accessing Source Code .....	1
	Compiling iReport .....	2
	Setting Up the Start and Base Configuration .....	2
	The Windows Installer and iReport.exe .....	2
	First iReport Execution .....	4
	Creating a JDBC Connection .....	7
	Creating Your First Report .....	9
	Specifying Startup Command-Line Options .....	13
<b>CHAPTER 2</b>	<b>Basic Notions of JasperReports</b> .....	15
	Understanding the Report Life Cycle .....	15
	JRXML Sources and Jasper Files .....	16
	Datasources and Print Formats .....	19
	Compatibility Between Versions .....	20
	Report Expressions .....	21
	Using Groovy As a Language for Expressions .....	22
	A Simple Program Using JasperReports .....	22
<b>CHAPTER 3</b>	<b>Report Structure</b> .....	25
	Document Sections (Bands) Overview .....	25
	Title .....	26
	Page Header .....	26
	Column Header .....	26
	Group Header .....	26
	Detail .....	26
	Group Footer .....	27

Column Footer .....	27
Page Footer .....	27
Last Page Footer .....	27
Summary .....	27
Background .....	27
Specifying Report Properties .....	27
Columns .....	29
Advanced Options .....	33

## ■ CHAPTER 4    **Report Elements** ..... 41

Inserting and Selecting Elements in a Report .....	42
Positioning and Elements Order .....	46
Managing Elements with the Elements Tree .....	49
Basic Element Attributes .....	50
Graphic Element Attributes .....	52
Line .....	53
Rectangle .....	54
Ellipse .....	55
Image .....	55
Text Element Attributes .....	59
Static Text .....	61
Text Field .....	61
A Brief Look at Subreports .....	65
Working with Frames .....	67
Special Elements .....	68
Barcode Element Attributes .....	68
Inserting Page and Column Breaks .....	69
Adding Hyperlinks to Elements .....	70
Hyperlink Type Option .....	71

## ■ CHAPTER 5    **Fonts and Styles** ..... 73

Working with Fonts .....	73
Using TTF Fonts .....	73
Font Loading and Font Paths .....	75
Character Encoding .....	75
Use of Unicode Characters .....	76
Working with Styles .....	76
Creating Style Conditions .....	79
Reusing Styles Through the Styles Library .....	79
A Word About Report Fonts .....	81



<b>CHAPTER 6</b>	<b>Fields, Parameters, and Variables</b>	83
	Working with Fields	84
	Registration of Fields of a SQL Query	85
	Registration of the Fields of a JavaBean	87
	Displaying a Field with a Text Field	88
	Working with Parameters	89
	Using Parameters in a Query	90
	Passing Parameters from a Program	91
	Built-in Parameters	93
	Working with Variables	94
	Built-in Variables	96
<b>CHAPTER 7</b>	<b>Bands and Groups</b>	97
	Modifying Bands	97
	Working with Groups	99
	Group Wizard	105
	Groups and Record Order	107
<b>CHAPTER 8</b>	<b>Subreports</b>	109
	Creating a Subreport	109
	Linking a Subreport to the Parent Report	109
	Passing Parameters	110
	Specifying the Datasource	111
	Specifying the Subreport	112
	A Step-by-Step Example	112
	Returning Values from a Subreport	120
	Using the Subreport Wizard	122
	Create a New Report via the Subreport Wizard	122
	Specifying an Existing Report in the Subreport Wizard	124
<b>CHAPTER 9</b>	<b>Datasources and Query Executors</b>	127
	How a JasperReports Datasource Works	127
	Understanding Datasources and Connections in iReport	128
	Creating and Using JDBC Connections	130
	ClassNotFoundException	132
	URL Not Correct	132
	Parameters Not Correct for the Connection	133
	Working with Your JDBC Connection	133
	Fields Registration	133
	Sorting and Filtering Records	134

Using JavaBeans Set Datasources . . . . .	134
Fields of a JavaBean Set Datasource . . . . .	136
Using XML Datasources . . . . .	138
Registration of the Fields for an XML Datasource . . . . .	141
XML Datasource and Subreport Elements . . . . .	144
Using Remote XML File Datasources . . . . .	148
Using CSV Datasources . . . . .	149
Registration of the Fields for a CSV Datasource . . . . .	150
Using JREmptyDataSource . . . . .	151
Using HQL and Hibernate Connections . . . . .	151
Understanding the JRDataSource Interface . . . . .	155
How to Implement a New JRDataSource . . . . .	155
Using a Personalized JRDataSource with iReport . . . . .	157
Using MDX and OLAP (Mondrian) Connections . . . . .	160
Working with an XML/A Connection . . . . .	166
Using an XML/A Connection with JasperReports . . . . .	167
Using an XML/A Connection with the Cincom MDX Query Executer . . . . .	168
Using the MDX Query Editor Rex . . . . .	169
Using an EJBQL Connection . . . . .	170
Running an EJBQL Query from a Subreport . . . . .	173
Running an EJBQL-Based Report from a Java Application . . . . .	174
Importing and Exporting Datasources . . . . .	175
JasperReports Datasource Providers . . . . .	176
Creating Custom Languages and Query Executors . . . . .	178
Creating a Query Executer for a Custom Language . . . . .	179
Working with a Fields Provider . . . . .	183
Creating Custom iReport Connections . . . . .	187

## ■ CHAPTER 10    **Internationalization** . . . . . 191

Using a Resource Bundle Base Name . . . . .	191
Retrieving Localized Strings . . . . .	193
Formatting Messages . . . . .	194
Deploying Localized Reports . . . . .	194
Running a Report Using a Specific Locale and Time Zone . . . . .	194

## ■ CHAPTER 11    **Scriptlets** . . . . . 197

Understanding the JRAbstractScriptlet Class . . . . .	197
Scriptlet Handling in iReport . . . . .	199
Deploying Reports That Use Scriptlets . . . . .	201

<b>CHAPTER 12</b>	<b>Templates</b>	203
	Template Structure Overview	203
	Using a Custom Template	206
	Putting Templates into JAR Files	208
<b>CHAPTER 13</b>	<b>Charts</b>	211
	Creating a Simple Chart	211
	Using Datasets	218
	Value Hyperlinks	218
	Properties of Charts	218
<b>CHAPTER 14</b>	<b>Subdatasets</b>	221
	Creating a Subdataset	221
	Creating Dataset Runs	224
	Working Through an Example Subdataset	225
<b>CHAPTER 15</b>	<b>Crosstabs</b>	233
	Using the Crosstab Wizard	233
	Working with Columns, Rows, and Cells	238
	Modifying Rows and Columns	238
	Modifying Cells	243
	Modifying Special Cells	244
	Understanding Measures	245
	Modifying Crosstab Element Properties	246
	Working with Crosstab Data	248
	Using Crosstab Total Variables	249
<b>CHAPTER 16</b>	<b>Other Interface Components</b>	253
	Using the Document Structure Panel and the Object Library	254
	Page X of Y Object	256
	Total Object	256
	Current Date Object	257
	Percentage Object	257
	Understanding the Log Window	258
	Understanding the Thread List	258
	Using Rules and Magnetic Guidelines	259

<b>CHAPTER 17</b>	<b>Plug-Ins and Additional Tools</b>	261
	Plug-In Configuration XML File Overview	262
	Working with the <code>it.businesslogic.ireport.plugin.IReportPlugin</code> Class	264
	Deploying a Plug-In As a JAR File	267
	Using the Massive Compiler Plug-In	267
	Using the Text Wizard Plug-In	268
	Using the Oracle Options Plug-In	269
	Using the Check for iReport Updates Plug-In	269
	Using the Translation Status Plug-In	270
	Working with JasperBabylon	272
<b>CHAPTER 18</b>	<b>Solutions to Common Problems</b>	275
	Error Handling	275
	Printing Large Reports Using Report Virtualizer	275
	Printing a Percentage	276
	Counting Occurrences of a Group	277
	Splitting the Detail Band	280
	Inserting Additional Pages	280
	Retrieving Data Using Multiple Connections	283
	Using Stored Procedures	284
	PL/SQL Query Executer	285
<b>CHAPTER 19</b>	<b>iReport Options</b>	287
	Configuring General Options	287
	The iReport UI and Non-Latin Languages	288
	Configuring Compiler Options	288
	Configuring Report Virtualizer	289
	Configuring Backup Options	289
	Configuring External Programs	290
	Extending the Classpath	290
	Configuring Export Options	291
	Creating Custom Expressions (Formulas)	292
<b>APPENDIX A</b>	<b>GNU General Public License</b>	293
	The GNU General Public License	293
	Preamble	293
	Terms and Conditions for Copying, Distribution, and Modification	294
	NO WARRANTY	296
	Appendix: How to Apply These Terms to Your New Programs	297

■ APPENDIX B	<b>DTD Definitions</b> .....	299
	jasperreport.dtd (v.1.3.4) .....	299
	iReportProperties.dtd .....	313
	iReportPlugin.dtd .....	313
	iReportFilesList.dtd .....	314
■ APPENDIX C	<b>iReport and JasperReports Versions</b> .....	315
■ INDEX	.....	317