

Contents

| | |
|---|--------|
| <i>About the Author</i> | xxxi |
| <i>About the Technical Reviewer</i> | xxxii |
| <i>Acknowledgments</i> | xxxiii |
| <i>Introduction</i> | xxxv |

Part One

| | |
|---|---|
| Database Basics, Data Modeling, and UNIX/Linux | 1 |
|---|---|

| | |
|---|---|
| <i>Chapter 1 The Oracle DBA's World</i> | 3 |
|---|---|

| | |
|--|----|
| <i>The Oracle DBA's Role</i> | 3 |
| The DBA's Security Role | 4 |
| The DBA's System Management Role | 6 |
| The DBA's Database Design Role | 8 |
| <i>Different DBA Job Classifications</i> | 10 |
| <i>Types of Databases</i> | 10 |
| Online Transaction Processing and Decision Support System Databases | 11 |
| Development, Test, and Production Databases | 11 |
| <i>Background and Training</i> | 12 |
| Background and Training for an Oracle DBA | 12 |
| Certification | 15 |
| Resources and Organizations for Oracle DBAs | 16 |
| Managing High-Performance Databases | 18 |
| Improving Your Troubleshooting Skills | 19 |
| <i>The Daily Routine of a Typical Oracle DBA</i> | 21 |
| <i>Some General Advice</i> | 21 |
| Know When You Need Help | 22 |
| Remember You Are Not Alone | 22 |
| Think Outside the Box | 22 |
| <i>Summary</i> | 23 |

| | |
|--|----|
| Chapter 2 Relational Database Modeling and Database Design | 25 |
| <i>Relational Databases: A Brief Introduction</i> | 26 |
| <i>The Relational Database Model</i> | 26 |
| Database Schemas | 27 |
| Data Definition and Data Manipulation Languages | 27 |
| Relational Algebra | 28 |
| Relational Calculus | 29 |
| SQL and Relational Theory | 29 |
| <i>Relational Database Life Cycle</i> | 30 |
| <i>Requirements Gathering and Analysis</i> | 30 |
| <i>Logical Database Design</i> | 31 |
| Entity-Relationship Modeling | 32 |
| Normalization | 38 |
| The Normal Forms | 40 |
| ERM Tools: The Oracle Designer | 44 |
| <i>Physical Database Design</i> | 45 |
| Transformation of Entities and Relationships | 46 |
| Designing Different Types of Tables | 47 |
| Table Structures and Naming Conventions | 47 |
| Column Specifications and Choosing Data Types | 47 |
| Business Rules and Data Integrity | 47 |
| <i>Implementation of the Physical Design</i> | 48 |
| Database Sizing and Database Storage | 48 |
| Implementing Database Security | 48 |
| Moving to the New System | 49 |
| Reverse Engineering a Database | 49 |
| <i>Object-Relational and Object Databases</i> | 49 |
| The Relational Model | 50 |
| The Object Model | 50 |
| The Object-Relational Model | 51 |
| <i>Summary</i> | 53 |
| Chapter 3 Essential UNIX (and Linux) for the Oracle DBA | 55 |
| <i>Overview of the UNIX Operating System</i> | 55 |
| <i>Understanding the UNIX Shell(s)</i> | 57 |
| Accessing the UNIX System | 58 |
| Logging Into and Logging Out of UNIX | 58 |
| <i>Overview of Basic UNIX Commands</i> | 60 |

| | |
|--|-----|
| <i>Introducing the UNIX Environment</i> | 63 |
| Displaying the Environment | 64 |
| Working with Shell Variables | 65 |
| Modifying the Environment | 65 |
| <i>Input and Output in UNIX</i> | 65 |
| <i>Navigating Files and Directories in UNIX</i> | 66 |
| Files in the UNIX System | 67 |
| Types of Files | 67 |
| Linking Files | 67 |
| Managing Files | 68 |
| Permissions: Reading from or Writing to Files in UNIX | 69 |
| UNIX Directory Structure | 72 |
| Directory Management | 72 |
| Important UNIX Directories | 73 |
| <i>Writing Files with the vi Editor</i> | 74 |
| Creating and Modifying Files Using vi | 74 |
| Using the Head and Tail Commands | 75 |
| <i>Shell Scripting</i> | 76 |
| Creating a Simple UNIX Shell Program | 76 |
| Using Shell Variables | 76 |
| <i>Control Flow Structures in Korn Shell Programming</i> | 79 |
| Looping | 79 |
| Conditional Branching | 81 |
| <i>Dealing with UNIX Processes</i> | 82 |
| Running Programs in the Background with Nohup | 83 |
| Terminating Processes with the Kill Command | 83 |
| <i>UNIX System Administration and the Oracle DBA</i> | 84 |
| UNIX Backup and Restore Utilities | 84 |
| The Crontab and Automation of Scripts | 85 |
| Using Telnet | 86 |
| Remote Login and Remote Copy | 87 |
| Using ssh, the Secure Shell | 87 |
| Using FTP to Send and Receive Files | 87 |
| UNIX System Performance Monitoring Tools | 88 |
| <i>Disks and Storage in UNIX</i> | 92 |
| Disk Storage Configuration Choices | 92 |
| Monitoring Disk Usage | 93 |
| Disk Storage, Performance, and Availability | 94 |
| <i>RAID Systems</i> | 95 |
| RAID Levels | 96 |
| Choosing the Ideal Disk Configuration | 98 |
| Redundant Disk Controllers | 100 |
| RAID and Backups | 100 |
| RAID and Oracle | 101 |

| | |
|---|-----|
| <i>Storage Technologies</i> | 101 |
| Storage Area Networks | 102 |
| Networked Attached Storage | 102 |
| InfiniBand | 103 |
| Oracle and Storage System Compatibility | 103 |
| <i>Summary</i> | 104 |

Part Two

The Oracle RDBMS.....105

Chapter 4 Installing the Oracle9i RDBMS107

| | |
|--|-----|
| <i>Installing Oracle on UNIX Systems</i> | 107 |
| Reviewing the Documentation | 108 |
| Determining Disk and Memory Requirements | 109 |
| <i>Following the Optimal Flexible Architecture</i> | 110 |
| Mount Points | 112 |
| Directory and File Naming Conventions | 112 |
| <i>Performing Preinstallation Tasks</i> | 115 |
| UNIX System Administrator's Tasks | 116 |
| Oracle Owner's Tasks | 120 |
| <i>A Final Checklist for the Installation</i> | 122 |
| <i>Installing the Oracle Software</i> | 123 |
| <i>After the Installation</i> | 134 |
| UNIX Post-Installation Tasks | 134 |
| User Oracle Post-Installation Tasks | 135 |
| <i>Uninstalling Oracle</i> | 136 |
| <i>Summary</i> | 137 |

Chapter 5 Introduction to the Oracle9i Architecture139

| | |
|---|-----|
| <i>Oracle Database Structures</i> | 139 |
| The Logical Structures | 140 |
| Physical Database Structures | 146 |
| Trace Files | 152 |
| Data Files and Tablespaces | 152 |
| Automatic Undo Management | 157 |
| Oracle Managed Files | 159 |
| <i>Oracle Processes</i> | 159 |
| Interaction Between the User and Oracle Processes | 160 |
| The Server Process | 160 |
| The Background Processes | 161 |

| | |
|---|-----|
| <i>Oracle Memory Structures</i> | 166 |
| Oracle System Global Area (SGA) | 167 |
| The Program Global Area (PGA) | 175 |
| <i>Monitoring Memory Allocation</i> | 178 |
| Dynamically Modifying the SGA | 181 |
| Using Oracle's SGA and PGA Advisories | 183 |
| <i>Managing Memory Parameters with Oracle Enterprise Manager</i> | 185 |
| <i>A Simple Oracle Database Transaction</i> | 187 |
| <i>Data Consistency and Data Concurrency</i> | 189 |
| The Database Writer and the Write Ahead Protocol | 190 |
| The System Change Number | 190 |
| The Central Role of the Oracle Control File | 191 |
| <i>The Oracle Data Dictionary and the</i> | |
| <i>Dynamic Performance Views</i> | 192 |
| The Oracle Data Dictionary | 192 |
| The Dynamic Performance (V\$) Views | 193 |
| The Oracle Optimizer | 194 |
| Oracle Enterprise Manager | 195 |
| <i>Summary</i> | 195 |
| <i>Chapter 6 Using SQL*Plus and iSQL*Plus</i> | 197 |
| <i>SQL*Plus for the DBA</i> | 197 |
| Using SQL*Plus in Interactive and Noninteractive Modes | 198 |
| SQL*Plus Commands and SQL Commands | 198 |
| SQL*Plus Security | 199 |
| Setting the SQL*Plus Environment with the Set Command | 202 |
| Setting Common SQL*Plus Variables | 203 |
| SQL*Plus Command Line Arguments | 206 |
| Removing Settings with the Clear Command | 207 |
| The Store Command | 208 |
| The Show Command | 208 |
| Exiting SQL*Plus | 208 |
| <i>Key SQL*Plus "Performing" Commands</i> | 209 |
| The Sqlprompt Command | 209 |
| The Describe Command | 209 |
| The Host Command | 210 |
| The Spool Command | 210 |
| The Accept and Prompt Commands | 211 |
| The Execute Command | 211 |
| The Pause Command | 211 |
| Creating Command Files in SQL*Plus | 212 |
| Saving SQL Commands to a File | 212 |
| Executing SQL*Plus Scripts | 213 |

| | |
|---|-----|
| Executing a SQL*Plus Command Script | 213 |
| Creating a Windows Batch Script | 215 |
| The Define and Undefine Commands | 216 |
| Using Comments in SQL*Plus | 217 |
| Listing Your SQL Commands | 217 |
| <i>Editing Within SQL*Plus</i> | 218 |
| Inserting and Deleting Lines in SQL*Plus | 219 |
| Adding to Text | 221 |
| Incorporating Comments with the Remark Command | 221 |
| Copying Tables with the Copy Command | 221 |
| Making DML Changes Permanent with SQL*Plus | 222 |
| Creating Web Pages Using SQL*Plus | 222 |
| <i>Key SQL*Plus Database Administration Commands</i> | 223 |
| The Recover Command | 223 |
| The Start and Shutdown Commands | 223 |
| The Archivelog Command | 223 |
| <i>Commands for Formatting SQL*Plus Output and Creating Reports</i> | 224 |
| The Break Command | 224 |
| The Column Command | 224 |
| The Compute Command | 225 |
| The Repfooter Command | 225 |
| The Repheader Command | 225 |
| The Btitle and Ttitle Commands | 225 |
| <i>Using SQL to Generate SQL</i> | 226 |
| <i>Introducing the Oracle9i iSQL*Plus Interface</i> | 227 |
| Installing the iSQL*Plus Software | 228 |
| Configuring iSQL*Plus | 228 |
| Using the iSQL*Plus Interface | 230 |
| Authentication Levels | 233 |
| Executing Statements | 235 |
| A Security Warning for iSQL*Plus | 236 |
| <i>Summary</i> | 236 |

| | |
|---|-----|
| <i>Chapter 7 Schema Management in Oracle9i</i> | 237 |
| <i>Types of SQL Statements in Oracle</i> | 237 |
| System Control Statements | 238 |
| Session Control Statements | 239 |
| Data Manipulation Statements | 239 |
| Transaction Control Statements | 240 |
| Data Definition Statements | 240 |
| <i>Oracle Schema Management</i> | 241 |
| <i>Creating and Managing Tablespaces</i> | 242 |
| Locally and Dictionary Managed Tablespaces | 243 |
| Creating Locally Managed Tablespaces | 244 |
| Creating a Simple Table | 256 |
| <i>Special Oracle Tables</i> | 261 |
| Temporary Tables | 261 |
| Index-Organized Tables | 263 |
| External Tables | 265 |
| Partitioned Tables | 267 |
| Data Dictionary Views for Managing Tables | 274 |
| Clusters | 277 |
| Hash Clusters | 277 |
| <i>Oracle Indexes</i> | 277 |
| Guidelines for Creating Indexes | 279 |
| Oracle Index Schemes | 280 |
| Creating a Simple Index | 281 |
| Bitmap Indexes | 281 |
| Reverse Key Indexes | 282 |
| Function-Based Indexes | 282 |
| Partitioned Indexes | 282 |
| Monitoring Index Usage | 284 |
| Index Maintenance | 285 |
| <i>Database Integrity Constraint Management</i> | 285 |
| Primary Key Constraints | 286 |
| Not Null Constraints | 287 |
| Check Constraints | 287 |
| Unique Constraints | 287 |
| Referential Integrity Constraints | 288 |

| | |
|--|---------|
| Integrity Constraint States | 288 |
| Disabling Integrity Constraints | 289 |
| Rely Constraints | 290 |
| Deferrable and Immediate Constraints | 290 |
| <i>Using Synonyms</i> | 291 |
| Creating a Public Synonym | 292 |
| Creating a Private Synonym | 293 |
| Viewing Information on Synonyms | 294 |
| <i>Using Sequences</i> | 294 |
| <i>Using Triggers</i> | 296 |
| <i>Using Views</i> | 296 |
| <i>Using Materialized Views</i> | 297 |
| Using the Summary Advisor | 298 |
| Creating Materialized Views | 303 |
| <i>Summary</i> | 307 |
| Chapter 8 Oracle Transaction Management | 309 |
| <i>Transactions</i> | 310 |
| <i>Anatomy of a SQL Transaction</i> | 311 |
| Parsing | 311 |
| Binding | 312 |
| Execution | 312 |
| <i>Transaction Properties</i> | 312 |
| <i>Transaction Concurrency Control</i> | 313 |
| Concurrency Problems | 314 |
| Schedules and Serializability | 315 |
| The ISO Transaction Standard | 315 |
| Oracle Transaction Management | 316 |
| <i>Oracle's Isolation Levels</i> | 318 |
| Changing the Default Isolation Level | 319 |
| The Read-Only Isolation Level | 320 |
| The Serializable Isolation Level | 320 |
| The Read Committed vs. the Serializable Level of Isolation | 320 |
| <i>Implementing Oracle's Concurrency Control</i> | 322 |
| Oracle Locking Methods | 323 |
| Oracle Lock Types | 324 |
| Oracle Lock Modes | 325 |
| Explicit Locking in Oracle | 328 |
| Managing Oracle Locks | 330 |
| <i>Using Undo Records to Provide Read Consistency</i> | 332 |
| Automatic Undo Management | 333 |

| | |
|--|-----|
| <i>Querying Old Data with Oracle Flashback</i> | 340 |
| Implementing Flashback Query | 342 |
| Discrete Transactions | 346 |
| <i>Autonomous Transactions</i> | 346 |
| <i>Resumable Storage Allocation</i> | 349 |
| Resumable Operations | 349 |
| Common Resumable Errors | 350 |
| Using the Resumable Space Allocation Feature | 350 |
| Notification of Suspended Operations | 351 |
| Monitoring Resumable Space Allocation | 352 |
| <i>Managing Long Transactions</i> | 352 |
| Benefits of Using the Workspace Manager | 353 |
| Table Versioning and Workspaces | 353 |
| Managing the Workspace Manager | 359 |
| <i>Summary</i> | 360 |

Part Three **Database Creation, Connectivity,** **and User Management**261

| | |
|--|-----|
| <i>Chapter 9 Creating an Oracle Database</i> | 363 |
| <i>Getting Ready to Create the Database</i> | 364 |
| Installing the Software | 364 |
| Creating the File System for the Database | 365 |
| Ensuring Enough Memory Is Allocated | 367 |
| Getting Necessary Authorizations | 367 |
| Setting the Operating System Environment Variables | 367 |
| Creating the Initialization File | 368 |
| Important Oracle9i Initialization Parameters | 370 |
| Rollback Segment Parameters | 383 |
| <i>Undocumented Initialization Parameters</i> | 391 |
| <i>Viewing the Current Initialization Parameter Values</i> | 391 |
| Reading the Init.ora File (or the SPFILE) | 392 |
| The V\$PARAMETER Table | 392 |
| The Show Parameter Command | 392 |
| <i>Creating the Database</i> | 393 |
| Setting Operating System Variables | 394 |
| Ensuring You Have the Privileges to Create Databases | 394 |
| Creating the Init.ora File | 395 |
| Starting the Oracle Instance | 396 |

| | |
|--|-----|
| The Create Database Script | 399 |
| Running Oracle Scripts to Create Data Dictionary Objects | 403 |
| Creating Additional Tablespace | 404 |
| Changing the Passwords for the Default Users | 406 |
| Changing the Archive Logging Mode | 406 |
| Running the Pupbld.sql File | 408 |
| What Next? | 409 |
| <i>The Server Parameter File (SPFILE)</i> | 409 |
| Creating a Server Parameter File | 410 |
| Scope of Dynamic Parameter Changes | 413 |
| <i>Starting and Shutting Down the Database</i> | 414 |
| Starting the Database | 414 |
| Restricting Database Access | 417 |
| Shutting Down the Database | 418 |
| Quiescing a Database | 421 |
| Suspending a Database | 423 |
| Using V\$VIEWS to Monitor Database Status | 423 |
| <i>Summary</i> | 424 |
| Chapter 10 Connectivity and Networking | 425 |
| <i>Oracle Networking and Database Connectivity</i> | 426 |
| <i>Networking Concepts: How Oracle Networking Works</i> | 427 |
| Database Instance Name | 428 |
| Database Service Name | 428 |
| Connect Descriptors | 429 |
| Connect Identifiers | 429 |
| Connect Strings | 430 |
| <i>The Listener and Connectivity</i> | 431 |
| Automatic Service Registration | 432 |
| Listener Commands | 433 |
| Listener Management | 434 |
| <i>Naming and Connectivity</i> | 435 |
| Local Naming | 436 |
| Host Naming Method | 439 |
| External Naming Method | 439 |
| Oracle Names | 440 |
| The Directory Naming Method | 440 |
| <i>Oracle and Java Database Connectivity</i> | 461 |
| Establishing Database Connectivity | 461 |
| Working with the Database | 462 |
| A Complete Program | 465 |
| <i>Connectivity Troubleshooting</i> | 466 |
| <i>Summary</i> | 468 |

| | |
|---|------------|
| Chapter 11 User Management and Database Security | 469 |
| <i>Managing Users</i> | 470 |
| Preliminary Tasks Before Creating Users | 470 |
| Creating a New User | 471 |
| User Profiles and Resource Management | 472 |
| Profile Parameters and Limits | 473 |
| <i>Using the Database Resource Manager</i> | 477 |
| Using the Database Resource Manager | 478 |
| Creating Resource Plans and Plan Directives | 483 |
| Enabling the Database Resource Manager | 485 |
| <i>Managing Access to Data</i> | 486 |
| Privileges in an Oracle Database | 486 |
| Roles and Privileges | 490 |
| Using Views and Stored Procedures to Manage Privileges | 493 |
| <i>Fine-grained Data Security</i> | 493 |
| Using Virtual Private Databases | 494 |
| Label-Based Access Control | 500 |
| <i>Auditing Database Usage</i> | 501 |
| Customizing Database Auditing with the Help of Triggers | 501 |
| Enabling Auditing | 505 |
| Oracle Default Auditing | 506 |
| Audit Levels | 508 |
| Turning Auditing On | 508 |
| Turning Auditing Off | 509 |
| Using Fine-grained Auditing | 509 |
| Managing the Audit Trail | 511 |
| <i>User Authentication</i> | 511 |
| Database Authentication of Users | 511 |
| External Authentication | 516 |
| Proxy Authentication | 517 |
| Centralized User Authorization | 517 |
| <i>Enterprise User Security</i> | 517 |
| Shared Schemas | 518 |
| Single Sign-On | 518 |
| Data Encryption | 518 |
| Using Oracle Internet Directory for Security Management | 518 |
| <i>Database Security Do's and Don'ts</i> | 519 |
| User Accounts | 519 |
| Passwords | 519 |
| Operating System Authentication | 520 |
| Audit Your Database | 520 |
| Grant Privileges Appropriately | 520 |

| | |
|--|-----|
| Set Appropriate Permissions | 521 |
| Safeguard the Network and the Listener | 522 |
| Keep Up-to-Date | 523 |
| Use Oracle's Advanced Security Feature | 523 |
| Take Care of Application Security | 524 |
| <i>Useful Techniques for Managing Users</i> | 524 |
| How to Alter a Profile | 524 |
| How to List User Information | 525 |
| How to Find Out the Memory Use for Each Active Session | 525 |
| What SQL Is a User Currently Executing? | 526 |
| How to Log In As a Different User | 526 |
| Useful DBA Views to Monitor User Roles and Privileges | 527 |
| How to Kill a User's Session | 527 |
| <i>Summary</i> | 529 |

Part Four

Data Loading, Backup, and Recovery531

Chapter 12 Loading and Transforming Data533

| | |
|---|-----|
| <i>Introduction to Data Loading and Transformation</i> | 533 |
| Loading Data with ETL | 534 |
| Loading Data with the Oracle9i Warehouse Builder | 535 |
| <i>The SQL*Loader Utility</i> | 536 |
| Different Methods of Data Loading | 536 |
| The SQL*Loader Control File | 537 |
| Generating Data During the Load | 547 |
| Invoking SQL*Loader | 548 |
| <i>Using External Tables to Load Data</i> | 555 |
| Using External Tables for Data Loading | 556 |
| Important Access Parameters for External Tables | 558 |
| Using SQL*Loader to Generate External Table Creation Statements | 559 |
| <i>Transforming Data</i> | 562 |
| Deriving the Data from Existing Tables | 563 |
| Using PL/SQL to Transform Data | 564 |
| Using SQL to Transform Data | 564 |
| <i>Some Useful SQL*Loader Data-Loading Techniques</i> | 573 |
| Using the When Clause During Loads | 573 |
| Loading the Username into a Table | 574 |
| Loading Large Data Fields into a Table | 574 |
| Loading a Sequence Number into a Table | 575 |

| | |
|--|-----|
| Loading Data from a Table into an ASCII File | 575 |
| Identifying and Removing Duplicate Data | 575 |
| Dropping Indexes Before Bulk Data Loads | 576 |
| Loading into Multiple Tables | 576 |
| Trapping Error Codes from SQL*Loader | 576 |
| Loading XML Data into an Oracle XML Database | 577 |
| <i>Summary</i> | 577 |
| Chapter 13 Using the Export and Import Utilities | 579 |
| <i>Exporting and Importing Data</i> | 579 |
| <i>Using the Export Utility</i> | 580 |
| Export Parameters | 581 |
| Invoking the Export Utility | 587 |
| <i>Using the Import Utility</i> | 590 |
| The Order of Importing | 590 |
| Import Parameters | 590 |
| Invoking the Import Utility | 598 |
| <i>Transportable Tablespaces</i> | 599 |
| Uses of Transportable Tablespaces | 600 |
| Transporting a Tablespace | 600 |
| <i>Some Export and Import Techniques</i> | 604 |
| Avoiding Common Export/Import Errors | 605 |
| Using the Statistics Parameter Appropriately | 605 |
| Understanding the Limitations of the Export and Import Utilities | 606 |
| Performing an Efficient Database Migration | 606 |
| Restoring a Database Using the Export and Import Utilities | 607 |
| Exporting and Importing Large Databases | 607 |
| UNIX Shell Script to Automate Exports | 608 |
| Ensuring the Validity of the Exports | 608 |
| Optimizing Exports and Imports | 609 |
| <i>Summary</i> | 610 |
| Chapter 14 Backing Up Databases | 611 |
| <i>Backing Up Oracle Databases</i> | 611 |
| Important Backup Terms | 612 |
| Backup Strategies | 614 |
| Backing Up the “Other” Files | 619 |
| A Summary of Backup Methods | 619 |

| | |
|--|---------|
| <i>Oracle Recovery Manager</i> | 619 |
| Benefits of RMAN | 620 |
| RMAN Architecture | 621 |
| Connecting to RMAN | 622 |
| Scripting with RMAN | 624 |
| Important RMAN Terms | 625 |
| RMAN Commands | 627 |
| Configuring RMAN | 631 |
| Creating the Recovery Catalog | 637 |
| Examples of Various Backups Using RMAN | 642 |
| Performing Incremental Backups | 645 |
| Using RMAN to Perform Online Backups | 646 |
| <i>Using a Media Management Layer with RMAN</i> | 647 |
| Using Legato Single Server Version with RMAN | 648 |
| The LSSV Architecture | 649 |
| Installing LSSV | 650 |
| Using LSSV | 651 |
| LSSV and RMAN | 652 |
| <i>Creating Backups with Operating System Commands</i> | 655 |
| Making Whole Database Backups | 656 |
| Partial Database Backups | 661 |
| Monitoring User-Managed Online Backups | 662 |
| <i>Enhanced Data Protection for Disaster Recovery</i> | 662 |
| Oracle Data Guard and Standby Databases | 663 |
| Physical and Logical Standby Databases | 664 |
| Protection Modes | 665 |
| <i>Database Corruption and Testing Backups</i> | 666 |
| Oracle Data Block Corruption | 666 |
| Detecting Data Block Corruption | 667 |
| Verification of RMAN Backups | 669 |
| Oracle's HARD Initiative | 670 |
| <i>Techniques and Troubleshooting</i> | 670 |
| Monitoring RMAN | 670 |
| The ORA_00257 Error | 671 |
| <i>Summary</i> | 671 |
| <i>Chapter 15 Database Recovery</i> | 673 |
| <i>Types of Database Failures</i> | 673 |
| System Failure | 673 |
| Fast-Start Fault Recovery | 674 |
| Data Center Disasters | 675 |
| Human Error | 675 |
| Media Failures | 676 |

| | |
|---|-----|
| <i>Extent of Database Failure and Types of Recovery</i> | 677 |
| Restoring vs. Recovering a Database | 677 |
| Time Needed for Recovery | 678 |
| Complete and Incomplete Recovery | 679 |
| Open and Closed Recovery | 679 |
| <i>Reducing Your Vulnerability</i> | 679 |
| <i>Performing Recovery with RMAN</i> | 680 |
| Why RMAN Is Best for Recovery | 680 |
| User-Managed Recovery of a Database | 682 |
| <i>Typical Media Recovery Scenarios</i> | 683 |
| Complete Recovery of a Whole Database | 683 |
| Recovering a Tablespace | 686 |
| Recovering a Data File | 688 |
| Incomplete Recovery | 690 |
| Recovering from the Loss of Control Files | 693 |
| Recovering a Data File Without a Backup | 697 |
| <i>Cloning a Database</i> | 698 |
| Using RMAN | 698 |
| Cloning a Database Manually | 702 |
| <i>Techniques for Granular Recovery</i> | 703 |
| Tablespace Point-in-Time Recovery | 704 |
| Using RMAN for TSPITR | 704 |
| Using LogMiner for Precision Recovery | 705 |
| Using Flashback Query for Recovery | 711 |
| <i>Repairing Data Corruption and Trial Recovery</i> | 714 |
| Block Media Recovery | 714 |
| Trial Recovery | 715 |
| <i>Troubleshooting Recovery</i> | 716 |
| The ORA-01194 Error | 716 |
| The ORA-01152 Error | 717 |
| The ORA-00376 Error | 718 |
| <i>Summary</i> | 719 |

Part Five

Managing the Operational Oracle Database ...721

Chapter 16 Managing the Operational Database723

| | |
|---|-----|
| <i>Oracle's Automatic Management Features</i> | 723 |
| Fully Locally Managed Databases | 724 |
| Automatic Undo Management | 726 |
| Resumable Space Allocation | 730 |
| Automating and Monitoring Recovery Time | 734 |

| | |
|---|-----|
| <i>Easy File Management with OMF</i> | 736 |
| Benefits of Using OMF | 737 |
| Creating Oracle Managed Files | 737 |
| <i>Online Capabilities of Oracle9i</i> | 742 |
| Online Data Reorganization | 742 |
| Online Table Redefinition | 745 |
| Dynamic Resource Management | 751 |
| Online Database Block Changes | 753 |
| Dynamic Memory Reconfiguration | 755 |
| Using Database Quiescing for Online Maintenance | 759 |
| Suspending the Database | 760 |
| <i>Managing the Online Redo Logs</i> | 760 |
| Managing the Archived Logs | 764 |
| Managing a Database Link | 764 |
| <i>Mapping Oracle Files to Physical Devices</i> | 766 |
| Architecture of File Mapping | 766 |
| Setting Up File Mapping | 767 |
| <i>Tips and Troubleshooting</i> | 768 |
| Problems During Quiescing a Database | 768 |
| Failed Online Table Redefinitions | 768 |
| Problems During Online Index Rebuilds | 769 |
| <i>Summary</i> | 769 |
| <i>Chapter 17 Using Oracle9i Enterprise Manager</i> | 771 |
| <i>Oracle Enterprise Manager</i> | 771 |
| Benefits of Using OEM to Manage Databases | 773 |
| The Various Systems of OEM | 775 |
| The OEM Architecture and Components | 776 |
| <i>Configuring OEM</i> | 778 |
| Configuring the Intelligent Agent | 778 |
| Configuring the Management Server | 780 |
| Configuring the OEM Console | 785 |
| Configuring Reporting | 788 |
| Running the Console from a Web Browser | 791 |
| <i>Using the OEM Console</i> | 792 |
| Discovering Services | 792 |
| The Services.ora File | 792 |
| <i>Database Management Through OEM</i> | 793 |
| Database Instance Management | 794 |
| Database Schema Management | 795 |
| Database Security Management | 796 |
| Database Storage Management | 796 |
| Distributed Database Management | 797 |

| | |
|---|-----|
| <i>Using the OEM Wizards</i> | 799 |
| The Export and Import Wizards | 800 |
| The Analyze Wizard | 801 |
| The Backup Wizard | 802 |
| <i>Using the OEM Reporting Features</i> | 803 |
| Prebuilt and Custom Reports | 804 |
| Accessing the Reporting Web Site | 804 |
| <i>Managing Jobs with OEM</i> | 806 |
| The Job Detail View | 807 |
| Creating a Job | 807 |
| <i>Managing Events with OEM</i> | 810 |
| Creating Events | 810 |
| Specifying the Test Conditions | 810 |
| Selecting the Test Criteria | 811 |
| Scheduling the Event | 812 |
| <i>Configuring E-mail and Paging Notification</i> | 812 |
| Configuring Paging Notification | 812 |
| Configuring E-mail Notification | 814 |
| <i>Oracle Management Packs</i> | 814 |
| Oracle Diagnostics Pack | 814 |
| Oracle Tuning Pack | 817 |
| Oracle Change Management Pack | 817 |
| <i>Troubleshooting OEM</i> | 817 |
| <i>Summary</i> | 818 |

Part Six

Performance Tuning and Troubleshooting the Production Database819

Chapter 18 Improving Database Performance:

| | |
|---|-----|
| <i>SQL Query Optimization</i> | 821 |
| <i>An Approach to Oracle Performance Tuning</i> | 821 |
| A Systematic Approach to Performance Tuning | 822 |
| Reactive Performance Tuning | 822 |
| SQL Coding Practices | 823 |
| <i>Optimizing Oracle Query Processing</i> | 824 |
| Parsing | 824 |
| Optimization | 824 |
| Query Execution | 828 |

| | |
|---|-----|
| <i>Query Optimization and the Oracle Cost-Based Optimizer</i> | 828 |
| Choosing Your Optimization Mode | 829 |
| Providing Statistics About the Objects to the Optimizer | 829 |
| Setting the Optimizer Mode | 830 |
| Setting the Optimizer Level | 831 |
| What Does the Optimizer Do? | 831 |
| Drawbacks of the CBO | 833 |
| Providing Statistics to the CBO | 834 |
| <i>Writing Efficient SQL</i> | 839 |
| Efficient Where Clauses | 839 |
| Using Hints to Influence the Execution Plan | 842 |
| Selecting the Best Join Method | 843 |
| Using Bitmap Join Indexes | 843 |
| Selecting the Best Join Order | 845 |
| Indexing Strategy | 845 |
| Using the OEM Index Tuning Wizard | 849 |
| Monitoring Index Utilization | 850 |
| Removing Unnecessary Indexes | 851 |
| Using Similar SQL Statements | 851 |
| Reducing SQL Overhead via “Inline” Functions | 851 |
| Using Bind Variables | 852 |
| Avoiding Improper Use of Views | 853 |
| Avoiding Unnecessary Full Table Scans | 853 |
| <i>How the DBA Can Help Improve SQL Processing</i> | 853 |
| Using Partitioned Tables | 854 |
| Using Compression Techniques | 854 |
| Using Materialized Views | 855 |
| Using Stored Outlines to Stabilize the CBO | 855 |
| Using Parallel Execution | 859 |
| Other DBA Tasks | 859 |
| <i>SQL Performance Tuning Tools</i> | 860 |
| Using the Explain Plan | 861 |
| Using Autotrace | 865 |
| Using SQL Trace and TKPROF | 870 |
| Using V\$SQLAREA to Find Inefficient SQL | 877 |
| Using GUI Tools in Tuning | 879 |
| <i>A Simple Approach to Tuning SQL Statements</i> | 884 |
| Identify Problem Statements | 884 |
| Locate the Source of the Inefficiency | 885 |
| Tune the Statement | 885 |
| Compare Performance | 885 |
| <i>Summary</i> | 886 |

| | |
|--|-----|
| Chapter 19 Performance Tuning: | |
| Tuning the Instance | 887 |
| <i>An Introduction to Instance Tuning</i> | 887 |
| <i>Tuning Oracle Memory</i> | 890 |
| Tuning the Shared Pool | 892 |
| Tuning the Buffer Cache | 906 |
| Tuning the Large Pool | 911 |
| Tuning PGA Memory | 911 |
| Automatic PGA Memory Management | 911 |
| <i>Evaluating System Performance</i> | 912 |
| CPU Performance | 912 |
| Disk I/O | 919 |
| <i>Measuring I/O Performance</i> | 920 |
| Is the I/O Optimally Distributed? | 921 |
| Reducing Disk Contention | 922 |
| The Oracle SAME Guidelines for Optimal Disk Usage | 922 |
| <i>Collecting Instance Performance Statistics with Statspack</i> | 922 |
| Installing Statspack | 923 |
| Using Statspack | 925 |
| <i>Measuring Instance Performance</i> | 936 |
| Database Hit Ratios | 937 |
| Database Wait Statistics | 938 |
| Know Your Application | 952 |
| Operating System Memory Management | 954 |
| <i>When a Database Hangs</i> | 954 |
| Handling a Stuck Archiver Process | 954 |
| System Utilization Problems | 956 |
| Excessive Contention for Resources | 957 |
| Locking Issues | 957 |
| Abnormal Increase in Process Size | 958 |
| Delays Due to Shared Pool Problems | 960 |
| Problems Due to Bad Statistics | 960 |
| Collecting Information During a Database Hang | 960 |
| <i>A Simple Approach to Instance Tuning</i> | 963 |
| What's Happening in the Database? | 963 |
| Are There Any Long-Running Transactions? | 964 |
| Is Oracle the Problem? | 965 |
| Is the Network Okay? | 965 |
| Is the System CPU Bound? | 966 |
| Is the System I/O Bound? | 968 |
| Checking Memory-Related Issues | 969 |

| | |
|----------------------------------|-----|
| Is the System Wait Bound? | 969 |
| Eliminating the Contention | 970 |
| <i>Summary</i> | 972 |

Chapter 20 The Oracle Data Dictionary and the Dynamic Performance Views973

| | |
|---|------|
| <i>The Oracle Data Dictionary</i> | 973 |
| How Is the Data Dictionary Created? | 974 |
| <i>Using the Data Dictionary Static Views</i> | 975 |
| General Views | 975 |
| User Management–Related Views | 979 |
| Audit-Related Views | 987 |
| Storage-Related Views | 989 |
| Views for Monitoring Transactions | 993 |
| Constraint- and Index-Related Views | 995 |
| Views for Managing Database Objects | 999 |
| Views for Managing Tables and Views | 999 |
| <i>Using the Dynamic Performance Tables</i> | 1003 |
| Memory-Related Views | 1004 |
| Backup-Related Views | 1008 |
| Session- and User-Related Views | 1010 |
| Redo Log– and Archive Log–Related Views | 1012 |
| Recovery-Related Views | 1015 |
| Performance Monitoring Views | 1016 |
| SQL-Related Views | 1018 |
| Operational Performance–Related Views | 1018 |
| General Views | 1022 |
| Storage- and File-Related Views | 1026 |
| <i>Summary</i> | 1027 |

Chapter 21 Using Oracle PL/SQL Packages1029

| | |
|--|------|
| <i>Overview of the Oracle-Supplied PL/SQL Packages</i> | 1029 |
| Who Creates the Oracle Packages? | 1029 |
| How Do You Use the Oracle Packages? | 1030 |
| <i>DBMS_JOB</i> | 1031 |
| Using the DBMS_JOB Package | 1032 |
| Other DBMS_JOB Procedures | 1033 |
| <i>DBMS_APPLICATION_INFO</i> | 1033 |
| <i>DBMS_SESSION</i> | 1035 |
| Set_Role | 1036 |
| Set_Sql_Trace | 1036 |
| Switch_Current_Consumer_Group | 1037 |

| | |
|--|------|
| <i>DBMS_SYSTEM</i> | 1037 |
| Set_Sql_Trace_In_Session | 1039 |
| Set_Int_Param_In_Session | 1039 |
| Set_Bool_Param_In_Session | 1039 |
| Set_Ev | 1040 |
| <i>DBMS_OUTPUT</i> | 1040 |
| <i>DBMS_REPAIR</i> | 1042 |
| Using the DBMS_REPAIR Package | 1043 |
| Fixing Block Corruption | 1044 |
| <i>DBMS_OUTLN and DBMS_OUTLN_EDIT</i> | 1045 |
| Using the DBMS_OUTLN Package to Manage Stored Outlines | 1045 |
| Tracking the Outlines in the Database | 1046 |
| <i>DBMS_SPACE</i> | 1047 |
| <i>DBMS_SPACE_ADMIN</i> | 1049 |
| <i>DBMS_PROFILER</i> | 1050 |
| A Useful Package for Developers | 1050 |
| Installing the DBMS_PROFILER Package | 1051 |
| Using the DBMS_PROFILER Package | 1051 |
| <i>UTL_FILE</i> | 1053 |
| Using the UTL_FILE Package | 1054 |
| A Simple Example Using the UTL_FILE Package | 1056 |
| <i>UTL_SMTP</i> | 1057 |
| Procedures in the UTL_SMTP Package | 1057 |
| Using the UTL_SMTP Package | 1060 |
| <i>DBMS_SHARED_POOL</i> | 1060 |
| <i>DBMS_LOGSTDBY</i> | 1062 |
| <i>Oracle Packages in Earlier Chapters</i> | 1063 |
| The DBMS_STATS Package | 1063 |
| DBMS_RLS | 1064 |
| DBMS_FGA | 1065 |
| DBMS_RESOURCE_MANAGER | 1065 |
| DBMS_RESUMABLE | 1066 |
| DBMS_OLAP | 1066 |
| DBMS_MVIEW | 1068 |
| DBMS_METADATA | 1069 |
| DBMS_REDEFINITION | 1069 |
| DBMS_FLASHBACK | 1070 |
| DBMS_WM | 1070 |
| DBMS_LOGMNR | 1071 |
| DBMS_REFRESH | 1072 |
| DBMS_TTS | 1073 |
| DBMS_UTILITY | 1074 |
| DBMS_STORAGE_MAP | 1075 |
| <i>Summary</i> | 1076 |

| | |
|--|-----------------|
| Chapter 22 Managing Oracle Databases on Windows and Linux Systems | 1077 |
| <i>Oracle9i and Windows</i> | <i>1077</i> |
| Database Access Methods | 1078 |
| Oracle Support for .NET | 1078 |
| Integration with Windows Services | 1079 |
| <i>Essential Differences in Managing Oracle on Windows and UNIX</i> | <i>1080</i> |
| Processes vs. Threads | 1080 |
| Oracle Service Threads | 1083 |
| Services and Daemons | 1084 |
| Tuning Memory Resources | 1085 |
| CPU and Memory Considerations | 1086 |
| Automatic Start-up and Shutdown | 1086 |
| Users and Groups | 1086 |
| The File Systems | 1087 |
| The Windows Copy Utilities | 1087 |
| Differences in the Use of the GUI | 1087 |
| Automating Jobs | 1087 |
| Diagnostic Tools | 1088 |
| <i>Installing Oracle9i on a Windows System</i> | <i>1088</i> |
| <i>The Windows Registry</i> | <i>1089</i> |
| Using the Registry | 1089 |
| <i>Managing Oracle on Windows Systems</i> | <i>1090</i> |
| Oracle Services | 1090 |
| Starting Up and Shutting Down the Oracle Database | 1094 |
| Using the Oracle Administration Assistant for NT | 1097 |
| Uninstalling Oracle on Windows | 1100 |
| <i>Oracle9i and Linux</i> | <i>1101</i> |
| Oracle's Commitment to Linux | 1102 |
| Ensuring You Have a Stable Version of Linux | 1102 |
| Managing Oracle on Linux | 1103 |
| <i>Summary</i> | <i>1103</i> |
| Appendix A Brief Oracle9i SQL and PL/SQL Primer | 1105 |
| <i>The Oracle9i Sample Schemas</i> | <i>1106</i> |
| <i>Basic SQL</i> | <i>1107</i> |
| The Select Statement | 1107 |
| The Insert Statement | 1109 |

| | |
|---|------|
| The Delete Statement | 1109 |
| The Update Statement | 1110 |
| Filtering Data | 1111 |
| <i>Sorting the Results of a Query</i> | 1111 |
| The Order By Clause | 1111 |
| Sorting Order | 1111 |
| Sorting by Multiple Columns | 1111 |
| <i>Operators</i> | 1112 |
| Comparison Operators | 1112 |
| Logical Operators | 1112 |
| The Set Operators | 1113 |
| <i>SQL Functions</i> | 1113 |
| Single-Row Functions | 1113 |
| Aggregate Functions | 1114 |
| Number and Date Functions | 1114 |
| General Functions and Conditional Expressions | 1115 |
| SQL Analytical Functions | 1116 |
| Hierarchical Retrieval of Data | 1117 |
| <i>Selecting Data from Multiple Tables</i> | 1118 |
| The Cartesian Product | 1118 |
| The Four Types of Oracle Joins | 1119 |
| <i>Grouping Operations</i> | 1120 |
| Nesting Group Functions | 1121 |
| The Group By Clause with a Rollup Operator | 1121 |
| The Group By Clause with a Cube Operator | 1122 |
| The Group By Clause with a Grouping Operator | 1122 |
| The Group By Clause with a Grouping Sets Operator | 1122 |
| The Having Clause | 1123 |
| <i>Writing Subqueries</i> | 1123 |
| Top N Analysis | 1123 |
| Single-Row Subqueries | 1124 |
| Multiple-Row Subqueries | 1124 |
| Multiple-Column Subqueries | 1124 |
| Advanced Subqueries | 1124 |
| The Exists and Not Exists Operators | 1124 |
| <i>Abstract Data Types</i> | 1125 |
| The Create Type Command | 1125 |
| Object Tables | 1125 |
| Collections | 1126 |
| Type Inheritance | 1126 |
| The Cast Operator | 1127 |

| | |
|---|----------|
| <i>Using PL/SQL</i> | 1127 |
| The Basic PL/SQL Block | 1128 |
| Declaring Variables | 1128 |
| Writing Executable Statements | 1129 |
| Handling Errors | 1129 |
| <i>PL/SQL Control Structures</i> | 1130 |
| Conditional Control | 1130 |
| PL/SQL Looping Constructs | 1130 |
| <i>Cursors</i> | 1132 |
| Implicit Cursors | 1132 |
| Explicit Cursors | 1132 |
| Cursor Attributes | 1133 |
| Cursor For Loops | 1134 |
| PL/SQL Records | 1134 |
| Cursor Variables | 1134 |
| <i>Functions</i> | 1135 |
| <i>Packages</i> | 1135 |
| <i>Oracle XML DB</i> | 1136 |
| Storing XML in Oracle XML DB | 1137 |
| The Oracle XML DB Repository | 1139 |
| Setting Up an XML Schema | 1140 |
| Creating a Relational View from an XML Document | 1140 |
| <i>Oracle9i and Java</i> | 1141 |
| Using Java with Oracle | 1141 |
| <i>Summary</i> | 1143 |
| <i>Index</i> | 1145 |