

This is CS50

internet



The ARPANET in December 1969




routers



TCP/IP

IP



0	.		2		3	
0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1						
+-+-+-+-+-+-+-+	-+-+-+-+-+	-+-+-+-+	-+-+-+-+-	+-+-+-+	+-+	
Version IHL Ty	e	Total Len	ngth			
+-						
Identific	Flags	Fragmen	nt Offset			
+-+-+-+-+-+-+-+-+	-+-+-+-+-+	-+-+-+-+	-+-+-+-+-	+-+-+-+	+-+	
Time to Live	Protocol		Header Checksum			
+-+-+-+-+-+-+-+	-+-+-+-+-+	-+-+-+-+	-+-+-+-+-	+-+-+-+	+-+	
Source Address						
+-						
Destination Address						
+-						
Options				Padding		

Example Internet Datagram Header

TCP


ports

80

HTTP

443 HTTPS

...



DNS

Domain Name	IP Address

Fully Qualified Domain Name	IP Address		

DHCP

HTTP

HTTPS

https://www.example.com

https://www.example.com/

https://www.example.com/path

https://www.example.com/folder/

GET

POST

• • •

Host: www.harvard.edu

GET / HTTP/2

HTTP/2 200 Content-Type: text/html

• • •

developer tools

HTTP/2 301

Location: https://www.harvard.edu/

GET / HTTP/2 Host: harvard.edu

• • •

HTTP/2 404
Content-Type: text/html

- 200 OK
- 301 Moved Permanently 302 Found
- 304 Not Modified
 - 07 Temponany Pe
- 307 Temporary Redirect 401 Unauthorized
- 403 Forbidden
- 404 Not Found
- 418 I'm a Teapot
- 500 Internal Server Error 503 Service Unavailable
- • •

GET / HTTP/1.1
Host: safetyschool.org

HTML

tags

attributes

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

http-server

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

<!DOCTYPE html>

```
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
     lang="en">
<html
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```


```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```



https://www.example.com

https://www.example.com/path?key=value



regular expressions

regexes

developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Regular_expressions

any single character (except line terminators)

+

zero or more times

one or more times

n occurrences

0 or 1 time

{n} at least n occurrences, at most m occurrences

 $\{n,m\}$

[0123456789]	any	one	of	the	enclosed	characters

[0-9] any one of the range of characters

\D any character that is not a digit

any digit

...


\d

 $^{[a-zA-Z0-9.!\#5\%."*+/=?^{\{|}\sim-]+@[a-zA-Z0-9](?:[a-zA-Z0-9-]\{0,61\}[a-zA-Z0-9])?(?:\.[a-zA-Z0-9](?:[a-zA-Z0-9-]\{0,61\}[a-zA-Z0-9])?)*\$}$

developer tools

validator.w3.org

CSS



type selector

class selector

ID selector

attribute selector

. . .

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <style>
        </style>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <style>
        </style>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <link href="styles.css" rel="stylesheet">
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

frameworks


Bootstrap

getbootstrap.com


developer tools

JavaScript

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```





conditionals






```
if (x < y)
{
}</pre>
```






```
if (x < y)
{
}
else
{</pre>
```



```
if (x < y)
else if (x > y)
else
```

variables



set counter → to 0

let counter = 0;



change counter ▼ by 1

counter = counter + 1;


change counter ▼ by 1

counter += 1;

change counter ▼ by 1


counter++;

loops



```
repeat 3
```

```
for (let i = 0; i < 3; i++)
{
}</pre>
```



```
forever
```

```
while (true)
{
}
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <script>
        </script>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <script src="scripts.js"></script>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
        <script>
        </script>
    </body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>
            hello, title
        </title>
    </head>
    <body>
        hello, body
        <script src="scripts.js"></script>
    </body>
</html>
```

blur change click drag focus keyup load mousedown mouseover mouseup submit touchmove unload • • •

This is CS50

