

LangChain Documents for Building RAG Applications



LangChain Documents for Building RAG Applications

© IBM Corporation. All rights reserved.





What you will learn



Explore LangChain tool documents to build RAG applications




Explain the components of documents






Introduction to building applications







Documents








Documents source





Document loader



Source:





Document loader


loader = WebBaseLoader("https://python.langchain.com/v0.2/docs/introduction/")

web_data = loader.load()





Document transformation



Source:





Document transformation: Text splitter





Document transformation: Text splitter






```
from ibm watsonx ai.metanames import EmbedTextParamsMetaNames
from langchain ibm import WatsonxEmbeddings
embed params = {
    EmbedTextParamsMetaNames.TRUNCATE INPUT TOKENS: 3,
    EmbedTextParamsMetaNames.RETURN_OPTIONS: {"input text": True},
watsonx embedding = WatsonxEmbeddings(
    model id="ibm/slate-125m-english-rtrvr",
    url="https://us-south.ml.cloud.ibm.com",
    project_id="skills-network",
    params=embed params,
```







Source:





```
from ibm watsonx ai.metanames import EmbedTextParamsMetaNames
from langchain ibm import WatsonxEmbeddings
embed params = {
    EmbedTextParamsMetaNames.TRUNCATE INPUT TOKENS: 3,
    EmbedTextParamsMetaNames.RETURN_OPTIONS: {"input text": True},
watsonx embedding = WatsonxEmbeddings(
    model id="ibm/slate-125m-english-rtrvr",
    url="https://us-south.ml.cloud.ibm.com",
    project_id="skills-network",
    params=embed params,
```






```
watsonx_embedding = WatsonxEmbeddings(
    model_id="ibm/slate-125m-english-rtrvr",
    url="https://us-south.ml.cloud.ibm.com",
    project_id="skills-network",
    params=embed_params,
)

texts = [text.page_content for text in chunks]
embedding_result = watsonx_embedding.embed_documents(texts)
```





Document storage



Source:





Document storage: Vector database

```
from langchain.vectorstores import Chroma

docsearch = Chroma.from_documents(chunks, watsonx_embedding)


query = "Langchain"
docs = docsearch.similarity_search(query)
print(docs[0].page_content)

LangChain helps us to unlock the ability to harness the
LLM's immense potential in tasks such as document analysis,
chatbot development, code analysis, and countless other
```





Document retriever



Source:





Document retriever

```
retriever = docsearch.as_retriever()

docs = retriever.invoke("Langchain")

docs[0].page_content
```

LangChain helps us to unlock the ability to harness the LLM's immense potential in tasks such as document analysis, chatbot development, code analysis, and countless other





Recap

- LangChain facilitates comprehensive tools for RAG applications
- Document object in LangChain serves as a container for data information
- LangChain document loader handles various document types
- LangChain in document retrieves relevant isolated sections from the documents by splitting them into manageable pieces
- Embedding models embed documents and LangChain facilitates various retrievers



