

Cloud VR Thesis

Leon Koster

April 2020

1 Acknowledgements

2 Abstract

Contents

1	Acknowledgements	2
2	Abstract	3
3	List of Figures and Tables	5
4	List of Abbreviations	6
5	Glossary	7
6	Introduction	8
7	Preliminary Problem Statement	9
8	Problem Analysis	10
8.1	Architecture for a cloud system	10
8.2	Latency	10
8.3	Multi-user experiences	11
8.4	GPU scaling	11
9	Literature Review	12
10	Theoretical Framework	13
11	Final Problem Statement	14
12	Research Questions	15
13	Methodology	16
14	Experiments	17
15	Results	18
16	Discussion	19
17	Conclusion	20
18	Appendices	22

3 List of Figures and Tables

4 List of Abbreviations

5 Glossary

6 Introduction

Recent developments in the field of virtual reality (VR) offer all kinds of opportunities in the field of training and entertainment. For training purposes, the audiovisual entry into a virtual world is where the biggest value is. The capabilities of artificial environments allow users to manage scenarios and experiences that cannot be simulated in the real world. VR also allows users to access the virtual training at any time and less physical facilities are required for exercises. Examples VR experiences include training maintenance at high altitudes (such as windmills), working under heavy loads weather conditions in construction (Strukton) or maintenance on naval ships (Thales).

7 Preliminary Problem Statement

One of the essentials for a good VR experience is a powerful computer system to render semi-realistic worlds. However, there are two problems here. First, this type of system is not available in every location. Certainly if realistic images have to be rendered in the simulation, it requires specialized and expensive machines that are difficult to move.

The second problem is that for rendering the VR training scenario, all kinds of data about the scenarios need to be available on the system. This can pose a problem when it concerns sensitive information, for example about all kinds of information defense systems or business sensitive information.

Focusing on these problems will lay the foundation for future research, to make CloudVR streaming a mature technology.

The aim of this project is to investigate the feasibility of a streaming based VR approach with current cutting edge technology. Qualitative research methods will be used to gain in-depth insights about existing solutions and the current state of research into this topic. The data will be contextualized via a literature review of recent research papers and an analysis of the capabilities of existing solutions when applied to the research problem.

8 Problem Analysis

Together with the companies from the Industrial Reality Hub mentioned in the Introduction, Saxion wants to investigate how virtual reality can be rendered in the cloud in a safe and efficient manner. This involves looking at state-of-the-art technology in the field of virtual reality, cloud computing, rendering and machine learning for one complete CloudVR pipeline. There are four research objectives here:

8.1 Architecture for a cloud system

One of the questions to be answered is what the CloudVR architecture should look like in terms of hardware and software. This not only concerns the servers, but also whether there are local ones rendering is required (see the next point). Figure 1 provides an overview of a possible CloudVR solution displayed. Figure 1: Example CloudVR architecture.

8.2 Latency

Current market players such as Google Stadia, GeForce Now and Xbox xCloud already offer cloud gaming services that stream games over the internet. Powerful servers are used for rendering games that are then streamed to users in real time. A bottleneck with this technology is the latency (delay). This is because user input is first sent to a server sent, renders these new images after which they are sent back to users, this all without disturbing the users. The mentioned platforms all use network optimization. It is low latency. However, very important for VR which head movements under 20 milliseconds should be converted to image to prevent motion sickness. The research is for this techniques for reducing latency are one of the spearheads of the CloudVR project. The following research directions are relevant here:

Network optimization As with the platforms described above, network optimization is one of the techniques which needs to be investigated. The question is to what extent an optimized network can reduce latency and how it relates to the quality of the network connection.

Two-step rendering One of the options to bypass latency is to render in two steps. The delay is not so much reduced, but avoided. The server renders next to RGB also positions and BRDF variables for each pixel. Afterwards, the user, on less powerful hardware, adjustments are made so that the image corresponds to the current position of the user.

Behavioral prediction Another possibility to reduce latency is by predicting user input through machine learning. This will mainly revolve around it analyzing head movements to find out what behavior can be expected. With this information can render any part of the virtual world before it is viewed by

users. If this information is then forwarded from the cloud to the location of the VR experience, what information can be selected on the spot is displayed.

8.3 Multi-user experiences

One of the questions with a CloudVR solution is how to deal with multi-user VR experience where user at another location to share a VR experience via a network. The interaction with each other and the environment a point of attention.

8.4 GPU scaling

One of the advantages of cloud rendering is that in theory it gives the possibility of unlimited computing capacity. This gives the opportunity to all kinds of touristic feats (graphic), and interaction (physics). It is therefore interesting as part of the CloudVR pipeline to investigate how techniques such as NVLink and NVSwitch 5 could be used for high-quality VR experiences.

9 Literature Review

10 Theoretical Framework

11 Final Problem Statement

12 Research Questions

Main Question 1:

What is the current state of cloud VR streaming?

Sub Question 1: What cloud streaming solutions are already existing?

Sub Question 2: How effective are existing solutions when applied to the cloud VR context?

Sub Question 3: What are the problems that are not covered by existing cloud streaming solutions, in regards to VR cloud streaming?

Sub Question 4: How are these problems addressed by the scientific community?

Sub Question 5: Which problem is the largest bottleneck?

Main Question 2:

What are the best practices when building a cloud streaming VR pipeline?

Sub Question 1: What is the best Architecture?

Sub Question 2: What is the most efficient way to reduce MTP (Motion-to-Photon) Latency?

Sub Question 3: What is the best practice for multi-user experiences?

Sub Question 4: Does GPU scaling improve User Experience (UX)?

13 Methodology

14 Experiments

15 Results

16 Discussion

17 Conclusion

References

- Google. (n.d.). *Stadia - one place for all the ways we play*. <https://stadia.google.com/> (accessed: 11.05.2020)
- Nvidia. (n.d.). *Your games. your devices. play anywhere*. <https://www.nvidia.com/en-us/geforce-now/> (accessed: 11.05.2020)
- XBox. (n.d.). *Project xcloud*. <https://www.xbox.com/en-US/xbox-game-streaming/project-xcloud> (accessed: 11.05.2020)

18 Appendices