



Lab 10 – My Solutions


4: Installing Software for a Computer




5: Installing Software for a User:



6: Applying Custom Application Settings:





7: Advanced User Account Settings - Folder Redirection:

7.2 Task

1. On DC1, open **File Explorer** and create the folder **C:\docs** if it does not already exist.
2. Right-click the folder **C:\docs** and select **Properties**.
3. Open the **Sharing** tab and click **Advanced Sharing...**
4. Check **Share this folder** and set the share name to **docs**.
5. Click **Permissions**.
6. Select **Everyone** and remove all permissions.
7. Click **Add...** and add the group **Authenticated Users**.
8. Grant **Authenticated Users** the **Full Control** permission.
9. Click **OK** to close all dialogs.

Granting **Full Control** to **Authenticated Users** on a shared folder is a sandbox shortcut for simplicity. In production, use a dedicated security group (e.g., **G_Sweden_Marketing**) with **Change** permission, and reserve **Full Control** for administrators only. Apply the principle of least privilege.

1. In the **Group Policy Management** console, right-click the OU **Sweden/Marketing** and select **Create a GPO in this domain, and Link it here...**
2. Name the GPO **FolderRedirection** and click **OK**.
3. Right-click **FolderRedirection** and select **Edit**.
4. Navigate to **User Configuration / Policies / Windows Settings / Folder Redirection**.
5. Right-click **Documents** and select **Properties...**
6. In the **Setting** drop-down, select **Advanced - Specify locations for various user groups**.
7. Click **Add...**
8. In the **Security Group Membership** field, enter **G_Sweden_Marketing**
9. Set the **Target folder location** to **Redirect to the following location**
10. Enter the path: **\\dc1.contoso.internal\docs**
11. Click **OK** to close all dialogs.
12. Close the GPO editor.

Before logging in, where will the **Documents** folder physically be stored after this policy applies — on the local disk of CL1, or somewhere else? What will the user see in **File Explorer**?

1. On CL1, log in as a user from the OU **Sweden/Marketing** (e.g., **contoso\swemar1**).
2. Open **File Explorer**.
3. In the left panel, right-click the **Documents** folder and select **Properties**.
4. Click the **Location** tab.

The path should show **\\dc1.contoso.internal\docs\username** — confirming the folder is stored on the domain controller, not locally.

5. Log out and log in as **contoso\administrator**.
6. Open **File Explorer** and navigate to **C:\docs** on DC1.

The screenshot shows the Group Policy Management console with the 'FolderRedirection (DC1:CONTOSO)' GPO selected. The 'Target Folder Location' is set to 'Redirect to the following location' with the path '\\dc1.contoso.internal\docs\'. The 'Security Group Membership' field contains 'G_Sweden_Marketing'.

The screenshot shows the 'Documents Properties' dialog box in File Explorer. The 'Location' tab is selected, showing the path '\\dc1.contoso.internal\docs\swemar1'. The 'Advanced' settings are expanded, showing the 'Specify locations for various user groups' option.

8: Deploying and Configuring Firefox via GPO:

