

User Accounts and Groups

IT Infrastructure Management (W04IST-SI0826G)

Wojciech Thomas, dr inż.

Department of Applied Informatics
Faculty of Information and Communication Technology

Spring 2026

User Accounts

Administrative Tools

Graphical Tools

- Active Directory Users and Computers Console
- Active Directory Administrative Center Console

Command Line:

- PowerShell commands (e.g., New-ADUser) - recommended
- ds...commands (dsadd, dsmod, dsrm)


Creating a User Account

The screenshot shows the 'Create User' dialog box with the following sections:

- Account**
 - First name: [text box]
 - Middle initials: [text box]
 - Last name: [text box]
 - Full name: [text box]
 - User UPN logon: [text box]
 - User SamAccountName: Adatum [dropdown]
 - Password: [text box]
 - Confirm password: [text box]
 - Create in: OU=Managers,DC=Adatum,DC=com [text box]
 - Account expires: ☒ Never, ☐ End of [text box]
 - Password options: ☒ User must change password at next log on, ☐ Other password options
 - ☐ Smart card is required for interactive log on
 - ☐ Password never expires
 - ☐ User cannot change password
 - Encryption options: [dropdown]
 - Other options: [dropdown]
 - ☐ Protect from accidental deletion
 - Log on hours: [text box]
 - Log on to: [text box]
- Organization**
 - Display name: [text box]
 - Office: [text box]
 - E-mail: [text box]
 - Web page: [text box]
 - Job title: [text box]
 - Department: [text box]
 - Company: [text box]
 - Manager: [text box]

Buttons at the bottom: More Information, OK, Cancel.


Configuring Attributes



Creating Profiles

User Profile

A network folder that stores settings such as the desktop wallpaper or a folder Documents



Secure Domain Connection

Computer Accounts

Computers have their own accounts

- username (computer) and password (random)
- used for secure connection to the domain controller
- passwords are automatically changed regularly

■ Add on the computer side:

```
1 Add-Computer -ComputerName cl2 -DomainName "contoso.com" -Restart
```

```
1 netdom join cl2 /domain:contoso.com /reboot
```

■ The computer requires a restart!

- reinstalling the computer creates a new account and password
- after restoring a backup (passwords do not match)
- too large a time difference between the domain and the computer

Computers container




Figure 4: Computers container

Computer placement

Placement examples

Servers

- by function

Client computers

- by location




Figure 5: Computer Location

Group Types

Groups

Security Groups

Groups to which permissions can be assigned

Distribution Groups

Only as email distribution lists.

Groups without a SID. Permissions cannot be assigned

Group Scope (Visibility)

- Local (only within a computer)
- Domain Local (within a domain)
- Universal (forest-wide)
- Global (forest-wide)

Group type refers is scope (visibility)

Applying Groups




Figure 6: How to apply groups

Global Groups

Gather users into groups

- global $\equiv$ seen from all forest domains
- can contain objects only from their domain
- users
- global groups

example: DL_IT_Documents_full_access

Universal Groups

Combine global groups

- universal $\equiv$ seen from all forest domains
- can contain objects from the entire forest
- users
- global groups
- groups Universal

Domain Local Groups

They have assigned permissions to resources

- local domains $\equiv$ visible only within their domain
- Can contain objects from the entire forest
- Users
- Global, Universal, Domain Local Groups
- Example: DL_IT_Documents_full_access

Can they contain domain local groups from other domains???

Default Groups

Installed with the system

- Enterprise Admins (first forest domain only)
- Schema Admins (first forest domain only)
- Domain Admins (Users container)
- Administrators (Built-in container)
- Server Operators (Built-in container)
- Account Operators (Built-in container)
- Backup Operators (Built-in container)
- Print Operators (Built-in container)



Automatically Managed


- Anonymous Logon
- Authenticated Users
- Everyone
- Interactive
- Network

Delegation of Permissions

Delegation of Permissions

- Groups usually give too much power
- To limit assigned permission use **delegation**
 - standard tasks
 - custom tasks

Active Directory Permissions



- Delegate permissions to groups, not users
- Document delegations

See you next week!

