Categories

27 pages

wiki pages 1524–1550

Contents of this part

Category:Callbacks
Category:Developers
Category:Documentation
Category:Editor integration
Category:English
Category:Enums
Category:Functions
Category:Games
Category:Lexicon
Category:Libraries
Category:Licences
Category:Lua
Category:LÖVE
Category:Modules
Category:Needs Example
Category:Projects
Category:Removed
Category:Snippets
Category:Softw are
Category:Templates
Category:Templates documentation
Category:Tips
Category:Tools
Category:Translators
Category:Types
Category:Utility templates
Category:Versions

Category:Callbacks

Category:Callbacks · revision 25777 · last edited 2026-04-05

All Callbacks

Config Files	Game configuration settings.
love.audiodisconnected	Called when the active audio device is disconnected.
love.directorydropped	Callback function triggered when a directory is dragged and dropped onto the window.
love.displayrotated	Called when the device display orientation changed.
love.draw	Callback function used to draw on the screen every frame.
love.dropbegan	Callback function triggered when a file or folder is first dragged onto the window, before the user drops it.
love.dropcompleted	Callback function triggered when a file or folder is done being dragged and dropped into the window.
love.dropmoved	Callback function triggered when an in-progress file or folder drag-and-drop operation changes position.
love.errhand	The error handler, used to display error messages.
love.errorhandler	The error handler, used to display error messages.
love.exposed	Callback function triggered when the window was occluded, is uncovered.
love.filedropped	Callback function triggered when a file is dragged and dropped onto the window.
love.focus	Callback function triggered when window receives or loses focus.
love.gamepadaxis	Called when a Joystick's virtual gamepad axis is moved.
love.gamepadpressed	Called when a Joystick's virtual gamepad button is pressed.
love.gamepadreleased	Called when a Joystick's virtual gamepad button is released.
love.joystickadded	Called when a Joystick is connected.
love.joystickaxis	Called when a joystick axis moves.
love.joystickhat	Called when a joystick hat direction changes.
love.joystickpressed	Called when a joystick button is pressed.
love.joystickreleased	Called when a joystick button is released.
love.joystickremoved	Called when a Joystick is disconnected.
love.joysticksensorupdated	Called when a Joystick's sensor is updated with new values.
love.keypressed	Callback function triggered when a key is pressed.
love.keyreleased	Callback function triggered when a keyboard key is released.

love.load	This function is called exactly once at the beginning of the game.
love.localechanged	Callback function triggered when the user's system locale preferences have changed.
love.lowmemory	Callback function triggered when the system is running out of memory on mobile devices.
love.mousefocus	Callback function triggered when window receives or loses mouse focus.
love.mousemoved	Callback function triggered when the mouse is moved.
love.mousepressed	Callback function triggered when a mouse button is pressed.
love.mousereleased	Callback function triggered when a mouse button is released.
love.occluded	Callback function triggered when the window is completely covered by other windows.
love.quit	Callback function triggered when the game is closed.
love.resize	Called when the window is resized.
love.run	The main callback function, containing the main loop. A sensible default is used when left out.
love.sensorupdated	Called when the in-device sensor is updated.
love.textedited	Called when the candidate text for an IME has changed.
love.textinput	Called when text has been entered by the user.
love.threaderror	Callback function triggered when a Thread encounters an error.
love.touchmoved	Callback function triggered when a touch press moves inside the touch screen.
love.touchpressed	Callback function triggered when the touch screen is touched.
love.touchreleased	Callback function triggered when the touch screen stops being touched.
love.update	Callback function used to update the state of the game every frame.
love.visible	Callback function triggered when window is shown or hidden.
love.wheelmoved	Callback function triggered when the mouse wheel is moved.

Other Languages

Dansk – Deutsch – English – Español – Français – Indonesia – Italiano – Lietuviškai – Magyar – Nederlands – Polski – Português – Română – Slovenský – Suomi – Svenska – Türkçe – Česky – Ελληνικά – Български – Русский – Српски – Українська – עברית – ไทย – 日本語 – 正體中文 – 简体中文 – Tiếng Việt – 한국어
More info

Category:Developers

Category:Developers · revision 2370 · last edited 2021-03-14

These people make **LÖVE** together. It is a tedious process that sometimes includes whips and binary code, so they may be grumpy, and rightfully so.

Developers

- Anjo
- Bartbes
- Rude
- Slime
- Vrld

Category:Documentation

Category:Documentation · revision 2365 · last edited 2025-09-06

Category:Editor integration

Category:Editor integration · revision 15238 · last edited 2021-03-14

Documentation regarding integration of love processes (debugging, running, packaging, distribution) in text editors and IDEs.

Instructions

- Atom
- Geany
- Notepad++
- PyCharm
- SciTE
- Sublime Text

Category:English

Category:English · revision 28857 · last edited 2023-07-27

An autogenerated list of the pages that are in English (that is, those that have the "Category:English" tag.)
The LOVE_Version properity is a neat thing if one wants to keep track of what version an article was translated to reflect last.

Category:Enums

Category:Enums · revision 25778 · last edited 2026-08-06

All Enums

AlignMode	Text alignment.
AlignMode (Deutsch)	Bestimmt wie Text auf dem Bildschirm ausgerichtet werden soll.
AlignMode (Português)	Alinhamento do texto.
AlignMode (Русский)	Выравнивание текста.
AlignMode (日本語)	テキストの揃えかた。
AlignMode (한국어)	텍스트의 정렬 방식을 지정합니다.
ArcType	Different types of arcs that can be drawn.
ArcType (Deutsch)	Verschiedene Arten von Bögen, die gezeichnet werden können.
ArcType (Русский)	Разные типы арок, которые можно нарисовать.
ArcType (日本語)	描画可能な各種円弧の形式です。
AreaSpreadDistribution	Types of particle area spread distribution.
AreaSpreadDistribution (Deutsch)	Arten der Partikelflächenverteilung.
AreaSpreadDistribution (日本語)	パーティクルにおける領域展開分布の種類。
AttributeDataType	Data types used in a Mesh's vertex format.
AttributeDataType (Deutsch)	Datentypen, die im Scheitelpunktformat eines Mesh verwendet werden.
BlendAlphaMode	Different ways alpha affects color blending.
BlendAlphaMode (Deutsch)	Alpha beeinflusst die Farbmischung auf unterschiedliche Weise.
BlendAlphaMode (日本語)	色の混合に影響を与える様々な透過方法です。
BlendAlphaMode (简体中文)	透明度影响颜色混合的不同方式。
BlendMode	Different ways to do color blending.
BlendMode (Deutsch)	Verschiedene Möglichkeiten zur Farbmischung.
BlendMode (Português)	Diferentes maneiras de fazer a mistura do alfa.
BlendMode (Русский)	Различные способы смешивания альфа канала.
BlendMode (日本語)	各種透過混合方法。
BlendMode (한국어)	다양한 방식의 알파 블렌딩 모드를 지정합니다.
BodyType	The types of a Body.

BodyType (Deutsch)	Die verschiedenen Arten von Körpern.
BodyType (Português)	Os tipos de um Corpo.
BodyType (Română)	Tipurile de Body.
BodyType (Tiếng Việt)	Các kiểu vật thể (Body).
BodyType (日本語)	Body の種類。
BufferDataFormat	Data formats of individual array elements GraphicsBuffers and Meshes.
BufferDataUsage	Usage hints for SpriteBatches, Meshes, and GraphicsBuffers to optimize data storage and access.
BufferDataUsage (Deutsch)	Verwendungshinweise für SpriteBatches, Meshes und Grafikbuffern zur Optimierung der Datenspeicherung und des Datenzugriffs.
BufferMode	Buffer modes for File objects.
BufferMode (Português)	Modos de buffer para objetos File.
BufferMode (Русский)	Режимы буфер для объектов File (Русский).
BufferMode (日本語)	File オブジェクトに対してバッファモードを指定します。
BufferMode (한국어)	파일로부터 데이터를 출력할 때 어떻게 버퍼링할 것인지에 대한 방법입니다.
CanvasFormat	Canvas texture formats.
CanvasFormat (Deutsch)	Canvas-Textur-Formate.
CanvasFormat (日本語)	Canvas テクスチャの形式。
ColorMode	Controls how drawn images are affected by current color.
ColorMode (Português)	Diferentes maneiras que a cor atual afetam imagens e geometrias.
ColorMode (Русский)	Различные способы влияния текущего цвета на изображения и геометрию.
ColorMode (日本語)	現在の色により画像が影響を受けるかどうか制御します。
ColorMode (简体中文)	控制绘制的图像如何受到当前颜色的影响。
CommonPath	Commonly used operating system directories.
CompareMode	Different types of stencil test and depth test comparisons.
CompareMode (Deutsch)	Verschiedene Arten von pro-Pixel Schablonentest und Tiefentest-Vergleichen.
... further results	

Other Languages

Dansk – Deutsch – English – Español – Français – Indonesia – Italiano – Lietuviškai – Magyar – Nederlands – Polski – Português – Română – Slovenský – Suomi – Svenska – Türkçe – Česky – Ελληνικά – Български – Русский – Српски – Українська – עברית – ไทย – 日本語 – 正體中文 – 简体中文 – Tiếng Việt – 한국어
More info

Category:Functions

Category:Functions · revision 24770 · last edited 2026-08-15

All Functions

(File):close	Closes a File.	
(File):close (Deutsch)	Schließt eine Datei.	
(File):close (Português)	Fecha um arquivo	
(File):close (Русский)	Закрывает File.	
(File):close (日本語)	ファイルを閉じます。	
(File):close (简体中文)	关闭一个 File (简体中文).	
(File):close (한국어)	파일을 닫습니다.	
(File):eof	If the end-of-file has been reached	Removed in 0.10.0
(File):eof (Deutsch)	Gibt zurück ob das Dateiende erreicht wurde.	
(File):eof (Português)	Se o fim do arquivo foi alcançado	
(File):eof (Русский)	Если конец файла был достигнут	
(File):eof (日本語)	ファイル終端 (EOF : End-Of-File) まで到達したかどうかを取得します。	Removed in 0.10.0
(File):eof (简体中文)	如果已到达文件末尾	Removed in 0.10.0
(File):eof (한국어)	파일의 끝에 도달하면 true를 리턴합니다.	
(File):flush	Flushes any buffered written data in the file to disk.	Added since 0.9.0
(File):flush (Português)	Descarrega qualquer dado escrito no buffer para o disco.	Added since 0.9.0
(File):flush (Русский)	Записывает любые данные из буфере обена в файл на жостком диске.	Added since 0.9.0
(File):flush (日本語)	バッファへ書き込まれて蓄積された全てのデータをディスクのファイルへ追い出します。	Added since 0.9.0
(File):flush (简体中文)	将文件中所有在缓冲区的写入数据刷新到磁盘。	Added since 0.9.0
(File):flush (한국어)	버퍼를 완전히 비웁니다.	Added since 0.9.0
(File):getBuffer	Gets the buffer mode of a file.	Added since 0.9.0
(File):getBuffer (Deutsch)	Gibt den Buffer-Modus einer Datei zurück.	Added since 0.9.0

(File):getBuffer (Português)	Obtém o modo de buffer de um arquivo.	Added since 0.9.0
(File):getBuffer (Русский)	Получает режим буфера у файла.	Added since 0.9.0
(File):getBuffer (日本語)	ファイルのバッファモードを取得します。	
(File):getBuffer (简体中文)	获取文件的缓冲模式。	Added since 0.9.0
(File):getBuffer (한국어)	버퍼링 모드를 얻어옵니다.	Added since 0.9.0
(File):getFilename	Gets the filename that the File object was created with.	Added since 0.10.0
(File):getFilename (日本語)	File オブジェクトと共に作成されたファイル名を取得します。	Added since 0.10.0
(File):getMode	Gets the FileMode the file has been opened with.	Added since 0.9.0
(File):getMode (Deutsch)	Gibt den Modus zurück mit welchem die Datei geöffnet wurde.	
(File):getMode (Português)	Obtém o FileMode com o qual o arquivo foi aberto.	Added since 0.9.0
(File):getMode (Русский)	Получает FileMode в котором был открыт файл.	Added since 0.9.0
(File):getMode (日本語)	どの FileMode でファイルが開かれているか取得します。	Added since 0.9.0
(File):getMode (한국어)	파일 모드를 얻어옵니다.	Added since 0.9.0
(File):getSize	Returns the file size.	
(File):getSize (Deutsch)	Gibt die Größe einer Datei zurück.	
(File):getSize (Português)	Retorna o tamanho do arquivo	
(File):getSize (Русский)	Возвращает размер file (Русский).	
(File):getSize (日本語)	ファイルの大きさを返します。	
(File):getSize (한국어)	파일의 크기를 구합니다.	
(File):isEOF	Gets whether end-of-file has been reached.	Added since 0.10.0
(File):isEOF (日本語)	ファイル終端 (EOF : End-Of-File) まで到達したかどうかを取得します。	Added since 0.10.0
(File):isOpen	Gets whether the file is open.	Added since 0.9.0
(File):isOpen (Deutsch)	Gibt zurück ob eine Datei geöffnet ist.	

(File):isOpen (Português)	Descobre se o arquivo está aberto.	Added since 0.9.0
(File):isOpen (Русский)	Получает был ли открыт файл.	Added since 0.9.0
(File):isOpen (日本語)	ファイルが開かれているかどうか取得します。	Added since 0.9.0
(File):isOpen (한국어)	파일이 열려 있는지 확인합니다.	Added since 0.9.0
(File):lines	Iterate over all the lines in a file.	
(File):lines (Deutsch)	Iteriert über alle Zeilen einer Datei.	
(File):lines (Português)	Iterage por todas as linhas de um arquivo	
(File):lines (Русский)	Перебрать все строки в file (Русский).	
(File):lines (日本語)	ファイルの最終行まで全てイテレート(反復)します。	
(File):lines (한국어)	텍스트 파일을 한 줄씩 읽는 반복자를 리턴합니다.	
(File):open	Open the file for write, read or append.	
(File):open (Português)	Abre um arquivo para escrita, leitura ou acréscimo.	
(File):open (Tiếng Việt)	Mở file để ghi, đọc, hoặc ghi bổ sung.	
(File):open (Русский)	Открывает файл для записи, чтения или добавления.	
(File):open (日本語)	ファイルを開いて読み書き、または追記します。	
(File):open (한국어)	읽기나 쓰기 따위를 하기 위해 파일을 엽니다.	
(File):read	Read a number of bytes from a file	
(File):read (Português)	Lê uma quantidade de bytes de um arquivo.	
(File):read (Русский)	Считывает число байтов из файла.	
(File):read (日本語)	ファイルからバイト単位で読み込みます。	
(File):read (한국어)	파일을 읽습니다.	
(File):seek	Seek to a position in a file	
(File):seek (Português)	Vai para uma posição no arquivo.	
(File):seek (Русский)	Ищит что-либо в файле	
(File):seek (日本語)	ファイルの指定位置へ移動します。	
(File):seek (한국어)	파일의 포인터 위치를 변경합니다.	
(File):setBuffer	Sets the buffer mode for a file opened for writing or appending.	Added since 0.9.0
(File):setBuffer (Português)	Configura o modo de buffer para um arquivo aberto para escrita ou acréscimo.	Added since 0.9.0
(File):setBuffer (Русский)	Устанавливает режим буфера для записи или добавления файл.	Added since 0.9.0
(File):setBuffer (日本語)	書き込みまたは追記のために開いたファイルに対してバッファモードの設定を行います。	Added since 0.9.0
(File):setBuffer (한국어)	파일 쓰기와 추가 시 사용할 버퍼링 모드를 설정합니다.	Added since 0.9.0
(File):tell	Returns the position in the file.	
(File):tell (Português)	Retorna a posição atual no arquivo.	

(File):tell (Русский)	Возвращает позицию в файле.		
(File):tell (日本語)	ファイルの位置を返します。		
(File):write	Write data to a file.		
(File):write (Português)	Escreve dados no arquivo.		
(File):write (Русский)	Записывает данные в файл.		
(File):write (日本語)	ファイルへデータを書き込みます		
(File):write (한국어)	데이터를 파일에 씁니다.		
(Image):getData	Gets the original ImageData or CompressedData used to create the Image.	Added since 0.9.0	Removed in 11.0
(Image):getData (Deutsch)	Ruft die ursprüngliche ImageData oder CompressedData ab, die zum Erstellen des Bildes verwendet wurden.	Added since 0.9.0	Removed in 11.0
(Image):getData (日本語)	元の ImageData または CompressedData から取得したものを使用して画像の作成します。	Added since 0.9.0	Deprecated in 11.0
(Image):getDimensions	Gets the width and height of the Image.	Added since 0.9.0	
(Image):getDimensions (日本語)	画像の幅と高さを取得します。	Added since 0.9.0	
(Image):getFilter	Gets the filter mode for an image.		
(Image):getFilter (Deutsch)	Gibt den Filtermodus eines Bildes zurück.		
(Image):getFilter (Português)	Obtém o modo de filtro de uma imagem.		
(Image):getFilter (日本語)	画像のフィルタ方式を取得します。		
(Image):getFlags	Gets the flags used when the image was created.	Added since 0.10.0	Removed in 11.0
(Image):getFlags (Deutsch)	Ruft die Flags ab, die verwendet wurden, als das Bild erstellt wurde.	Added since 0.10.0	Removed in 11.0
(Image):getFlags (日本語)	Image が作成されたときに使用されるフラグを取得します。	Added since 0.10.0	
(Image):getHeight	Gets the height of the Image.		
(Image):getHeight (Português)	Retorna a altura de uma imagem.		
(Image):getHeight (日本語)	画像の高さを取得します。		
(Image):getMipmapFilter (日本語)	Image の mipmap フィルタ方式を取得します。	Added since 0.9.0	Removed in 11.0
(Image):getWidth	Gets the width of the Image.		
(Image):getWidth (Português)	Retorna a largura de uma imagem.		
(Image):getWidth (日本語)	画像の幅を取得します。		
(Image):getWrap	Gets the wrapping properties of an Image.		
(Image):getWrap (Português)	Obtém as propriedades de acondicionamento de uma imagem.		
(Image):getWrap (日本語)	Image の加工特性を取得します。		
(Image):isCompressed	Gets whether the Image was created from CompressedData.	Added since 0.9.0	

(Image):isCompressed (Deutsch)	Ruft ab, ob das Bild aus CompressedData erstellt wurde.	Added since 0.9.0	
(Image):isCompressed (日本語)	CompressedData から作成された画像であるかどうか取得します。	Added since 0.9.0	
(Image):isFormatLinear	Gets whether the Image was created with a the linear (non-gamma corrected) flag set to true.	Added since 11.0	
(Image):isFormatLinear (Deutsch)	Ruft ab, ob das Bild erstellt wurde, während das lineare (nicht gammakorrigierte) Flag auf „true“ gesetzt war.	Added since 11.0	
(Image):refresh	Reloads the Image's contents from the ImageData or CompressedData used to create the image.	Added since 0.9.0	Removed in 11.0
(Image):refresh (Deutsch)	Lädt den Inhalt des Bildes aus der ImageData oder CompressedData neu, die zum Erstellen des Bildes verwendet wurde.	Added since 0.9.0	Removed in 11.0
(Image):refresh (日本語)	画像の作成に用いるために ImageData または CompressedData から画像の内容を再読込します。	Added since 0.9.0	Removed in 11.0
(Image):replacePixels	Replace the contents of an Image.	Added since 11.0	
(Image):replacePixels (Deutsch)	Ersetzt den Inhalt eines Bildes.	Added since 11.0	
(Image):replacePixels (日本語)	Image の内容を置換します。	Added since 11.0	
(Image):setFilter	Sets the filter mode for an image.		
(Image):setFilter (Русский)	Устанавливает режим фильтрации для изображения.		
(Image):setFilter (日本語)	画像のフィルタ方式を設定します。		
(Image):setMipmapFilter (日本語)	Image に対して mipmap フィルタの方式を設定します。	Added since 0.9.0	Removed in 11.0
(Image):setWrap	Sets the wrapping properties of an Image.		
(Image):setWrap (Português)	Configura a propriedade de acondicionamento de uma imagem.		
(Image):setWrap (日本語)	Image の加工特性を設定します。		
BezierCurve:evaluate	Evaluate Bézier curve at parameter t.	Added since 0.9.0	
BezierCurve:evaluate (Русский)	Вычисляет кривую Безье по параметру t.	Added since 0.9.0	
BezierCurve:evaluate (Українська)	Обчислює криву Безьє на параметрі t.	Added since 0.9.0	
BezierCurve:evaluate (日本語)	引数 t によりベジェ曲線を評価します。	Added since 0.9.0	

BezierCurve:evaluate (한국어)	곡선 위에 있는 특정한 점의 좌표를 구합니다.	Added since 0.9.0
BezierCurve:getControlPoint	Get coordinates of the i-th control point.	Added since 0.9.0
BezierCurve:getControlPoint (Русский)	Получает координаты контрольной точки i, Индексы начинаются с 1.	Added since 0.9.0
BezierCurve:getControlPoint (Українська)	Отримує координати опорної вершини номер i.	Added since 0.9.0
BezierCurve:getControlPoint (日本語)	第 i 番目における制御点の座標を取得します。	Added since 0.9.0
BezierCurve:getControlPoint (한국어)	i번째 조절점을 얻어옵니다.	Added since 0.9.0
BezierCurve:getControlPointCount	Get the number of control points in the Bézier curve.	Added since 0.9.0
BezierCurve:getControlPointCount (Русский)	Получает число контрольных точек на кривой Безье.	Added since 0.9.0
BezierCurve:getControlPointCount (Українська)	Отримує кількість опорних точок у кривій Безьє.	Added since 0.9.0
BezierCurve:getControlPointCount (日本語)	ベジェ曲線にある制御点の個数を取得します。	Added since 0.9.0
BezierCurve:getControlPointCount (한국어)	조절점의 개수를 구합니다.	Added since 0.9.0
BezierCurve:getDegree	Get degree of the Bézier curve.	Added since 0.9.0
BezierCurve:getDegree (Русский)	Получает степень кривой Безье..	Added since 0.9.0
BezierCurve:getDegree (Українська)	Отримує степінь кривої Безьє.	Added since 0.9.0
BezierCurve:getDegree (日本語)	ベジェ曲線の次数(階数)を取得します。	Added since 0.9.0
BezierCurve:getDegree (한국어)	베지에 곡선의 차수를 구합니다.	Added since 0.9.0
BezierCurve:getDerivative	Get derivate of the Bézier curve.	Added since 0.9.0

BezierCurve:getDerivative (Русский)	Получить производную кривую Безье.	Added since 0.9.0
BezierCurve:getDerivative (Українська)	Отримати похідну кривої Безьє.	Added since 0.9.0
BezierCurve:getDerivative (日本語)	ベジェ曲線の派生物を取得します。	Added since 0.9.0
BezierCurve:getDerivative (한국어)	베지에 곡선의 도함수를 구합니다.	Added since 0.9.0
BezierCurve:getSegment	Gets a BezierCurve that corresponds to the specified segment of this BezierCurve.	Added since 0.10.0
BezierCurve:getSegment (Українська)	Отримує об'єкт BezierCurve (крива Безьє), який відповідає певному сегменту цієї BezierCurve.	Added since 0.10.0
BezierCurve:getSegment (日本語)	現在の BezierCurve で指定された線分に対応する BezierCurve を取得します。	Added since 0.10.0
BezierCurve:insertControlPoint	Insert control point after the i-th control point.	Added since 0.9.0
BezierCurve:insertControlPoint (Русский)	Вставляет контрольную точку после контрольной точки i.	Added since 0.9.0
BezierCurve:insertControlPoint (Українська)	Вставляє опорну точку як нову i-ту опорну точку.	Added since 0.9.0
BezierCurve:insertControlPoint (日本語)	第 i 番目の制御点へ制御点を新規挿入します。	Added since 0.9.0
BezierCurve:insertControlPoint (한국어)	i번째 위치 다음에 조절점을 삽입합니다.	Added since 0.9.0
BezierCurve:removeControlPoint	Removes the specified control point.	Added since 0.10.0
BezierCurve:removeControlPoint (Українська)	Видаляє вказану контрольну точку.	Added since 0.10.0
BezierCurve:removeControlPoint (日本語)	指定された制御点を削除します。	Added since 0.10.0
BezierCurve:render	Get a list of points on the curve.	Added since 0.9.0
BezierCurve:render (Русский)	Получает список точек на кривой.	Added since 0.9.0

BezierCurve:render (Українська)	Отримує список точок на кривій.	Added since 0.9.0
BezierCurve:render (日本語)	曲線に関する座標の一覧を取得します。	Added since 0.9.0
BezierCurve:render (한국어)	곡선을 짧은 선분들로 분해합니다.	Added since 0.9.0
BezierCurve:renderSegment	Get a list of points on a specific part of the curve.	Added since 0.10.0
BezierCurve:renderSegment (Українська)	Отримує список точок на певній частині кривої.	Added since 0.10.0
BezierCurve:renderSegment (日本語)	特定の曲線部分に関する座標の一覧を取得します。	Added since 0.10.0
BezierCurve:rotate	Rotate the Bézier curve.	Added since 0.9.0
BezierCurve:rotate (Русский)	Поворачивает кривую Безье под углом.	Added since 0.9.0
BezierCurve:rotate (Українська)	Повертає криву Безьє.	Added since 0.9.0
BezierCurve:rotate (日本語)	角度によりベジェ曲線を回転します。	Added since 0.9.0
BezierCurve:rotate (한국어)	곡선을 회전합니다.	Added since 0.9.0
BezierCurve:scale	Scale the Bézier curve.	Added since 0.9.0
BezierCurve:scale (Русский)	Масштабирование кривой Безье.	Added since 0.9.0
BezierCurve:scale (Українська)	Масштабує криву Безьє.	Added since 0.9.0
BezierCurve:scale (日本語)	ベジェ曲線の尺度を変更します。	Added since 0.9.0
BezierCurve:scale (한국어)	곡선을 확대합니다.	Added since 0.9.0
BezierCurve:setControlPoint	Set coordinates of the i-th control point.	Added since 0.9.0

BezierCurve:setControlPoint (Русский)	Устанавливает координаты контрольной точки i.	Added since 0.9.0
BezierCurve:setControlPoint (Українська)	Встановлює координати i-тої опорної точки.	Added since 0.9.0
BezierCurve:setControlPoint (日本語)	第 i 番目における制御点の座標を設定します。	Added since 0.9.0
BezierCurve:setControlPoint (한국어)	i번째 조절점을 설정합니다.	Added since 0.9.0
BezierCurve:translate	Move the Bézier curve.	Added since 0.9.0
BezierCurve:translate (Русский)	Перемещение кривой Безье.	Added since 0.9.0
BezierCurve:translate (Українська)	Зсуває криву Безьє.	Added since 0.9.0
BezierCurve:translate (日本語)	ベジェ曲線を支距により移動します。	Added since 0.9.0
BezierCurve:translate (한국어)	곡선을 상대적인 위치로 이동시킵니다.	Added since 0.9.0
Body:applyAngularImpulse	Applies an angular impulse to a body.	Added since 0.8.0
Body:applyAngularImpulse (Deutsch)	Überträgt einen Drehimplus auf einen Körper.	Added since 0.8.0
Body:applyAngularImpulse (Română)	Aplică un impuls angular corpului.	Added since 0.8.0
Body:applyAngularImpulse (Русский)	Применяет угловой импульс к телу.	Added since 0.8.0
Body:applyAngularImpulse (日本語)	物体に対する角力積を適用します。	Added since 0.8.0
Body:applyForce	Apply force to a Body.	
Body:applyForce (Deutsch)	Überträgt eine Kraft auf einen Körper.	
Body:applyForce (Português)	Aplica uma força em um Corpo.	
Body:applyForce (Tiếng Việt)	Tác dụng lực lên một vật thể (Body).	
Body:applyForce (Русский)	Применяет силу к телу.	
Body:applyForce (日本語)	物体に力量を適用します。	
Body:applyImpulse	Applies an impulse to a body.	Removed in 0.8.0
Body:applyImpulse (Português)	Aplica um impulso ao Corpo.	
Body:applyImpulse (Русский)	Применяет импульс к телу.	

Body:applyImpulse (日本語)	物体に対して力積を適用します。		Removed in 0.8.0
Body:applyLinearImpulse	Applies an impulse to a body.	Added since 0.8.0	
Body:applyLinearImpulse (Deutsch)	Überträgt einen Impuls auf einen Körper.	Added since 0.8.0	
Body:applyLinearImpulse (Tiếng Việt)	Tác dụng một xung lực lên vật thể.	Added since 0.8.0	
Body:applyLinearImpulse (日本語)	物体に対して力積を適用します。	Added since 0.8.0	
Body:applyTorque	Apply torque to a body.		
Body:applyTorque (Português)	Aplica um torque ao Corpo.		
Body:applyTorque (Русский)	Применяет крутящий момент к телу.		
Body:applyTorque (日本語)	物体へ力矩を適用します。		
Body:destroy	Explicitly destroys the Body.		
Body:destroy (Português)	Destrói explicitamente o Corpo.		
Body:destroy (Русский)	Явно удаляет тело.		
Body:destroy (日本語)	物体を明示的に破棄します。		
Body:getAllowSleeping	Return whether a body is allowed to sleep.	Added since 0.7.0	Removed in 0.8.0
Body:getAllowSleeping (Português)	Retorna se o Corpo pode adormecer.		
Body:getAllowSleeping (Русский)	Проверяет, может ли тело уснуть.		
Body:getAllowSleeping (日本語)	物体の休止が許可されているかどうか返します。	Added since 0.7.0	Removed in 0.8.0
Body:getAngle	Get the angle of the body.		
Body:getAngle (Português)	Obtém o ângulo do Corpo.		
Body:getAngle (Русский)	Возвращает угол поворота тела.		
Body:getAngle (日本語)	物体の角度を取得します。		
Body:getAngularDamping	Gets the Angular damping of the Body.		
Body:getAngularDamping (Português)	Obtém o amortecimento angular do corpo.		
Body:getAngularDamping (Русский)	Получает угловое торможение тела.		
Body:getAngularDamping (日本語)	物体の傾斜減衰を取得します。		
Body:getAngularVelocity	Get the angular velocity of the Body.		
Body:getAngularVelocity (Português)	Obtém a velocidade angular de um Corpo.		
Body:getAngularVelocity (Русский)	Получает угловую скорость тела.		
Body:getAngularVelocity (日本語)	物体の角速度を取得します。		
Body:getContactList	Gets a list of all Contacts attached to the Body.	Added since 0.9.2	Deprecated in 11.0
Body:getContactList (日本語)	物体に接触している全ての接点を一覧として取得します。	Added since 0.9.2	
Body:getContacts	Gets a list of all Contacts attached to the Body.	Added since 11.0	

Body:getContacts (Română)	Obține o listă de Contacte atașate Corpului (Body).	Added since 11.0	
Body:getContacts (日本語)	物体に接触している全ての接点を一覧として取得します。	Added since 11.0	
Body:getFixtureList	Returns a table with all fixtures.	Added since 0.8.0	Deprecated in 11.0
Body:getFixtureList (日本語)	全ての取付具をテーブルで返します。	Added since 0.8.0	
Body:getFixtures	Returns a table with all fixtures.	Added since 11.0	
Body:getFixtures (日本語)	全ての取付具をテーブルで返します。	Added since 11.0	
Body:getGravityScale	Returns the gravity scale factor.	Added since 0.8.0	
Body:getGravityScale (日本語)	重力規模係数を返します。	Added since 0.8.0	
Body:getInertia	Gets the rotational inertia of the body.		
Body:getInertia (Português)	Obtém a inércia rotacional de um Corpo.		
Body:getInertia (Русский)	Получает момент инерции тела.		
Body:getInertia (日本語)	物体の回転の慣性を取得します。		
Body:getJointList	Returns a table containing the Joints attached to this Body.	Added since 0.9.2	Deprecated in 11.0
Body:getJointList (日本語)	この物体に取り付けられている関節を内包するテーブルを返します。	Added since 0.9.2	
Body:getJoints	Returns a table containing the Joints attached to this Body.	Added since 11.0	
Body:getJoints (日本語)	この物体に取り付けられている関節を有するテーブルを返します。	Added since 11.0	
Body:getLinearDamping	Gets the linear damping of the Body.		
Body:getLinearDamping (Português)	Obtém o amortecimento linear de um Corpo.		
Body:getLinearDamping (日本語)	物体の線形減衰を取得します。		
Body:getLinearVelocity	Gets the linear velocity of the Body from its center of mass.		
Body:getLinearVelocity (Português)	Obtém a velocidade linear de um Corpo (em seu centro de massa).		
Body:getLinearVelocity (日本語)	中心質量から物体の線形速度を取得します。		
Body:getLinearVelocityFromLocalPoint	Get the linear velocity of a point on the body.		
Body:getLinearVelocityFromLocalPoint (Português)	Obtém a velocidade linear de um ponto no Corpo.		
Body:getLinearVelocityFromLocalPoint (日本語)	物体の局所地点における線形速度を取得します。		

Body:getLinearVelocityFromWorldPoint	Get the linear velocity of a point on the body.	
Body:getLinearVelocityFromWorldPoint (Português)	Obtém a velocidade linear de um ponto no Corpo.	
Body:getLinearVelocityFromWorldPoint (日本語)	物体の世界地点における線形速度を取得します。	
Body:getLocalCenter	Get the center of mass position in local coordinates.	
Body:getLocalCenter (Português)	Obtém a posição do centro de massa em coordenadas local.	
Body:getLocalCenter (日本語)	局所座標の中心にある質量の位置を取得します。	
Body:getLocalPoint	Transform a point from world coordinates to local coordinates.	
Body:getLocalPoint (Português)	Transform a point from world coordinates to local coordinates.	
Body:getLocalPoint (日本語)	地点を世界座標から局所座標へ変換します。	
Body:getLocalPoints	Transforms multiple points from world coordinates to local coordinates.	Added since 11.4
Body:getLocalVector	Transform a vector from world coordinates to local coordinates.	
Body:getLocalVector (Português)	Transforma um vetor de coordenadas do Mundo para coordenadas local.	
Body:getLocalVector (日本語)	ベクトルを世界座標から局所座標へ変換します。	
Body:getMass	Get the mass of the body.	
Body:getMass (Português)	Obtém a massa do corpo.	
Body:getMass (日本語)	物体の質量を取得します。	
Body:getMassData	Returns the mass, its center, and the rotational inertia.	Added since 0.8.0
Body:getMassData (日本語)	中心の質量および回転の慣性を返します。	Added since 0.8.0
Body:getPosition	Get the position of the body.	
Body:getPosition (Português)	Obtém a posição do Corpo.	
Body:getPosition (日本語)	物体の位置を取得します。	
Body:getShape	Gets the first Shape attached to the Body.	Added since 12.0
Body:getShapes	Returns a table with all Shapes attached to the Body.	Added since 12.0
Body:getTransform	Get the position and angle of the body.	Added since 11.2
Body:getTransform (日本語)	物体の位置と角度を取得します。	Added since 11.2
Body:getType	Returns the type of the body.	Added since 0.8.0
Body:getType (日本語)	物体の種類を返します。	Added since 0.8.0

Body:getUserData	Returns the Lua value associated with this Body.	Added since 0.9.1
Body:getUserData (日本語)	この物体へ関連付けられた Lua の値を返します。	Added since 0.9.1
Body:getWorld	Gets the World the body lives in.	Added since 0.9.2
Body:getWorld (日本語)	世界において生存している物体を取得します。	Added since 0.9.2
Body:getWorldCenter	Get the center of mass position in world coordinates.	
Body:getWorldCenter (Português)	Obtém a posição do centro de massa nas coordenadas do Mundo.	
Body:getWorldCenter (日本語)	世界座標の中心にある質量の位置を取得します。	
Body:getWorldPoint	Transform a point from local coordinates to world coordinates.	
Body:getWorldPoint (Português)	Transforma um ponto de coordenadas local para coordenadas do Mundo.	
Body:getWorldPoint (日本語)	地点を局所座標から世界座標へ変換します。	
Body:getWorldPoints	Transforms multiple points from local coordinates to world coordinates.	Added since 0.8.0
Body:getWorldPoints (日本語)	複数の地点を局所座標から世界座標へ変換します。	Added since 0.8.0
Body:getWorldVector	Transform a vector from local coordinates to world coordinates.	
Body:getWorldVector (Português)	Transforma um vetor de coordenadas local para coordenadas do Mundo.	
Body:getWorldVector (日本語)	ベクトルを局所座標から世界座標へ変換します。	
Body:getX	Get the x position of the body in world coordinates.	
Body:getX (Português)	Obtém a posição em x do Corpo em coordenadas do Mundo.	
Body:getX (日本語)	世界座標にある物体の x 位置を取得します。	
Body:getY	Get the y position of the body in world coordinates.	
Body:getY (Português)	Obtém a posição em y do Corpo em coordenadas do Mundo.	
Body:getY (日本語)	世界座標にある物体の y 位置を取得します。	
Body:hasCustomMassData	Gets whether the Body's mass data has been set to custom values.	Added since 12.0
Body:isActive	Returns whether the body is actively used in the simulation.	Added since 0.8.0
Body:isActive (日本語)	物体が模擬において活動中として使用されているかどうかを返します。	Added since 0.8.0
Body:isAwake	Returns the sleep status of the body.	Added since 0.8.0

Body:isAwake (日本語)	物体の活動休止状態を返します。	Added since 0.8.0	
Body:isBullet	Get the bullet status of a body.		
Body:isBullet (Português)	Obtém o estado de **projétil** do Corpo.		
Body:isBullet (日本語)	物体の弾丸状態を取得します。		
Body:isDestroyed	Gets whether the Body is destroyed.	Added since 0.9.2	
Body:isDestroyed (日本語)	物体が破棄されたかどうかを取得します。	Added since 0.9.2	
Body:isDynamic	Get the dynamic status of the body.		Removed in 0.8.0
Body:isDynamic (Português)	Obtém o estado dinâmico do Corpo.		
Body:isDynamic (日本語)	物体の動的状態を取得します。		Removed in 0.8.0
Body:isFixedRotation	Returns whether the body rotation is locked.	Added since 0.8.0	
Body:isFixedRotation (日本語)	物体の回転が固定されているかどうか返します。	Added since 0.8.0	
Body:isFrozen	Get the frozen status of the body.		Removed in 0.8.0
Body:isFrozen (Português)	Obtém o estado de congelamento do Corpo.		
Body:isFrozen (日本語)	物体の凍結状態を取得します。		Removed in 0.8.0
Body:isSleeping	Get the sleeping status of a body.		Removed in 0.8.0
Body:isSleeping (Português)	Obtém o estado de dormência do Corpo.		
Body:isSleeping (日本語)	物体の休止状態を取得します。		Removed in 0.8.0
Body:isSleepingAllowed	Returns the sleeping behaviour of the body.	Added since 0.8.0	
Body:isSleepingAllowed (日本語)	休止を行う物体の性質を取得します。	Added since 0.8.0	
Body:isStatic	Get the static status of the body.		Removed in 0.8.0
Body:isStatic (Português)	Obtém o estado estático do Corpo.		
Body:isStatic (日本語)	物体の静的状態を取得します。		Removed in 0.8.0

Body:isTouching	Gets whether the Body is touching the given other Body.	Added since 11.0	
Body:isTouching (日本語)	物体が指定された別の物体と接触しているかどうか取得します。	Added since 11.0	
Body:putToSleep	Put the body to sleep.		Removed in 0.8.0
Body:putToSleep (Português)	Coloca o Corpo para dormir.		
Body:putToSleep (日本語)	物体を休止状態にします。		Removed in 0.8.0
Body:resetMassData	Resets the mass of the body.	Added since 0.8.0	
Body:resetMassData (日本語)	物体の質量を初期設定へ戻します。	Added since 0.8.0	
Body:setActive	Sets whether the body is active in the world.	Added since 0.8.0	
Body:setActive (日本語)	世界において物体が活動するかどうかを設定します。	Added since 0.8.0	
Body:setAllowSleeping	Set the sleep behaviour of a body.		Removed in 0.8.0
Body:setAllowSleeping (Português)	Configura o comportamento de dormência do Corpo.		
Body:setAllowSleeping (日本語)	物体の休止性質を設定します。		Removed in 0.8.0
Body:setAngle	Set the angle of the body.		
Body:setAngle (Português)	Configura o ângulo do Corpo.		
Body:setAngle (Tiếng Việt)	Đặt góc chỉ hướng của vật thể.		
Body:setAngle (日本語)	物体の角度を設定します。		
Body:setAngularDamping	Sets the angular damping of a Body		
Body:setAngularDamping (Português)	Configura o amortecimento angular do Corpo.		
Body:setAngularDamping (日本語)	物体の傾斜減衰を設定します。		
Body:setAngularVelocity	Sets the angular velocity of a Body.		
Body:setAngularVelocity (Português)	Configura a velocidade angular do Corpo.		
Body:setAngularVelocity (日本語)	物体の角速度を設定します。		
Body:setAwake	Wakes the body up or puts it to sleep.	Added since 0.8.0	
Body:setAwake (日本語)	物体の覚醒または休止します。	Added since 0.8.0	
Body:setBullet	Set the bullet status of a body.		
Body:setBullet (Português)	Configura o estado de **projétil** do Corpo.		
Body:setBullet (日本語)	物体の弾丸状態を設定します。		
Body:setFixedRotation	Set whether a body has fixed rotation.		

Body:setFixedRotation (Português)	Configura se o Corpo tem uma rotação constante.		
Body:setFixedRotation (日本語)	物体の回転を固定するかどうか設定します。		
Body:setGravityScale	Sets a new gravity scale factor for the body.	Added since 0.8.0	
Body:setGravityScale (日本語)	物体に対する新しい重力規模係数を設定します。	Added since 0.8.0	
Body:setInertia	Set the inertia of a body.		
Body:setInertia (Português)	Configura a inércia do Corpo.		
Body:setInertia (Tiếng Việt)	Định giá trị quán tính của vật.		
Body:setInertia (日本語)	物体の慣性を設定します。		
Body:setLinearDamping	Sets the linear damping of a Body.		
Body:setLinearDamping (Português)	Configura o amortecimento linear do Corpo.		
Body:setLinearDamping (日本語)	物体の線形減衰を設定します。		
Body:setLinearVelocity	Sets a new linear velocity for the Body.		
Body:setLinearVelocity (Português)	Configura a nova velocidade linear para o Corpo.		
Body:setLinearVelocity (日本語)	物体に対する線形速度を新規設定します。		
Body:setMass	Sets the mass properties directly.		
Body:setMass (Português)	Configura diretamente as propriedade de massa.		
Body:setMass (日本語)	質量特性を直接設定します。		
Body:setMassData	Overrides the calculated mass data.	Added since 0.8.0	
Body:setMassData (日本語)	計算された質量データをオーバーライドします。	Added since 0.8.0	
Body:setMassFromShapes	Sets mass properties from attatched shapes.		Removed in 0.8.0
Body:setMassFromShapes (Português)	Configura as propriedades de massa para uma Forma anexada.		
Body:setMassFromShapes (日本語)	取り付けられた形状から質量特性を設定します。		Removed in 0.8.0
Body:setPosition	Set the position of the body.		
Body:setPosition (Português)	Configura a posição do Corpo.		
Body:setPosition (日本語)	物体の位置を設定します。		
Body:setSleepingAllowed	Sets the sleeping behaviour of the body.	Added since 0.8.0	
Body:setSleepingAllowed (日本語)	物体の活動休止について設定します。	Added since 0.8.0	
Body:setTransform	Set the position and angle of the body.	Added since 11.2	
Body:setTransform (日本語)	物体の位置と角度を設定します。	Added since 11.2	

Body:setType	Sets a new body type.	Added since 0.8.0	
Body:setType (日本語)	新しい物体の種類を設定します。	Added since 0.8.0	
Body:setUserData	Associates a Lua value with the Body.	Added since 0.9.1	
Body:setUserData (日本語)	物体へ Lua の値を関連付けます。	Added since 0.9.1	
Body:setX	Set the x position of the body.		
Body:setX (Português)	Configura a posição em x do Corpo.		
Body:setX (日本語)	物体の x 位置を設定します。		
Body:setY	Set the y position of the body.		
Body:setY (Português)	Configura a posição em y do Corpo.		
Body:setY (日本語)	物体の y 位置を設定します。		
Body:wakeUp	Wake up a sleeping body.		Removed in 0.8.0
Body:wakeUp (Português)	Acorda um Corpo.		
Body:wakeUp (日本語)	休止中の物体を覚醒させます。		Removed in 0.8.0
ByteData:setString	Replaces all or part of the ByteData's memory with the contents of a string.	Added since 12.0	
Canvas:clear	Clears the contents of a Canvas to a specific color.	Added since 0.8.0	Removed in 0.10.0
Canvas:clear (Deutsch)	Entfernt den gesamten bisherigen Inhalt eines Canvas.	Added since 0.8.0	Removed in 0.10.0
Canvas:clear (Nederlands)	Clears the contents of a Canvas to a specific color.	Added since 0.8.0	Removed in 0.10.0
Canvas:clear (日本語)	Canvas の内容を消去します。	Added since 0.8.0	Removed in 0.10.0
Canvas:generateMipmaps	Generates mipmaps for the Canvas, based on the contents of the highest-resolution mipmap level.	Added since 11.0	
Canvas:generateMipmaps (Deutsch)	Erzeugt Mipmaps für das Canvas basierend auf dem Inhalt der höchstauflösenden Mipmap-Ebene.	Added since 11.0	
Canvas:generateMipmaps (日本語)	最高解像度のミップマップレベルの内容をもとに Canvas のミップマップを生成します。	Added since 11.0	
Canvas:getDimensions	Gets the width and height of the Canvas.	Added since 0.9.0	

Canvas:getDimensions (Deutsch)	Gibt die Breite und Höhe des Canvas zurück.	Added since 0.9.0	
Canvas:getDimensions (日本語)	Canvas の幅と高さを取得します。	Added since 0.9.0	
Canvas:getFSAA	Gets the number of FSAA samples used when drawing to the Canvas.	Added since 0.9.1	Removed in 0.10.0
Canvas:getFSAA (Deutsch)	Gibt die Anzahl der Antialiasing Samples zurück, welche beim Zeichnen auf das Canvas genutzt werden.	Added since 0.9.1	Removed in 0.10.0
Canvas:getFSAA (日本語)	Canvas の描画時に使用するアンチエイリアシングのサンプル数を取得します。	Added since 0.9.1	Removed in 0.10.0
Canvas:getFilter	Gets the filter mode of the Canvas.	Added since 0.8.0	
Canvas:getFilter (Deutsch)	Gibt den Filtermodus des Canvas zurück.	Added since 0.8.0	
Canvas:getFilter (日本語)	Canvas のフィルタ方式を取得します。	Added since 0.8.0	
Canvas:getFormat	Gets the texture format of the Canvas.	Added since 0.9.1	Removed in 11.0
Canvas:getFormat (Deutsch)	Ruft das Texturformat des Canvas ab.	Added since 0.9.1	Removed in 11.0
Canvas:getFormat (日本語)	Canvas のテクスチャ形式を取得します。	Added since 0.9.1	
Canvas:getHeight	Gets the height of the Canvas.		
Canvas:getHeight (Deutsch)	Gibt die Höhe des Canvas zurück.		
Canvas:getHeight (日本語)	Canvas の高さを取得します。		
Canvas:getImageData	Generates ImageData from the contents of the Canvas.	Added since 0.8.0	Removed in 0.10.0
Canvas:getImageData (Deutsch)	Erzeugt ImageData aus dem Inhalt des Canvas.	Added since 0.8.0	Removed in 0.10.0
Canvas:getImageData (日本語)	Canvas の内容から ImageData を生成します。	Added since 0.8.0	Removed in 0.10.0
Canvas:getMSAA	Gets the number of MSAA samples used when drawing to the Canvas.	Added since 0.9.2	
Canvas:getMSAA (Deutsch)	Gibt die Anzahl der MSAA-Samples zurück, die beim Zeichnen auf das Canvas verwendet wurden.	Added since 0.9.2	

Canvas:getMSAA(日本語)	Canvas の描画時に使用するマルチサンプル・アンチエイリアシング (Multi Sample Anti-Alias : MSAA) のサンプル数を取得します。	Added since 0.9.2	
Canvas:getMipmapMode	Gets the MipmapMode this Canvas was created with.	Added since 11.0	
Canvas:getMipmapMode (Deutsch)	Ruft den MipmapMode ab, mit dem dieses Canvas erstellt wurde.	Added since 11.0	
Canvas:getMipmapMode (日本語)	この Canvas の作成で使用した ミップマップ方式 を取得します。	Added since 11.0	
Canvas:getPixel	Gets the pixel at the specified position in a Canvas.	Added since 0.9.0	Removed in 0.10.0
Canvas:getPixel (Deutsch)	Gibt den Pixel an einer bestimmten Position auf dem Canvas zurück.	Added since 0.9.0	Removed in 0.10.0
Canvas:getPixel (日本語)	指定された座標にある Canvas のピクセルを取得します。	Added since 0.9.0	Removed in 0.10.0
Canvas:getWidth	Gets the width of the Canvas.		
Canvas:getWidth (Deutsch)	Gibt die Breite des Canvas zurück.		
Canvas:getWidth (日本語)	Canvas の幅を取得します。		
Canvas:getWrap	Gets the wrapping properties of a Canvas.	Added since 0.8.0	
Canvas:getWrap (Deutsch)	Gibt die Zeilenumbrucheigenschaften eines Canvas zurück.	Added since 0.8.0	
Canvas:getWrap (日本語)	Canvas の加工特性を取得します。	Added since 0.8.0	
Canvas:newImageData	Generates ImageData from the contents of the Canvas.	Added since 0.10.0	
Canvas:newImageData (Deutsch)	Erzeugt ImageData aus dem Inhalt des Canvas.	Added since 0.10.0	
Canvas:newImageData (Українська)	Створює об'єкт ImageData з вмісту об'єкта Canvas.	Added since 0.10.0	
Canvas:newImageData (日本語)	Canvas の内容から ImageData を生成します。	Added since 0.10.0	
Canvas:renderTo	Render to a Canvas using a function.	Added since 0.8.0	
Canvas:renderTo (Deutsch)	Rendert mithilfe einer Funktion auf dem Canvas.	Added since 0.8.0	

Canvas:renderTo (日本語)	Canvas へ表示するために関数を使用します。	Added since 0.8.0
Canvas:setFilter	Sets the filter mode of the Canvas.	Added since 0.8.0
Canvas:setFilter (Deutsch)	Bestimmt den Filtermodus für ein Canvas.	Added since 0.8.0
Canvas:setFilter (日本語)	Canvas の フィルタ方式 を設定します。	Added since 0.8.0
Canvas:setWrap	Sets the wrapping properties of a Canvas.	Added since 0.8.0
Canvas:setWrap (日本語)	Canvas の加工特性を設定します。	Added since 0.8.0
ChainShape:getChildEdge	Returns a child of the shape as an EdgeShape.	Added since 0.8.0
ChainShape:getChildEdge (日本語)	EdgeShape として形状の子を返します。	Added since 0.8.0
ChainShape:getNextVertex	Gets the vertex that establishes a connection to the next shape.	Added since 0.10.2
ChainShape:getNextVertex (日本語)	次の形状と接続を設置している頂点を取得します。	Added since 0.10.2
ChainShape:getPoint	Returns a point of the shape.	Added since 0.8.0
ChainShape:getPoint (日本語)	形状の地点を返します。	Added since 0.8.0
ChainShape:getPoints	Returns all points of the shape.	Added since 0.8.0
ChainShape:getPoints (日本語)	形状における全ての地点を返します。	Added since 0.8.0
ChainShape:getPreviousVertex	Gets the vertex that establishes a connection to the previous shape.	Added since 0.10.2
ChainShape:getPreviousVertex (日本語)	前の形状と接続を設置している頂点を取得します。	Added since 0.10.2
ChainShape:getVertexCount	Returns the number of vertices the shape has.	Added since 0.8.0

ChainShape:getVertexCount (日本語)	形状が保持している頂点の数を返します。	Added since 0.8.0	
ChainShape:setNextVertex	Sets a vertex that establishes a connection to the next shape.	Added since 0.8.0	
ChainShape:setNextVertex (日本語)	次の形状へ接続を設置するために頂点を設定します。	Added since 0.8.0	
ChainShape:setPrevVertex	Sets a vertex that establishes a connection to the previous shape.	Added since 0.8.0	Removed in 0.9.0
ChainShape:setPrevVertex (日本語)	前の形状へ接続を設置するために頂点を設定します。	Added since 0.8.0	Removed in 0.9.0
ChainShape:setPreviousVertex	Sets a vertex that establishes a connection to the previous shape.	Added since 0.9.0	
ChainShape:setPreviousVertex (日本語)	前の形状へ接続を設置するために頂点を設定します。	Added since 0.9.0	
Channel:clear	Clears all the messages in the Channel queue.	Added since 0.9.0	
Channel:clear (Deutsch)	Löscht alle Nachrichten in der Channel Warteschlange.	Added since 0.9.0	
Channel:clear (Русский)	Удаляет все сообщения из очереди канала.	Added since 0.9.0	
Channel:clear (日本語)	チャンネルのキューにあるメッセージを全て消去します。	Added since 0.9.0	
Channel:clear (한국어)	메시지 큐를 모두 비웁니다.	Added since 0.9.0	
Channel:demand	Wait for and retrieve the value of a Channel message.	Added since 0.9.0	
Channel:demand (Русский)	Извлекает сообщение из Канала и удаляет его из очереди.	Added since 0.9.0	
Channel:demand (日本語)	チャンネルメッセージの値を回収するまで待機します。	Added since 0.9.0	
Channel:demand (한국어)	채널에 메시지가 도착할 때까지 무한정 기다린 후 메시지가 도착하면 메시지를 얻어옵니다.	Added since 0.9.0	
Channel:getCount	Retrieves the number of messages in the Channel queue.	Added since 0.9.0	

Channel:getCount (Русский)	Возвращает количество сообщений в очереди Канала.	Added since 0.9.0
Channel:getCount (日本語)	スレッド・チャンネルのキューにあるメッセージ個数を回収します。	Added since 0.9.0
Channel:getCount (한국어)	메시지 큐에 메시지가 몇 개나 쌓여있는지 세어봅니다.	Added since 0.9.0
Channel:hasRead	Gets whether a pushed value has been popped or otherwise removed from the Channel.	Added since 11.0
Channel:hasRead (Русский)	Проверяет было ли сообщение прочитано потоком или иным другим методом выведено из очереди Канала.	Added since 11.0
Channel:hasRead (日本語)	チャンネルで送信した値が回収された、または削除されたかどうかを取得します。	Added since 11.0
Channel:peek	Receive a message from a thread Channel, but leave it in the queue.	Added since 0.9.0
Channel:peek (Русский)	Возвращает сообщение из Канала, но оставляет его в очереди.	Added since 0.9.0
Channel:peek (日本語)	チャンネル・メッセージの値を回収しますが、キューには残します。	Added since 0.9.0
Channel:peek (한국어)	채널에서 메시지를 얻어옵니다만, 메시지 큐에서 삭제하지는 않습니다.	Added since 0.9.0
Channel:performAtomic	Executes the specified function atomically with respect to this Channel.	Added since 0.10.0
Channel:performAtomic (Русский)	Выполняет какую-либо функцию относительно Канала.	Added since 0.10.0
Channel:performAtomic (日本語)	このチャネルに対してアトミックに指定された関数を実行します。	Added since 0.10.0
Channel:pop	Retrieve the value of a Channel message.	Added since 0.9.0
Channel:pop (Русский)	Извлекает сообщение из Канала и удаляет его из очереди.	Added since 0.9.0

... further results

Other Languages

Dansk – Deutsch – English – Español – Français – Indonesia – Italiano – Lietuviškai – Magyar – Nederlands – Polski – Português – Română – Slovenský – Suomi – Svenska – Türkçe – Česky – Ελληνικά – Български – Русский – Српски – Українська – עברית – ไทย – 日本語 – 正體中文 – 简体中文 – Tiếng Việt – 한국어

More info


Category:Games


Category:Games · revision 12541 · last edited 2026-09-24

This list is automatically generated, and you can not add games here manually. If you want your game to appear here, see Guidelines.

This page is cached, which means that your newly added game won't appear here unless the page is refreshed (http://love2d.org/wiki/Category:Games?action=purge).

All Games







... further results

.lazr. (0.9.0, Local multiplayer shooter,)
Kevin "Gaeel" Bradshaw-Rodriguez - A cyber-neon glitchpunk are...


8-Bit Commando (0.11.5, Platformer, Released)
2dengine - 8-Bit Commando is a run-and-gun platformer with fast...





Aeternum Blammo (0.7.2, Top Down Shooter,)
Josefnpat - What happens when you take some random latin an...


Arne's Breakout (0.10.2, Brick-Breaker,)
Arne Schwettmann - Physics-based ball and brick game.







Arne's SpaceTaxi (0.10.2, Multiplayer Gravity Lander,)
Arne Schwettmann - Gravity-based space taxi game.

Astropatrolonium (11.3, 2d space shooter, finished)
Knorke - destroy space rocks or bounce your friends into them.







AutoBenchmark (0.6.x, , Released)
Schme16 - A simple Automated Benchmarking Tool




Autumn (0.9.0, Puzzle, Released)
Nuno - More than a game, Autumn is a relaxing place for spiritua...




Bomb Dodgers (0.9.1, Strategy / Arcade, Released)
Rmcode - Bomb Dodgers is a maze-based bombing game inspire...




Bubbles (0.6.2, Bubble Popping!, Released)
Roybie - Jellyfish baby saving underwater romp.




BuryMyHeart (0.6.2, , Released)
Willurd - A game where the goal is to figure out the goal of the g...




CarWar (0.10.2, Cars,)
Tc1061 - Cars with guns, multiplayer.



Chromatic Paths (0.7.1, Puzzle, Released)
Taehl - Travel through every spot in an area via a treacherous p...




CodeBreak (0.6.2, Timekiller, Alfa)
Anhtuan445 - Simple code cracking game.




Collisions (0.11.5, Puzzle, Released)

2dengine - Collisions is a relaxing puzzle game based on timing, l...




Collisons (0.11.5, Puzzle, Released)

2dengine - Collisions is a relaxing puzzle game based on timing, l...




ColorFactory (0.7, Puzzle / Programming, WIP, 0.13)

Ljdp - Control two waldos.




Dave Gone Apeshit (0.7.0, Run And Gun, Finished)

Lukasz - Dave has gone apeshit and is running through buildings...




Desert Loot (0.7.x, Loot, Released)

Glory Fish - A man walks along the desert carrying a heavy burd...




Doctor Cat: The Game (0.7.2, Jump and Run,)

Josefnpat - A game about a cat who is also a doctor




Fistul of Beef (0.6.2, Action, Released)

LÖVE-PARTY - Killing bulls, with bulls




Freeing Quency (0.9.1, Top Down,)

VEXED - Defeat onslaughts of vile monsters to free Quency.




Gangrene (0.7.1, CCG, Playable Prototype)

Elvashi - Battle and survive after the zombie apocalypse




Giga Pudding: The Game (0.7.2, Jump and Run,)

Josefnpat - YOU ARE GIGA PUDDI!




GunFu Deadlands (0.8, Arcade, Released)

Christiaan Janssen - A Far West themed 2D shooter featuring b...




In Your Face City Trains (0.7.2, Arcade,)

SimonLarsen - Avoid trains and drink coffee in an attempt to ma...




InvaderGame (0.7.1, Vertical Shoot-em-up Game, Relea...

Hengying - Reinvention of Vertical Shoot-em-up Game.




Isome (0.7.0, Engine, Released)

Taehl - A 3D isometric engine.




Journey To The Stars (0.9.1, Endless Runner / Race...

Rmcode - Avoid debris, gain experience and get upgrades.




KeyColor (0.9, Arcade, Released)

Qubodup - Associate keys with colors and press-hold them right ...




Knightvania (0.10.2, Metroidvania, Platformer, Released)

Canoi - A game made for the 365 indies jam. Theme is "This sho...




Komoplode (0.6.1, , Released)

Komocode - A simple chain reaction game




Kurosuke (0.7.0, Platformer, Beta, is playable and contain...

Tentus - Kurosuke is a physics-based platformer that offers sing...




LalaLove (0.5.0, Music, Final)

SiENcE - Music Game.



LifeOnLove (11.0, Simulation,)

Mihail.mihno - Classic Conway's Game of Life with Gosper's glid...




LoveSpin (0.6.2, Arcade, Released)

Thelinx - Loituma/Leekspin - The Game




Lovely Mario Bros (0.6.1, , In Progress)

Deecodeuh - Super Mario Brothers spin off with a twist of Love




Metanet Hunter (0.8.0, 2D Platformer, Released)

NEO NEKUZEN - Metanet Hunter is a 2D retro-styled platformer...



Metanet Hunter REMIX (0.9.1, 2D Platformer, Relea…

NEO NEKUZEN - Metanet Hunter: REMIX brings back the retro …




Missilium (0.9.0, Shooter, Released)

Nuno - Missile Commander on steroids. Fight over 15 battles in …




Mr. Rescue (0.8.0, Platformer, Released)

Tangram Games - Mr. Rescue is an arcade styled 2d action gam…




N.T.U.I. (0.8.0, Platform/Adventure, Released)

Sea Sharp - The games you play are totally bugged! Take your r…




Nano Space (0.10.2, shooter,)

Luke100000 - A pixel space shooter with missions and endless le…



Noahs Ark (0.7.0, Platform/Adventure, Released)

Technocat - Help Noah find his animals!



Oh Snap, Aliens! (0.6.2, Shooter, Abandoned)

Nevon - 2D space action shooter game



On The Roadside (0.10.2, Strategy, In Development)


Rmcode - On The Roadside is a turn-based strategy game in whi…



Panel Attack (12.0, Puzzle, Released)

Paper Evolution (0.7.0, Puzzle, Finished)


Panel Attack Devs - Match-3 online versus multiplayer inspired …



Pirate Bay (0.7.2, Arcade, Final)

SiENcE - Physics based game.

Lukasz - Use an eraser to save mankind.



Plant game (0.7.1, Puzzle, Open beta)

Taehl, Ensayia - A game about growing and crossbreeding plants…

Category:Lexicon

Category:Lexicon · revision 22340 · last edited 2021-03-14

Lexicon name	Description
Lover	
Lover (Deutsch)	
Lover (日本語)	

Category:Libraries

Category:Libraries · revision 16320 · last edited 2026-09-25

This list is automatically generated, and you can not add libraries here directly. If you want your library to appear here, see Guidelines.

This page is cached, which means that your newly added library won't appear here unless the page is

refreshed (http://love2d.org/wiki/Category:Libraries?action=purge).

All Libraries

Name	Description	LOVE Version	Keyword
30log	A small and effective object-orientation framework in 30 lines	Any	Class
Astray	Astray is a lua based maze, room and dungeon generation library for dungeon crawlers and rougelike video games.	Any	Procedural
Blob	A serialization and parser library for binary file formats	Any	Serializing
Cupid	A debugging shim providing a console, crash logging, and project reloading.	Any	Debug
Donut	Simplified debug message control system	Any	Debug
Dox	A Lua Documentation Generator Script	Any	Documentation
ELScheduler	Pure Lua library to manage timers	Any	Timer
Flux	Fast, lightweight tweening library	Any	Animation
Graphoon	A force directed graph algorithm written in Lua.	Any	Class
Grease	The one and (no longer) only networking library	Any	Networking
HC	A collision detection system	Any	Physics
HUMP	Gamedev-Powertools: Gamestates, timed function calls, tweening, vectors, object orientation, cameras and signals	Any	Framework
HooECS	It's a full-featured Entity-Component-System framework for making games with Lua	Any	Framework
Jumper	Fast pathfinding library for 2D grid-based maps	Any	AI
Kuey	Kuey is a library that encode/decode strings and files with a key.	Any	
LibCompress	Pure Lua Compression library	Any	
Lovebird	A browser-based debug console for LÖVE	Any	Debug
Lovetoys	It's a full-featured Entity-Component-System framework for making games with LUA. The original and only.	Any	ECS
Lua FOV	Field of View (FOV) algorithms implemented in Lua	Any	
LuaNameGen	Lua Name Generator for characters, objects, places, etc.	Any	Procedural

LuaTable	A library that converts tables to Lua code that can be saved.	Any	Serializing
Luaoop	OOP (Object Oriented Programming) class-based library	Any	Class
Lume	Utility functions geared towards game development	Any	
MGL	Mathematics for Graphics in pure Lua	Any	Math
MiddleClass	Object-orientation for Lua	Any	Class
Moses	A utility-belt library for fun and functional programming with Lua	Any	
Noobhub	Multiplayer and network messaging	Any	Networking
Popo	Character based programmable text library	Any	string
RL-Dice	A dice module aimed for roguelikes.	Any	Math
RandomLua	Random numbers generator for all platforms	Any	Math
SICK	Easy high-score keeping.	Any	
SQLite3	A simple, hassle-free, SQLite3 database solution for Lua.	Any	Database
Ser	A fast, robust, richly-featured table serialisation library	Any	
Serial	A serialization library optimized for very large tables.	Any	Serializing
Simple Educative Class Library	A class implementation	Any	Class
Stateswitcher	A state switcher library based on files (one file=one state).	Any	State
Transform (Library)	A library designed to ease the handling of coordinate/angle transformations in world	Any	Math
Tserial	Converts tables into strings and back. Good for saving games, multiplayer, etc.	Any	Serializing
Yonder	A ridiculously easy to use game state manager.	Any	State
array	A useful collection of methods to work with Lua tables in an array fashion.	Any	
beholder.lua	Event observation for Lua.	Any	
binser	Customizable Lua Serializer - Great for Saving Games	Any	Serializing
bitser	Serializes and deserializes Lua values with LuaJIT	Any	Serializing
bump.lua	Minimal collision detection lib.	Any	Physics
clasp	Tiny Lua class library	Any	Class

cron	A set of functions for executing actions at a certain time interval.	Any	Timer
cron.lua	Time-based functions for Lua.	Any	Timer
gamera	Camera library for LÖVE.	Any	
hxdx	Physics library (easier box2d)	Any	Physics
inspect.lua	Pretty-print for Lua.	Any	
libSaveTableToFile	Load and save tables as text files.	Any	Serializing
libxml	Lua XML Library	Any	Serializing
lol.lua	Object prototyping library for Lua.	Any	Class
love-loader	Load images and sounds in a separate thread.	Any	
love.bundle	Data saving lib for Love.	Any	Serializing
love.screen	Manage easily your screen resolution, caption, ...	Any	
luaFortune	Libraries for procedural generation in lua.	Any	
luasort	Array sorting algorithms	Any	Math
lure	HTML DOM Parser/Renderer.	Any	
memoize.lua	Generic memoization for Lua.	Any	
profile	A real-time profiler for finding bottlenecks in your game	Any	Debug
rstar	R*Tree implementation in Lua	Any	Data structure
sstrict.lua	Parses and detects mistakes in your Lua source code	Any	Debug
stateful.lua	Stateful Object Orientation for middleclass.	Any	State
strong	A library that provides many enhancements to strings.	Any	string
tile-collider	Module for resolving tile collisions (+slopes)	Any	Physics
tiny-ecs	Entity Component System for lua.	Any	Framework
tween	Small sets of functions for performing tweening in Lua	Any	Animation
tween.lua	Simple tweening lib for Lua.	Any	Animation
lua-https	A simple Lua HTTPS module using native platform backends where applicable.	12.0	Networking
Wasx	A very versatile input manager for LÖVE	11.x	Input
LOVELi	Retained mode layout and GUI library with StackLayout, AbsoluteLayout, Grid, Label, Button, Image, CheckBox, RadioButton, Switch, ProgressBar, Slider, TextBox and Border	11.5	Graphical User Interface
likeliHUD	A simple UI library with a QML-like declarative approach.	11.5	Graphical User Interface

subclass	A simple OOP library for Lua.	11.5	Class
layouter	Simple UI grid layout library.	11.4+	Graphical User Interface
cimgui-love	LÖVE module for Dear ImGui, obtained by wrapping cimgui with LuaJIT FFI.	11.4	Graphical User Interface
love.maker	A library that can minify, compile and compress your LÖVE2D project folder	11.3+	Distribution
TÖVE	Animated vector graphics and SVG rendering	11.2	SVG
breezefield	minimal love.physics wrapper	11.2	Physics
NoHighDPI	Disable High DPI scaling on Android devices. (useless since LÖVE 11.3)	11.1	Resolution
Live2LOVE	LÖVE library to show Live2D Cubism 2 models	11.0	Animation
Shädows	A dynamic shadows & lights library for löve	11.0	Lighting
lovesize	Library that makes it possible to work with a fixed game resolution, while scaling the screen and clipping objects outside of it, making a letterbox effect.	11.0	Resolution
FPSGraph	A simple lightweight graphing utility for LOVE	0.9.x	
Thranduil	UI module for LÖVE **sources, website : 404**	0.9.x	Graphical User Interface
Zoetrope	A starter kit for LÖVE, including sprites, collisions, maps, and debugging.	0.9.x	Framework
anim8	Animation Library for LÖVE.	0.9.x	Animation
sfxr.lua	Generate your sounds dynamically, at runtime	0.9.x	Sound
utf8	Provides basic support for manipulating UTF-8 strings.	0.9.2	string
utf8 (简体中文)	提供对 UTF-8 字符串操作的基本支持。	0.9.2	string
CameraMgr	A highly dynamic and robust camera library in around 200 lines of code.	0.9.1+	
StackingSceneMgr	A simple scene manager, scenes are lua files.	0.9.1+	
TransitionMgr	A simple transition manager, transitions are just lua files.	0.9.1+	
LuaPill	LuaPill (short for "Practical Isometric Layering Library for Lua") is an engine for generating isometric maps for Löve2D and Lua.	0.9.1	
Löve Bone	A robust object-oriented 2D Skeletal Animation framework for LÖVE.	0.9.1	Animation
Monocle	Debugging & Expression watching for Love2D	0.9.1	

lua-enet	Multiplayer networking module for games.	0.9.0	Networking
lua-enet (简体中文)	用于多人游戏的网络模块。	0.9.0	Networking
Quickie	Simple(r), but powerful GUI. **(renamed to SUIT)**	0.8.x	Graphical User Interface
Substitute541/Love3D	This allows you to simulate real 3D in a 2D engine. No Raycasting!	0.8.x	
fakecanvas	[WIP] Convenient canvas emulation for unsupported hardware	0.8.x	
Lope2D	A wrap over Love2D physics engine API. It makes dealing with the physics API easier and faster. It also has water pools simulation.	0.8.0+	Physics
newton	Export and load Box2D bodies made in PhysicsEditor	0.8.0+	Physics
Common Organization of Controls Kit	Comprehensive input handling library	0.8.0	Input
Jupiter	Table serialisation and file I/O.	0.8.0	Serializing
Lovely Tiles	Suite of tools for loading/rendering tilemaps	0.8.0	
LövelyMoon	Easily handle gamestates with this library!	0.8.0	State
text.lua	Pretty print texts	0.8.0	
babel	A simple library for internationalisation.	0.8	string
Goo	GUI library for Love	0.7.x	Graphical User Interface
LoveUI	GUI library for Love	0.7.x	Graphical User Interface
32 lines of goodness	32 lines of goodness is a small OO library that uses a domain specific language to make a neat syntax so OO is easy.	0.7.2	Class
LoveAStar	A* search, written in Lua, for use in LOVE.	0.7.2	AI
TLpath	Add A* pathfinding to games	0.7.1	AI
SLAM	A friendly sound manager.	0.7.0+	Sound
Message in a Bottle	A message library for LOVE.	0.7.0	Graphical User Interface
TEsound	A sound manager that makes it easy to use sound and music	0.7.0	Sound
TEsound (Español)	Un administrador de sonido que hace más fácil usar sonido y música	0.7.0	Sound

TLbind	A simple system for creating professional control schemes	0.7.0	Input
Pölygamy	Game State, Keyboard and Timer helpers	0.6.x	Framework
Swingers	A gesture library for LÖVE	0.6.x	
RotLove	The Roguelike Toolkit for Love2D. Based on rot.js and libtcod.	0.6.2+	Framework
Adult Lib	Run LÖVE 0.5.0 code with LÖVE 0.6.x.	0.6.2	Compatibility
socket	Module for HTTP, TCP, and UDP networking.	0.5.0	Networking
socket (简体中文)	HTTP、TCP和UDP网络模块。	0.5.0	Networking
Gspöt	GUI library for Love	0.11.x	Graphical User Interface
LUIGI	Lovely User Interfaces for Game Inventors	0.11.x	Graphical User Interface
Löve Frames	An advanced GUI library for LÖVE	0.11.x	Graphical User Interface
Talkies.lua	A messagebox system with multiple-choices, typing effect + sounds and more.	0.11.x	Graphical User Interface
Lovely Tactics Hex	Framework for creation of tactical RPGs.	0.11.4+	
love-nuklear	Lightweight immediate mode GUI for LÖVE games	0.11.2	Graphical User Interface
Easy GUI System	EGS is a simple GUI system with events and multiple controls, without over-complicating things.	0.10.x	Graphical User Interface
LoverNet	Module designed to make networking easier	0.10.x	Networking
Möan.lua	A messagebox system with multiple-choices and more **(renamed to Talkies)**	0.10.x	Graphical User Interface
SUIT	Simple User Interface Toolkit	0.10.x	Graphical User Interface
Tactile	A flexible and nice input library.	0.10.x	Input
fLUIds	love-imgui API wrap for simplicity	0.10.x	Graphical User Interface
love-imgui	IMGUI module for LOVE	0.10.x	Graphical User Interface
svglover	Load and display simple SVGs.	0.10.x	SVG
InputField	Text input handling library for LÖVE	0.10.2+	Input
ListBox	A dynamic ListBox for LÖVE 2D. Supports touches, mouses and keyboards	0.10.2	Graphical User Interface

LoveFS	LÖVE FileSystem Access	0.10.2	Filesystem
LÖVE PhysicsEditor Loader	PhysicsEditor Objects Models Loader	0.10.2	Physics
ONET	A Object Oriented Networking Library	0.10.2	Networking
Pseudo3D	Pseudo 3D figures for the löve framework **website: 404**	0.10.2	3D
TLfres	Lets games run at any resolution, easily and without stretching	0.10.2	Resolution
ziplib	A zipping library for löve	0.10.2	Compression
Lynput	Lynput is a library that makes input handling very easy and intuitive	0.10.0+	Input
vudu	Extensive in-engine debug interface with a console, variable browser, and more	0.10.0+	Debug
CTRL	General Input Library	0.10.0	Input
Lily	LÖVE Async Loading Library	0.10.0	Threaded Resource Loading
yaoui	UI Kit for LÖVE **(no longer maintained)**	0.10.0	Graphical User Interface
MiniFS	Minimal but powerful filesystem module.	0.10	Filesystem

Category:Licences

Category:Licences · revision 17230 · last edited 2021-03-14

Pages relating to License as a whole.

License

- BSD License
- BSD License (日本語)
- GNU General Public License
- GNU General Public License (日本語)
- LPC License

Category:Lua

Category:Lua · revision 22357 · last edited 2025-10-01

These pages are about types and functions that are part of the PUC-Rio Lua standard implementation (http://lua.org/).

LuaC	
LuaC (日本語)	
Serialization (日本語)	
any	
boolean	
boolean (Deutsch)	
boolean (Español)	
boolean (Italiano)	
boolean (Português)	
boolean (Русский)	
boolean (Українська)	
boolean (日本語)	
boolean (简体中文)	
boolean (한국어)	
flat table	
flat table (日本語)	
function	
function (Deutsch)	
function (Português)	
function (Русский)	
function (Українська)	
function (日本語)	
function (한국어)	
light userdata (日本語)	
local (日本語)	
nil	
nil (Deutsch)	
nil (Italiano)	
nil (Português)	
nil (日本語)	
nil (简体中文)	

nil (한국어)	
number	
number (Deutsch)	
number (Español)	
number (Italiano)	
number (Polski)	
number (Português)	
number (Tiếng Việt)	
number (Русский)	
number (Українська)	
number (日本語)	
number (简体中文)	
number (한국어)	
sequence	
sequence (Deutsch)	
sequence (日本語)	
sequence (简体中文)	
string	
string (Deutsch)	
string (Italiano)	
string (Polski)	
string (Português)	
string (Русский)	
string (Русскй)	
string (Українська)	
string (日本語)	
string (简体中文)	
string (한국어)	
table	
table (Deutsch)	
table (Italiano)	

table (Português)	
table (Русский)	
table (日本語)	
table (简体中文)	
table (한국어)	

Category:LÖVE

Category:LÖVE · revision 2875 · last edited 2025-05-21

Pages relating to LÖVE as a whole.

Category:Modules

Category:Modules · revision 25775 · last edited 2026-04-06

All Modules

love	The root module which contains all the other modules.
love (Deutsch)	Das „root“-Modul, welches alle anderen Module beinhaltet.
love (Español)	El módulo raíz que contiene todos los demás módulos.
love (Indonesia)	Inti modul yang mengandung modul-modul lainnya.
love (Nederlands)	De module die alle andere modules bevat.
love (Polski)	Główny moduł LOVE, który zawiera wszystkie inne moduły.
love (Português)	Módulo principal que contem todos os outros módulos.
love (Română)	Modulul rădăcină, cel care conține toate celelalte module.
love (Svenska)	Modermodulen som innehåller alla andra moduler.
love (Tiếng Việt)	Module tên "root" chứa tất cả những module khác.
love (Türkçe)	The root module which contains all the other modules.
love (Česky)	The root module which contains all the other modules.
love (Русский)	Корневой модуль, содержащий все остальные модули.
love (Српски)	Glavni modul koji sadrži sve ostale module.
love (Українська)	Кореневий модуль, містить інші модулі.
love (日本語)	その他全てのモジュールを内包するルートモジュールです。
love (简体中文)	包含所有其他模块的根模块。
love (한국어)	LÖVE의 최상위 모듈입니다.
love.audio	Provides of audio interface for playback/recording sound.
love.audio (Deutsch)	Stellt eine Schnittstelle bereit, mit der Töne auf den Lautsprechern der Benutzer abgespielt werden können.
love.audio (Español)	Proporciona una interfaz para crear sonido en los altavoces del usuario.
love.audio (Português)	Provê uma interface para criar sons com os alto-falantes do usuário.
love.audio (Română)	Provides an interface to output sound to the user's speakers.
love.audio (Tiếng Việt)	Cung cấp một giao diện để tạo nên âm thanh phát ra loa của máy.
love.audio (Русский)	Предоставляет интерфейс для работы с аудио-устройствами пользователя.
love.audio (Српски)	Predstavlja interfejs preko kojeg se pravi zvuk kroz korisnikove zvučnike.

love.audio (Українська)	Інтерфейс для роботи з динаміками користувача.
love.audio (日本語)	音声の再生、または録音用のオーディオインタフェースです。
love.audio (简体中文)	提供音频接口，用于播放/录制声音。
love.audio (한국어)	사운드 파일을 재생하거나 정지할 수 있는 함수를 제공합니다.
love.data	Provides functionality for creating and transforming data.
love.data (Deutsch)	Bietet Funktionen zum Erstellen und Transformieren von Daten.
love.data (Русский)	Предоставляет интерфейс для создания и преобразования данных.
love.data (日本語)	データの作成と変換機能を提供します。
love.data (简体中文)	提供创建和转换数据的功能。
love.event	Manages events, like keypresses.
love.event (Deutsch)	Verwaltet Ereignisse wie zum Beispiel das Drücken von Tasten.
love.event (Português)	Gerencia eventos, como por exemplo teclas pressionadas.
love.event (Română)	Manages events, like keypresses.
love.event (Tiếng Việt)	Quản lý các sự kiện, như khi phím được nhấn.
love.event (Česky)	Spravuje události, jako třeba stlačení klávesy.
love.event (Русский)	Управляет событиями, как, например, нажатия клавиш.
love.event (Українська)	Керування подіями, такими як натискання кнопок.
love.event (日本語)	キーの押し下げなどのイベント (事象) を管理します。
love.event (简体中文)	用于管理事件，比如按键操作。
love.event (한국어)	키 눌림과 같은 이벤트를 관리합니다.
love.filesystem	Provides an interface to the user's filesystem.
love.filesystem (Deutsch)	Bietet eine Schnittstelle zum Dateisystem des Benutzers.
love.filesystem (Português)	Provê uma interface para o sistema de arquivos do usuário.
love.filesystem (Română)	Provides an interface to the user's filesystem.
... further results	

Other languages

Dansk – Deutsch – English – Español – Français – Indonesia – Italiano – Lietuviškai – Magyar – Nederlands – Polski – Português – Română – Slovenský – Suomi – Svenska – Türkçe – Česky – Ελληνικά – Български – Русский – Српски – Українська – עברית – ไทย – 日本語 – 正體中文 – 简体中文 – Tiếng Việt – 한국어
More info

Category:Needs Example

Category:Needs Example · revision 22337 · last edited 2024-06-15

This is a category with pages which require examples to be written or tested. The rest of the documentation for these pages should be complete.

love.physics.newCircleShape (Français)	Crée une nouvelle CircleShape (forme circulaire).
love.physics.newCircleShape (日本語)	CircleShape の新規作成。

Category:Projects

Category:Projects · revision 22338 · last edited 2022-10-16

Category:Removed

Category:Removed · revision 19078 · last edited 2021-03-14

These are the pages which are due to be deleted.

If a page is superfluous or unneeded on the wiki, then please add **[[Category:Removed]]** to it after blanking, so this page can track them.

Note that it only seems to work with pages in the main Namespace.

All Candidates

Title	LOVE Version	Description
Ryomaechizen		
Virtualization Solutions Provider		
main.lua		

Category:Snippets

Category:Snippets · revision 19050 · last edited 2026-09-19

This list is automatically generated, and you can not add snippets here directly. If you want your snippets to appear here, see Guidelines.

This page is cached, which means that your newly added library won't appear here unless the page is

refreshed (http://love2d.org/wiki/Category:Snippets?action=purge).

All Snippets

Name	Description	LOVE Version
BoundingBox.lua	Collision checking function based on axis-aligned bounding boxes.	any
Check	This function checks if it's arguments are of the right types and calls the error-function if one isn't.	any
Clamping	This function clamps a value to a certain range.	any
Comparing LÖVE Versions	Compare current LOVE version used	any
Debug	Lua debug interface through the console.	any
DistanceBasedCollision	Another way of detecting collisions. This type works perfectly with circles.	any
FactoryFunctions	The functions to create functions	any
FractalNoise	Generates 1, 2, 3 or 4 dimensional fractal noise	>0.9.0
General math	A collection of mathematical functions which can be useful in game programming.	>0.9.0
General math (Español)	A collection of mathematical functions which can be useful in game programming.	>0.9.0
Gradients	Draws fast gradients using images and interpolation	any
HSL color	An alternate colorspace, allowing for aesthetically-pleasing color transformations.	any
HSV color	An alternate colorspace, allowing for aesthetically-pleasing color transformations.	any
In-Memory Audio Streaming	In-memory Source "stream". Stores the encoded audio data and decodes it from RAM.	0.10.0
LineStippleSnippet	A substitute for the setLineStipple function removed in 0.8.0.	any
Minimalist Sound Manager	Code that manages your audio Source objects for you.	any
Minimalist Sound Manager (Español)	Código que administra tus objetos Source para el audio.	any
Minimalist Sound Manager (简体中文)	为你管理音频资源对象的代码。	any
NoiseWrapper	A noise wrapper to LÖVE's noise functions	>0.9.0
Objects	The base code for objects	any
PointInConcavePolygon	A function returning true if the given point is inside the given polygon.	any

PointInConvexPolygon	A function returning true if the given point is inside the given convex polygon.	any
PointWithinShape	A set of functions for testing if a point lies within an area.	any
Polygon splitting	Split convex polygons!	any
Shear	Shear/skew graphics!	<0.8.0
Skip list	Implementation of a skip-list data structure.	any
Skip list:Drawing Order	Usage example of the skip list data structure.	any
SoundManager	A simple sound manager with support for playing both sound effects and music playlists.	any
String exploding	Add the ability to explode strings. (return them as a table along defined divider substrings)	any
String extensions	Adds additional functions to the string metatable.	any
TextInputField	Full featured minimal text input field.	any
TexturedPolygon	A function to create an Image from a polygon textured by a texture.	any
TileMerging	Generate rectangles that cover tiles of a certain type on a tile map.	any
TiledMapLoader	Obsolete loader for Tiled (mapeditor) map files.	?
Vectors	Vector operator overloading	any
arcLine	It makes arc line without center lines	any
coroutine.resume	Fix for hidden coroutine error messages.	any
fadeColor	Smooth color transitions suitable to fading effects.	any
findProjectileTrajectory	Finds a projectile's position at a certain time	any
findRotation	Takes two points and returns the direction from point A to point B.	any
nearest	Nearest geometry	any
polypoint	Function determines whether a point lies inside a polygon using the Jordan Curve Theorem.	any
psi2love	C++ program taking a HGE psi file and converting it to Lua source code to create an equivalent particle system in LÖVE.	any
uLove Compliance conf.lua	Obsolete conf.lua spec for uLove compliance.	0.6.x

Category:Software

Category:Software · revision 9173 · last edited 2026-09-07


This list is automatically generated, and you can not add tools here manually. If you want your tool to appear here, see Guidelines.

This page is cached, which means that your newly added tool won't appear here unless the page is refreshed (http://love2d.org/wiki/Category:Software?action=purge).


All Tools



7-Zip
Author
LicenseLGPL
TypeArchival, Compression
StatusActive Maintainance
Open-source File compression and archival program



Atom
Author
License
TypeEditor
StatusDiscontinued
Source Code Editor



Blender
AuthorBlender Foundation
LicenseGNU General Public License
Type3D Suite
StatusActive Development
Opensource 3D modeling and rendering suite

[[|161x100px|link=DRAKON_Editor]]

DRAKON Editor
Author
LicensePublic Domain
TypeCode Editor, Visual language
StatusActive Maintainance
Visual language with supported lua code generation.



FontForge
AuthorGeorge Williams
LicenseBSD License
TypeFont Editing
StatusActive Maintainance
Open-source font editor




GIMP
AuthorThe GIMP Team
LicenseOpensource
TypeRaster Editor
StatusComplete
Digital Art Program

[[|161x100px|link=Geany]]

Geany
Author
License
TypeEditor
Status
Source Code Editor

[[|161x100px|link=Git]]


Git
AuthorLinus Torvalds
LicenseGNU General Public License
TypeRevision Control
StatusComplete
A Revision Control system.



GraphicsGale
AuthorHUMAN BALANCE Co.,Ltd.
LicenseShareware
TypePixel Editor
StatusComplete
Pixel Editor and Animation Tool



LoveToAll
AuthorLuiz Renato
LicenseFree
TypeConvert
StatusWorking
Convert Love to APK or EXE (Single EXE With all dlls embeded) in several ways possible



Mappy
Author
LicenseShareware
TypeMap Editor
StatusMaintainance
Tile Map Editor

[[|161x100px|link=Mercurial (hg)]]

Mercurial
AuthorMatt Mackall
LicenseGNU General Public License
TypeRevision Control
StatusComplete
A Revision Control system.



MyPaint
Authorhttp://mypaint.intilinux.com/
LicenseShareware
TypeRaster Editor
StatusActive Development
Digital Sketching Program

[[|161x100px|link=NULLSoft Scriptable Installer System (NSIS)]]

NULLSoft Scriptable Installer System (NSIS)
AuthorNULLSoft
LicenseMixed Licenced, CPLv1, zLib, bZip2
TypeInstaller / Distribution
StatusMaintained
Scriptable Installer toolkit.

Notepad++.png

Notepad++
AuthorDon HO
LicenseGNU General Public License
TypeEditor
StatusComplete
Source Code Editor

OpenCanvas.jpg

OpenCanvas
AuthorPortalgraphics
LicenseShareware, Freeware
TypeImage Editing, Paintchat
StatusArchived
Sketching and Paintchat program

pycharm 4 result.png

PyCharm
AuthorJetBrains
License
TypeEditor
Status
Source Code Editor

Scite.png

SciTE
Authorscite
LicenseHistorical Permission Notice and Disclaimer
TypeEditor
StatusComplete
Source Code Editor

[[|161x100px|link=SourceTree]]


SourceTree
AuthorAtlassian
License
TypeRevision Control
StatusComplete
A graphical frontend for Mercurial and Git



Sublime Text
AuthorJon Skinner, Sublime HQ
LicenseShareware
TypeEditor
StatusActive maintenance
Source Code Editor



Tile Studio
AuthorMike Wiering
LicenseGNU General Public License
TypePixel Editor, Map Editor
StatusMaintainance
Any



Tiled
AuthorThorbjørn Lindeijer
LicenseGNU General Public License
TypeMap Editor
StatusActive Maintainance
a general purpose tile map editor.

Category:Templates

Category:Templates · revision 22339 · last edited 2026-04-06

Templates we use on the LÖVE wiki.

Category:Templates documentation

Category:Templates documentation · revision 22156 · last edited 2022-05-26

Documentation of templates.

Category:Tips

Category:Tips · revision 22341 · last edited 2021-03-14

Optimising	
Optimising (日本語)	Lua コードの最適化に関する小技。


Category:Tools

Category:Tools · revision 2372 · last edited 2025-10-07

This list is automatically generated, and you can not add tools here manually. If you want your tool to appear here, see Guidelines.

This page is cached, which means that your newly added tool won't appear here unless the page is refreshed (http://love2d.org/wiki/Category:Tools?action=purge).

All Tools



AutoBenchmark (0.6.x, File:AutoBenchmark-Image.png…
Schme16 - A simple Automated Benchmarking Tool

Category:Translators

Category:Translators · revision 24844 · last edited 2022-06-08

These people make **LÖVE** wiki translations. It is an art, one of the key channels for information, as well as being a bridge between nations for contact and interaction in the fields of culture and technological development.

Translators

- Dmy
- Jaska
- Papaew
- Younyokel

Category:Types

Category:Types · revision 24742 · last edited 2026-05-07

All Types

BezierCurve	A Bézier curve object that can evaluate and render Bézier curves of arbitrary degree.
BezierCurve (Русский)	Объект кривая Безье, который может определять количество и создавать кривые Безье произвольной степени.
BezierCurve (Українська)	Об'єкт «крива Безьє» (Bézier curve) може обчислювати та відображати криві Безьє будь-якого степеню.
BezierCurve (日本語)	ベジェ曲線オブジェクトは任意の次数でベジェ曲線の評価および表示を行います。
BezierCurve (한국어)	베지에 곡선입니다.
Body	Bodies are objects with velocity and position.
Body (Deutsch)	Körper sind Objekte mit einer Geschwindigkeit und Position.
Body (Español)	Los Bodies son objetos con velocidad y una posición.
Body (Português)	Corpos são objetos com velocidade e posição.
Body (Română)	Corpurile sunt obiecte cu viteză și poziție.
Body (Tiếng Việt)	Vật thể là những đối tượng có vận tốc và vị trí.
Body (Česky)	Těleso je objekt s rychlostí, pozicí, hmotností a setrvačností.
Body (Русский)	Тело объекта со скоростью и положением.
Body (日本語)	物体は速度と位置を持つオブジェクトです。
ByteData	Data object containing arbitrary bytes in an contiguous memory.
ByteData (Русский)	Data объект содержащий произвольные байты в общей памяти.
ByteData (Українська)	Об'єкт даних, який містить довільні байти в нерозривній ділянці пам'яті.
ByteData (日本語)	連続したメモリ領域において任意長のバイト数で構成される Data オブジェクトです。
ByteData (简体中文)	在连续内存中包含任意字节的数据对象。
Canvas	Off-screen render target.
Canvas (Deutsch)	Ein Framebuffer der zum "Off-Screen-Rendering" verwendet wird.
Canvas (Tiếng Việt)	Vùng để vẽ gián tiếp khỏi màn hình.
Canvas (Русский)	Off-screen render target.
Canvas (日本語)	作業用の裏画面(バッファ)へオブジェクトを描画します。
Canvas (简体中文)	屏幕外渲染目标（Off-screen render target）。

ChainShape	A ChainShape consists of multiple line segments.
ChainShape (日本語)	ChainShape は複数の線分から構成されています。
Channel	An object which can be used to send and receive data between different threads.
Channel (Deutsch)	Ein Objekt welches dazu genutzt werden kann, Daten zwischen verschiedenen Threads auszutauschen.
Channel (Português)	Um objeto que pose ser usado para enviar e receber dados entre diferentes threads.
Channel (Русский)	Объект, который используется для передачи сообщений от потока к потоку.
Channel (日本語)	このオブジェクトは別のスレッド間でデータの送信および受信に使用できます。
Channel (简体中文)	一种可用于在不同线程之间发送和接收数据的对象。
Channel (한국어)	서로 다른 스레드 사이에 데이터를 주고받는 데 사용되는 객체입니다.
CircleShape	Circle extends Shape and adds a radius and a local position.
CircleShape (Português)	Círculo estende Forma e adiciona um raio e a posição local.
CircleShape (Tiếng Việt)	Đối tượng Hình tròn (Circle) mở rộng từ đối tượng Hình (Shape) và bổ sung thêm bán kính và vị trí địa phương.
CircleShape (Česky)	Kruh (CircleShape) je odvozen od Shape a přidává poloměr a pozici.
CircleShape (Русский)	Форма в виде окружности.
CircleShape (日本語)	円形は形状を拡張して半径および局所座標を追加します。
ClientObject	A client object.
ClientObject (日本語)	Client (クライアント) オブジェクト。
CompressedData	Byte data compressed using a specific algorithm.
CompressedData (Deutsch)	Stellt Bytedaten dar, die mit einem bestimmten Algorithmus komprimiert wurden.
CompressedData (Українська)	Байтові дані, стиснені певним алгоритмом.
CompressedData (日本語)	特定のアルゴリズムを使用して圧縮されたバイトデータを表します。
CompressedData (简体中文)	使用特定算法压缩的字节数据。
CompressedImageData	Compressed image data designed to stay compressed in RAM and on the GPU.
CompressedImageData (Deutsch)	Komprimierte Bilddaten, die so konzipiert sind, dass sie im RAM und auf der GPU komprimiert bleiben.
CompressedImageData (Русский)	Compressed image data designed to stay compressed in RAM and on the GPU.
... further results	

Other Languages

Dansk – Deutsch – English – Español – Français – Indonesia – Italiano – Lietuviškai – Magyar – Nederlands –

Polski – Português – Română – Slovenský – Suomi – Svenska – Türkçe – Česky – Ελληνικά – Български – Русский – Српски – Українська – עברית – ไทย – 日本語 – 正體中文 – 简体中文 – Tiếng Việt – 한국어
More info

Category:Utility templates

Category:Utility templates · revision 9618 · last edited 2026-04-09

Category:Versions

Category:Versions · revision 16003 · last edited 2025-01-14

Click on a version number to view the complete changelog of that version.

Version	Codename	Status
12.0	Bestest Friend	In development
11.5	Mysterious Mysteries	Released: 2023-12-03
11.4	Mysterious Mysteries	Released: 2022-01-02
11.3	Mysterious Mysteries	Released: 2019-10-27
11.2	Mysterious Mysteries	Released: 2018-11-25
11.1	Mysterious Mysteries	Released: 2018-04-15
11.0	Mysterious Mysteries	Released: 2018-04-01
0.10.2	Super Toast	Released: 2016-10-31
0.10.1	Super Toast	Released: 2016-02-14
0.10.0	Super Toast	Released: 2015-12-22
0.9.2	Baby Inspector	Released: 2015-02-14
0.9.1	Baby Inspector	Released: 2014-04-01
0.9.0	Baby Inspector	Released: 2013-12-13
0.8.0	Rubber Piggy	Released: 2012-04-02
0.7.2	Game Slave	Released: 2011-05-04
0.7.1	Game Slave	Released: 2011-02-14
0.7.0	Game Slave	Released: 2010-12-05
0.6.2	Jiggly Juice	Released: 2010-03-06
0.6.1	Jiggly Juice	Released: 2010-02-07
0.6.0	Jiggly Juice	Released: 2009-12-24
0.5.0	Salted Nuts	Released: 2009-01-02
0.4.0	Taco Beam	Released: 2008-08-29
0.3.2	Lemony Fresh	Released: 2008-07-04
0.3.1	Space Meat	Released: 2008-06-21
0.3.0	Mutant Vermin	Released: 2008-06-17
0.2.1	Impending Doom	Released: 2008-03-29
0.2.0	Mini-Moose	Released: 2008-02-06

0.1.1 (Initial Release)	Santa-Power	Released: 2008-01-13

Other Languages

Dansk – Deutsch – English – Español – Français – Indonesia – Italiano – Lietuviškai – Magyar – Nederlands – Polski – Português – Română – Slovenský – Suomi – Svenska – Türkçe – Česky – Ελληνικά – Български – Русский – Српски – Українська – עברית – ไทย – 日本語 – 正體中文 – 简体中文 – Tiếng Việt – 한국어
More info