

SR NO	test case id	test scenario	precondition	test case	test step	Exepected result	Actual result	Status Pass/Fail
1	T_01	Timer starts when the user initiates a Pomodoro session.	1.The Otto Pomodoro Timer is installed and launched. 2.The user is on the Pomodoro Timer	Verify timer starts when initiating a Pomodoro session	Click on the "Start Pomodoro" button.	The timer starts counting down from the configured duration.	The timer is running, indicating that the Pomodoro session is in progress.	pass
2	T_02	Configuring Pomodoro Settings	The application is launched and accessible.	Configuring Pomodoro Settings	Navigate to the settings section of the application. 1.Navigate to the settings section of the application.2.Enable the website blocking feature and specify the list of websites to be blocked.	The Pomodoro settings are successfully configured without errors.	The Pomodoro settings are configured as expected, with no errors encountered	pass
3	T_03	Enabling Website Blocking	The application is launched and accessible.	Enabling Website Blocking		Website blocking is successfully enabled, and the specified websites are blocked during Pomodoro sessions.	Website blocking is enabled as expected, and the specified websites are inaccessible during Pomodoro sessions.	Pass
4	T_04	Starting a Pomodoro Session	Pomodoro settings are configured, and website blocking is enabled.	Starting a Pomodoro Session	Start a new Pomodoro session.	The Pomodoro timer starts counting down from the configured work duration, and website access is restricted according to the blocking settings.	The Pomodoro timer starts correctly, and access to blocked websites is restricted during the session.	pass
5	T_05	Pausing and Resuming a Pomodoro Session	A Pomodoro session is in progress.	Pausing and Resuming a Pomodoro Session	Pause the Pomodoro timer.	The Pomodoro timer pauses, and the session is temporarily halted.	The Pomodoro timer pauses successfully, and the session is paused.	pass