

Project Schema Summary

Automatically generated schema overview for Django models.

App: accounts

Model: PasswordResetRequest

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\accounts\models.py

Description: Password reset request — generated by super admin, approved after user sets new password.

| Field | Type | Args | Kwargs |

---|---|---|---

| user | ForeignKey | | on_delete=, related_name=password_reset_requests |

| token | CharField | | max_length=64, unique=True |

| status | CharField | | max_length=20, choices=, default=pending_user |

| created_by | ForeignKey | | on_delete=, null=True, related_name=sent_reset_requests |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

Model: PermissionChangeLog

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\accounts\models.py

Description: Audit trail for grant toggles (security-sensitive).

| Field | Type | Args | Kwargs |

---|---|---|---

| actor | ForeignKey | | on_delete=, null=True, related_name=+ |

| role | ForeignKey | | on_delete=, related_name=+ |

| codename | CharField | | max_length=64 |

| allowed | BooleanField | | |

| created_at | DateTimeField | | auto_now_add=True |

Model: Role

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\accounts\models.py

Description: User roles for access control

| Field | Type | Args | Kwargs |

---|---|---|---

| name | CharField | | max_length=20, choices=, unique=True |

| description | CharField | | max_length=255, blank=True |

| created_at | DateTimeField | | auto_now_add=True |

Model: RolePermission

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\accounts\models.py

Description: Per-role on/off grant for a capability codename (see accounts.permissions).

| Field | Type | Args | Kwargs |

---|---|---|---

| role | ForeignKey | | on_delete=, related_name=permissions |

codename	CharField		max_length=64
allowed	BooleanField		default=False
updated_at	DateTimeField		auto_now=True

App: attendance

Model: AttendanceDay

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\attendance\models.py

Description: Derived per-employee-per-day presence, aggregated from counted heartbeats. This is what the reporting/dashboard reads.

| Field | Type | Args | Kwargs |

---|---|---|---

| employee | ForeignKey | hr.Employee | on_delete=, related_name=attendance_days |

| date | DateField | | |

| first_seen | DateTimeField | | null=True, blank=True |

| last_seen | DateTimeField | | null=True, blank=True |

| active_minutes | PositiveIntegerField | | default=0, help_text=Distinct minutes with a counted heartbeat (idle excluded). |

| is_present | BooleanField | | default=False |

| updated_at | DateTimeField | | auto_now=True |

Model: Heartbeat

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\attendance\models.py

Description: A single ping from an agent — one row per machine per minute, so this table grows fast; prune it with `manage.py prune\_heartbeats`.

| Field | Type | Args | Kwargs |

---|---|---|---

| device | ForeignKey | | on_delete=, related_name=heartbeats |

| bssid | CharField | | max_length=17, blank=True |

| idle_seconds | PositiveIntegerField | | default=0 |

| counted | BooleanField | | default=False, help_text=Passed all checks and rolled into the day. |

| reason | CharField | | max_length=40, blank=True, help_text=Why it did not count: off_network / idle / off_hours. |

| hostname | CharField | | max_length=120, blank=True |

| created_at | DateTimeField | | auto_now_add=True, db_index=True |

Model: OfficeNetwork

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\attendance\models.py

Description: A registered office access point. A heartbeat only counts when the laptop is connected to one of these BSSIDs — so being on a phone hotspot or a café network never registers as office attendance.

| Field | Type | Args | Kwargs |

---|---|---|---

| bssid | CharField | | max_length=17, unique=True, help_text=Access-point MAC (BSSID), lowercase — e.g. a1:b2:c3:d4:e5:f6. Read one per AP with: netsh wlan show interfaces. |

label	CharField		max_length=100, blank=True, help_text=e.g. "HO 2nd floor AP"
is_active	BooleanField		default=True
created_at	DateTimeField		auto_now_add=True

Model: *RegisteredDevice*

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\attendance\models.py

Description: An employee laptop running the attendance agent. Authenticates to the check-in endpoint by its unique token (revoke by unticking is_active).

| Field | Type | Args | Kwargs |

---|---|---|---

| employee | ForeignKey | hr.Employee | on_delete=, related_name=attendance_devices |

| asset | ForeignKey | hr.Asset | on_delete=, null=True, blank=True, related_name=+, help_text=The employee's laptop from the HR asset register. |

| serial_number | CharField | | max_length=255, blank=True, help_text=Auto-filled from the selected asset. |

| label | CharField | | max_length=120, blank=True, help_text=e.g. hostname or asset tag |

| token | CharField | | max_length=64, unique=True, default=, editable=False |

| is_active | BooleanField | | default=True |

| first_seen_at | DateTimeField | | null=True, blank=True, help_text=First successful office check-in — the day auto-attendance activated for this device. |

| last_seen_at | DateTimeField | | null=True, blank=True |

| created_at | DateTimeField | | auto_now_add=True |

App: company

Model: *CompanyDocument*

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\company\models.py

Description: Company-wide important documents: certifications, registrations, licenses, ISO certificates, legal/financial documents, etc.

| Field | Type | Args | Kwargs |

---|---|---|---

| title | CharField | | max_length=255 |

| document_type | CharField | | max_length=30, choices=, default=other |

| custom_type | CharField | | max_length=100, blank=True, help_text=Label used when the type is 'Other'. |

| file | FileField | | upload_to=company_documents/%Y/%m/ |

| issuing_authority | CharField | | max_length=255, blank=True |

| reference_number | CharField | | max_length=100, blank=True, help_text=Certificate / registration / license number. |

| issue_date | DateField | | null=True, blank=True |

| expiry_date | DateField | | null=True, blank=True |

| notes | TextField | | blank=True |

| uploaded_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=uploaded_company_docs |

| uploaded_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

App: contacts

Model: ContactDatabase

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\contacts\models.py

Description: Centralized Contact Database for all technology categories.

Stores leads and contacts from CCTV, Radios, ACS, IoT, IIoT, Servers,
Network & Security, Firewall, Cyber Security, Windows, OT categories.

| Field | Type | Args | Kwargs |

---|---|---|---

category	CharField		max_length=30, choices=, verbose_name=System Category
notice_identifier	CharField		max_length=255, blank=True, verbose_name=Notice Identifier
notice_type	CharField		max_length=30, choices=, default=contract, verbose_name=Notice Type
serial_number	IntegerField		null=True, blank=True, verbose_name=SR#
status	CharField		max_length=30, choices=, default=unknown, verbose_name=Status
published_date	DateField		null=True, blank=True, verbose_name=Published Date
organisation_name	CharField		max_length=255, verbose_name=Organisation Name
title	CharField		max_length=500, blank=True, verbose_name=Title/Project
description	TextField		blank=True, verbose_name=Description
nationwide	BooleanField		default=False, verbose_name=Nationwide
postcode	CharField		max_length=20, blank=True, verbose_name=Postcode
region	CharField		max_length=255, blank=True, verbose_name=Region
contact_name	CharField		max_length=255, blank=True, verbose_name=Contact Name
contact_email	EmailField		blank=True, verbose_name=Contact Email
contact_address	TextField		blank=True, verbose_name=Contact Address
contact_telephone	CharField		max_length=100, blank=True, verbose_name=Contact Telephone
contact_website	URLField		max_length=500, blank=True, verbose_name=Contact Website
cpv_codes	CharField		max_length=255, blank=True, verbose_name=CPV Codes
last_contact	DateField		null=True, blank=True, verbose_name=Last Contact
comments	TextField		blank=True, verbose_name=Comments
source_report	ForeignKey	reports.SalesCallReport	on_delete=, null=True, blank=True,
related_name=synced_contacts, verbose_name=Source Sales Call			
created_by	ForeignKey		on_delete=, null=True, blank=True, related_name=created_contacts
created_at	DateTimeField		auto_now_add=True
updated_at	DateTimeField		auto_now=True

App: costing

Model: ClientRemarkPair

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\costing\models.py

Description: One row in a ClientRemarkTemplate: a client remark + Leap's answer,
with independently-colored text in each cell.

| Field | Type | Args | Kwargs |

---|---|---|---

template	ForeignKey		on_delete=, related_name=pairs
remark	TextField		
answer	TextField		blank=True
remark_color	CharField		max_length=7, default=#000000
answer_color	CharField		max_length=7, default=#000000

| order | PositiveIntegerField | | default=0 |

Model: ClientRemarkTemplate

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\costing\models.py

Description: Named bundle of Q&A; pairs for the 'Client Remarks & Leap's Answers' PDF section. Each bundle holds many ClientRemarkPair rows that the user can edit as a table (paste-from-Excel friendly). Sheets attach one or more bundles via CostingSheet.selected_client_remarks (M2M).

| Field | Type | Args | Kwargs |

---|---|---|---

| name | CharField | | max_length=255 |

| created_by | ForeignKey | | on_delete=, null=True, related_name=client_remark_templates |

| created_at | DateTimeField | | auto_now_add=True |

Model: CostingLineItem

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\costing\models.py

| Field | Type | Args | Kwargs |

---|---|---|---

| section | ForeignKey | | on_delete=, related_name=line_items |

| item_number | CharField | | max_length=20 |

| description | CharField | | max_length=500 |

| make | CharField | | max_length=100, blank=True |

| model_number | CharField | | max_length=100, blank=True |

| quantity | DecimalField | | max_digits=10, decimal_places=2, default=1 |

| unit | CharField | | max_length=20, choices=, default=EA |

| vendor_name | CharField | | max_length=255, blank=True |

| system | CharField | | max_length=100, blank=True |

| supplier_currency | CharField | | max_length=10, default=SAR |

| base_unit_cost | DecimalField | | max_digits=15, decimal_places=2, default=0, help_text=Raw cost from supplier |

| discount_pct | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=Discount %. If blank, uses sheet rate. |

| shipping_pct | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=Shipping %. If blank, uses sheet rate. |

| customs_pct | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=Customs %. If blank, uses sheet rate. |

| finances_pct | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=Finances %. If blank, uses sheet rate. |

| installation_pct | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=Installation %. If blank, uses sheet rate. |

| margin | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=Item-specific margin. If blank, uses sheet margin. |

| order | IntegerField | | default=0 |

| budgeted_cost | DecimalField | | max_digits=15, decimal_places=2, null=True, blank=True |

| budget_margin | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True |

| budget_discount | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True |

| budget_price | DecimalField | | max_digits=15, decimal_places=2, null=True, blank=True |

| budget_remarks | TextField | | blank=True |

| MIN_MARGIN_DECIMAL | Decimal | 0 | |
| MAX_MARGIN_DECIMAL | Decimal | 0.99 | |

Model: CostingSection

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\costing\models.py

| Field | Type | Args | Kwargs |

---|---|---|---

| costing_sheet | ForeignKey | | on_delete=, related_name=sections |

| section_number | CharField | | max_length=20, blank=True |

| title | CharField | | max_length=255 |

| order | IntegerField | | default=0 |

| is_optional | BooleanField | | default=False, help_text=Mark this section as optional. Its subtotal is shown but excluded from the grand total unless the sheet setting is enabled. |

| margin | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=Section margin %. Blank = use sheet margin. |

| discount_rate | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=Section discount %. Blank = use sheet rate. |

| shipping_rate | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=Section shipping %. Blank = use sheet rate. |

| customs_rate | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=Section customs %. Blank = use sheet rate. |

| finances_rate | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=Section finances %. Blank = use sheet rate. |

| installation_rate | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=Section installation %. Blank = use sheet rate. |

Model: CostingSheet

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\costing\models.py

| Field | Type | Args | Kwargs |

---|---|---|---

| project | ForeignKey | projects.Project | on_delete=, null=True, blank=True, related_name=costing_sheets |

| title | CharField | | max_length=255 |

| customer_reference | CharField | | max_length=255, blank=True |

| margin | DecimalField | | max_digits=5, decimal_places=2, default= |

| margin_high | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=M2 — high margin % scenario (finance approval comparison). |

| margin_medium | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=M3 — medium margin % scenario. |

| margin_low | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=M4 — low margin % scenario. |

| margin_final | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True, help_text=M5 — final/approved margin % (the one approved for the PO). |

| budget_margin | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True |

| budget_discount_rate | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True |

| discount_rate | DecimalField | | max_digits=5, decimal_places=2, default= |

| shipping_rate | DecimalField | | max_digits=5, decimal_places=2, default= |

| customs_rate | DecimalField | | max_digits=5, decimal_places=2, default= |

| finances_rate | DecimalField | | max_digits=5, decimal_places=2, default= |

installation_rate	DecimalField		max_digits=5, decimal_places=2, default=
output_currency	CharField		max_length=10, default=SAR
default_supplier_currency	CharField		max_length=10, default=SAR, help_text=The currency the team is entering costs in. New line items default to this currency; use the "Apply to all" action to bulk-update existing items.
customer_name	CharField		max_length=255, blank=True
end_user	CharField		max_length=255, blank=True
contact_person	CharField		max_length=255, blank=True
telephone	CharField		max_length=100, blank=True
fax	CharField		max_length=100, blank=True
additional_contacts	ManyToManyField		blank=True, related_name=additional_contact_costing_sheets
terms_and_conditions	TextField		blank=True
exclusions	TextField		blank=True
payment_terms	TextField		blank=True
conclusion	TextField		blank=True
selected_terms	ManyToManyField	TermsTemplate	blank=True, related_name=costing_sheets
selected_client_remarks	ManyToManyField	ClientRemarkTemplate	blank=True, related_name=costing_sheets
scope_of_work_total	DecimalField		max_digits=15, decimal_places=2, default=, verbose_name=Scope of Work Total, help_text=Total value for A.2 Scope of Work
status	CharField		max_length=10, choices=, default=draft
workflow_stage	CharField		max_length=24, choices=, default=bom_not_started
bom_started_at	DateTimeField		null=True, blank=True, help_text=When the proposal team started building the BOM.
bom_started_by	ForeignKey		on_delete=, null=True, blank=True, related_name=costing_sheets_bom_started
enforce_stage_barriers	BooleanField		default=True, help_text=When set, editing is locked to the team that owns the current workflow stage (KPI mode). Pre-existing sheets are False so they keep the older lenient rules.
handed_over_at	DateTimeField		null=True, blank=True, help_text=When the proposal team marked the BOM ready for sales
handed_over_by	ForeignKey		on_delete=, null=True, blank=True, related_name=costing_sheets_handed_over
handover_note	TextField		blank=True
costing_started_at	DateTimeField		null=True, blank=True, help_text=When the sales team picked it up and started pricing
costing_started_by	ForeignKey		on_delete=, null=True, blank=True, related_name=costing_sheets_costing_started
finalized_at	DateTimeField		null=True, blank=True
finalized_by	ForeignKey		on_delete=, null=True, blank=True, related_name=costing_sheets_finalized
finance_review_at	DateTimeField		null=True, blank=True, help_text=When sales handed the sheet over to finance for budgeting.
finance_review_by	ForeignKey		on_delete=, null=True, blank=True, related_name=costing_sheets_handed_to_finance
finance_approved_at	DateTimeField		null=True, blank=True, help_text=When finance approved the sheet, releasing it for procurement.
finance_approved_by	ForeignKey		on_delete=, null=True, blank=True, related_name=costing_sheets_finance_approved
finance_note	TextField		blank=True, help_text=Notes from the finance team.
include_optional_in_total	BooleanField		default=False, help_text=If checked, optional sections are included in the grand total. Otherwise they are shown but not counted.

```
| created_by | ForeignKey | | on_delete=, null=True, related_name=costing_sheets |
| created_at | DateTimeField | | auto_now_add=True |
| updated_at | DateTimeField | | auto_now=True |
| _SCENARIO_MIN | Decimal | 0 | |
| _SCENARIO_MAX | Decimal | 0.99 | |
```

Model: CostingSheetChangeLog

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\costing\models.py

Description: Audit trail of edits made to a costing sheet — used to keep the proposal team and the sales team in sync when they work on the same sheet concurrently. Each entry records who made the change, what changed (field name), the before/after values, and which team the actor belongs to so the opposite team can be notified automatically.

```
| Field | Type | Args | Kwargs |
|---|---|---|---|
| sheet | ForeignKey | | on_delete=, related_name=change_log |
| actor | ForeignKey | | on_delete=, null=True, blank=True, related_name=costing_changes |
| actor_team | CharField | | max_length=16, choices=, default=other |
| scope | CharField | | max_length=16, choices=, default=sheet |
| scope_label | CharField | | max_length=255, blank=True, help_text=Short human description of the thing changed (e.g. "Section 2.1 — Camera") |
| field | CharField | | max_length=64, blank=True |
| before | TextField | | blank=True |
| after | TextField | | blank=True |
| is_pricing_change | BooleanField | | default=False |
| created_at | DateTimeField | | auto_now_add=True |
```

Model: CostingSheetRevision

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\costing\models.py

Description: A saved export of a costing sheet at a point in time.

Auto-created every time the user exports the sheet as PDF or Excel, so past versions are preserved. Users can preview or delete specific revisions from the detail page. Also captures a state snapshot and an auto-computed diff vs the previous revision.

```
| Field | Type | Args | Kwargs |
|---|---|---|---|
| sheet | ForeignKey | | on_delete=, related_name=pdf_revisions |
| revision_label | CharField | | max_length=16, help_text=Auto-assigned label like R00, R01, R02, ... |
| export_format | CharField | | max_length=10, choices=, default=pdf, help_text=Which export produced this revision |
| file | FileField | | upload_to=costing/revisions/ |
| original_filename | CharField | | max_length=255, blank=True |
| notes | TextField | | blank=True |
| snapshot | JSONField | | null=True, blank=True, help_text=Key sheet state at save time (for change tracking) |
| change_summary | CharField | | max_length=500, blank=True, help_text=Short one-line summary of changes vs previous revision |
| change_details | JSONField | | null=True, blank=True, help_text=Full list of field-level changes vs previous revision |
```


| created_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=costing_pdf_revisions_created |
| created_at | DateTimeField | | auto_now_add=True |

Model: ExchangeRate

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\costing\models.py

| Field | Type | Args | Kwargs |

---|---|---|---

| currency_code | CharField | | max_length=10, unique=True |

| currency_name | CharField | | max_length=50 |

| rate_to_usd | DecimalField | | max_digits=12, decimal_places=6, default=1 |

| updated_at | DateTimeField | | auto_now=True |

Model: ScopeOfWorkItem

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\costing\models.py

Description: Line item under A.2 SCOPE OF WORK in the commercial offer.

| Field | Type | Args | Kwargs |

---|---|---|---

| costing_sheet | ForeignKey | CostingSheet | on_delete=, related_name=scope_of_work_items |

| serial_number | PositiveIntegerField | | default=1, verbose_name=S.No. |

| description | TextField | | verbose_name=Description |

| quantity | DecimalField | | max_digits=12, decimal_places=2, default= |

| uom | CharField | | max_length=50, default=LOT, verbose_name=UOM |

| total_price | DecimalField | | max_digits=15, decimal_places=2, default=, verbose_name=Total Price |

| price_text | CharField | | max_length=100, blank=True, verbose_name=Price Text, help_text=If set, shows this text instead of the number (e.g. "Included", "TBD") |

| order | PositiveIntegerField | | default=0 |

| budgeted_cost | DecimalField | | max_digits=15, decimal_places=2, null=True, blank=True |

| budget_margin | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True |

| budget_discount | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True |

| budget_price | DecimalField | | max_digits=15, decimal_places=2, null=True, blank=True |

| budget_remarks | TextField | | blank=True |

Model: TermsTemplate

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\costing\models.py

| Field | Type | Args | Kwargs |

---|---|---|---

| name | CharField | | max_length=255 |

| category | CharField | | max_length=30, choices= |

| usage | CharField | | max_length=12, choices=, default=both |

| content | TextField | | |

| created_by | ForeignKey | | on_delete=, null=True, related_name=terms_templates |

| created_at | DateTimeField | | auto_now_add=True |

Model: VendorQuote

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\costing\models.py

Description: A supplier/vendor quote file uploaded against a costing sheet.

Used by the sales team to keep vendor pricing documents alongside the sheet they informed. Standalone from line items — this is just a reference archive (PDF / Word / Excel / image).

| Field | Type | Args | Kwargs |

---|---|---|---

| sheet | ForeignKey | | on_delete=, related_name=vendor_quotes |

| vendor_name | CharField | | max_length=255 |

| quote_reference | CharField | | max_length=100, blank=True |

| file | FileField | | upload_to=costing/vendor_quotes/ |

| original_filename | CharField | | max_length=255, blank=True |

| amount | DecimalField | | max_digits=15, decimal_places=2, null=True, blank=True, help_text=Optional quoted amount (for reference) |

| currency | CharField | | max_length=10, blank=True, default=SAR |

| notes | TextField | | blank=True |

| uploaded_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=vendor_quotes_uploaded |

| uploaded_at | DateTimeField | | auto_now_add=True |

App: devtracking

Model: DevDigest

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\devtracking\models.py

| Field | Type | Args | Kwargs |

---|---|---|---

| period_date | DateField | | |

| scope | CharField | | max_length=20, default=all |

| content | TextField | | |

| model_used | CharField | | max_length=60, blank=True |

| generated_by | ForeignKey | | on_delete=, null=True, blank=True |

| generated_at | DateTimeField | | auto_now_add=True |

Model: DevTask

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\devtracking\models.py

| Field | Type | Args | Kwargs |

---|---|---|---

| developer | ForeignKey | | on_delete=, related_name=dev_tasks, null=True, blank=True |

| assigned_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=dev_tasks_assigned |

| stack | ForeignKey | TaskStack | on_delete=, null=True, blank=True, related_name=tasks |

| title | CharField | | max_length=255 |

| description | TextField | | blank=True |

| priority | CharField | | max_length=10, choices=, default=medium |

| status | CharField | | max_length=12, choices=, default=assigned |

| estimated_hours | DecimalField | | max_digits=6, decimal_places=1, null=True, blank=True |

| due_date | DateField | | null=True, blank=True |

started_at	DateTimeField		null=True, blank=True
completed_at	DateTimeField		null=True, blank=True
github_url	URLField		blank=True
gh_state	CharField		max_length=10, blank=True
gh_commits	PositiveIntegerField		null=True, blank=True
gh_title	CharField		max_length=300, blank=True
gh_checked_at	DateTimeField		null=True, blank=True
created_at	DateTimeField		auto_now_add=True
updated_at	DateTimeField		auto_now=True

Model: DevTaskUpdate

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\devtracking\models.py

Field	Type	Args	Kwargs
task	ForeignKey		on_delete=, related_name=updates
author	ForeignKey		on_delete=, null=True
note	TextField		blank=True
status_changed_to	CharField		max_length=12, blank=True
created_at	DateTimeField		auto_now_add=True

Model: TaskStack

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\devtracking\models.py

Field	Type	Args	Kwargs
name	CharField		max_length=200
description	TextField		blank=True
created_by	ForeignKey		on_delete=, null=True, blank=True, related_name=dev_stacks_created
created_at	DateTimeField		auto_now_add=True

App: drafts

Model: FormDraft

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\drafts\models.py

Field	Type	Args	Kwargs
user	ForeignKey		on_delete=, related_name=form_drafts
form_key	CharField		max_length=64
content_type	ForeignKey		null=True, blank=True, on_delete=
object_id	PositiveIntegerField		null=True, blank=True
target	GenericForeignKey	content_type, object_id	
data	JSONField		
updated_at	DateTimeField		auto_now=True
created_at	DateTimeField		auto_now_add=True

App: finance

Model: CashOutflowRow

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\finance\models.py

Description: One row of a project's cash-OUTFLOW schedule — money the company pays out to vendors, the mirror of the inbound payment milestones.

Rows are generated from the final costing sheet's two commercial parts — A.1 Scope of Supply (costing line items) and A.2 Scope of Services (scope-of-work items) — then edited by finance: a procurement PO number, up to six staged vendor payments (date + %), and the amount / VAT / total in SAR.

| Field | Type | Args | Kwargs |

|---|---|---|---|

| VAT_RATE | Decimal | 0.15 | |

| project | ForeignKey | projects.Project | on_delete=, related_name=cash_outflow_rows |

| part | CharField | | max_length=2, choices= |

| order | PositiveIntegerField | | default=0 |

| description | TextField | | blank=True |

| po_number | CharField | | max_length=100, blank=True, help_text=Procurement PO covering this outflow. |

| date_1 | DateField | | null=True, blank=True |

| date_2 | DateField | | null=True, blank=True |

| date_3 | DateField | | null=True, blank=True |

| date_4 | DateField | | null=True, blank=True |

| date_5 | DateField | | null=True, blank=True |

| date_6 | DateField | | null=True, blank=True |

| pct_1 | DecimalField | | max_digits=6, decimal_places=2, null=True, blank=True |

| pct_2 | DecimalField | | max_digits=6, decimal_places=2, null=True, blank=True |

| pct_3 | DecimalField | | max_digits=6, decimal_places=2, null=True, blank=True |

| pct_4 | DecimalField | | max_digits=6, decimal_places=2, null=True, blank=True |

| pct_5 | DecimalField | | max_digits=6, decimal_places=2, null=True, blank=True |

| pct_6 | DecimalField | | max_digits=6, decimal_places=2, null=True, blank=True |

| amount | DecimalField | | max_digits=16, decimal_places=2, default=, help_text=Amount in SAR (net, before VAT). |

| vat | DecimalField | | max_digits=16, decimal_places=2, default=, help_text=VAT in SAR (15% of amount by default; editable). |

| total_amount | DecimalField | | max_digits=16, decimal_places=2, default=, help_text=Total in SAR (amount + VAT). |

| remarks | TextField | | blank=True |

| source_ref | CharField | | max_length=40, blank=True |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

Model: PaymentMilestone

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\finance\models.py

Description: One row of a project's payment / cash-flow schedule.

Each milestone carries weightages under four scenarios (Best / Average / Proposed / Submitted) — Submitted is the final mix-and-match used for the

billed amount. Dates are offset from the project's kickoff date.

| Field | Type | Args | Kwargs |

|---|---|---|---|

| project_finance | ForeignKey | | on_delete=, related_name=milestones |

| name | CharField | | max_length=255 |

| is_subrow | BooleanField | | default=False |

| order | PositiveIntegerField | | default=0 |

| invoice_no | CharField | | max_length=50, blank=True |

| from_kickoff_days | PositiveIntegerField | | null=True, blank=True, help_text=Days from kickoff to this milestone (drives the dates). |

| remarks | TextField | | blank=True |

| best_pct | DecimalField | | max_digits=6, decimal_places=2, null=True, blank=True |

| average_pct | DecimalField | | max_digits=6, decimal_places=2, null=True, blank=True |

| proposed_pct | DecimalField | | max_digits=6, decimal_places=2, null=True, blank=True |

| submitted_pct | DecimalField | | max_digits=6, decimal_places=2, null=True, blank=True |

| work_cert_prep_date | DateField | | null=True, blank=True |

| work_cert_approval_date | DateField | | null=True, blank=True |

| invoice_submission_date | DateField | | null=True, blank=True |

| payment_receive_date | DateField | | null=True, blank=True |

| actual_payment_receive_date | DateField | | null=True, blank=True |

| period_amounts | JSONField | | default=, blank=True |

Model: ProjectFinance

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\finance\models.py

Description: Finance workflow record for a Won project — Step 2 of finance approval.

Holds the approved Project P.O Value (carried over from the approved margin scenario in Step 1) and the kickoff date that drives the milestone schedule.

One per project.

| Field | Type | Args | Kwargs |

|---|---|---|---|

| project | OneToOneField | projects.Project | on_delete=, related_name=finance |

| po_value | DecimalField | | max_digits=16, decimal_places=2, default=, help_text=Project P.O Value — the approved contract price (from the chosen margin). |

| approved_margin | CharField | | max_length=2, choices=, blank=True, help_text=Which margin scenario (M1–M4) the P.O Value came from. |

| source_sheet | ForeignKey | costing.CostingSheet | on_delete=, null=True, blank=True, related_name=+, help_text=Costing sheet the approved margin was taken from. |

| kickoff_date | DateField | | null=True, blank=True, help_text=Project kickoff meeting date — milestone dates are offset from this. |

| estimated_start_date | DateField | | null=True, blank=True, help_text=Estimated project start date. |

| estimated_end_date | DateField | | null=True, blank=True, help_text=Estimated project completion date. |

| cert_approval_gap | PositiveIntegerField | | default=2 |

| invoice_gap | PositiveIntegerField | | default=30 |

| payment_gap | PositiveIntegerField | | default=30 |

| notes | TextField | | blank=True |

| created_by | ForeignKey | | on_delete=, null=True, related_name=project_finances |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

App: hr

Model: Asset

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\assets.py

| Field | Type | Args | Kwargs |

---|---|---|---

| asset_name | CharField | | max_length=255, verbose_name=Asset Name |

| asset_type | CharField | | max_length=50, blank=True, verbose_name=Asset Type |

| serial_number | CharField | | max_length=255, blank=True, verbose_name=Serial No. |

| specifications | CharField | | max_length=255, blank=True, verbose_name=Specifications |

| invoice_number | CharField | | max_length=100, blank=True, verbose_name=Invoice Number |

| employee_name | CharField | | max_length=255, blank=True, verbose_name=Employee Name |

| department | CharField | | max_length=100, blank=True, verbose_name=Department |

| designation | CharField | | max_length=255, blank=True, verbose_name=Designation |

| handover_date | DateField | | null=True, blank=True, verbose_name=Handover Date |

| handover_by | CharField | | max_length=255, blank=True, verbose_name=Handover By |

| condition | CharField | | max_length=20, choices=, blank=True, verbose_name=Condition |

| return_date | CharField | | max_length=100, blank=True, verbose_name=Return Date |

| return_to | CharField | | max_length=255, blank=True, verbose_name=Return To |

| quantity | PositiveIntegerField | | default=1, verbose_name=QTY |

| purchase_date | DateField | | null=True, blank=True, verbose_name=Purchase Date |

| price | DecimalField | | max_digits=10, decimal_places=2, null=True, blank=True, verbose_name=Price (SAR) |

| planned_life | CharField | | max_length=50, blank=True, verbose_name=Planned Asset Life |

| in_stock | BooleanField | | default=False, verbose_name=In Stock? |

| is_decommissioned | BooleanField | | default=False, verbose_name=Out of Service, help_text=Dead / no longer usable. Kept for records but never in stock. |

| decommissioned_on | DateField | | null=True, blank=True, verbose_name=Out-of-Service Date |

| decommission_reason | CharField | | max_length=255, blank=True, verbose_name=Reason |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

| created_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=created_assets |

Model: AssetAssignment

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\assets.py

Description: One issue/return cycle of an Asset to an Employee.

Lifetime: created at issue (returned_at=None means active). On return the same row is closed by setting returned_at + condition_in. Reassignment creates a fresh row, so each asset's full history is preserved.

| Field | Type | Args | Kwargs |

---|---|---|---

| asset | ForeignKey | Asset | on_delete=, related_name=assignments |

| employee | ForeignKey | Employee | on_delete=, related_name=asset_assignments |

| assigned_at | DateField | | verbose_name=Handover Date |

assigned_by	ForeignKey		on_delete=, null=True, blank=True, related_name=assets_issued
condition_out	CharField		max_length=20, choices=, default=new, verbose_name=Condition at Handover
handover_form	FileField		upload_to=hr/asset_handovers/, null=True, blank=True, verbose_name=Signed Handover Form, help_text=Optional: scanned handover acknowledgement or photo of asset condition.
issue_notes	TextField		blank=True, verbose_name=Issue Notes
returned_at	DateField		null=True, blank=True, verbose_name=Return Date
returned_by	ForeignKey		on_delete=, null=True, blank=True, related_name=assets_returned
condition_in	CharField		max_length=20, choices=, blank=True, verbose_name=Condition on Return
return_notes	TextField		blank=True, verbose_name=Return Notes
created_at	DateTimeField		auto_now_add=True
updated_at	DateTimeField		auto_now=True

Model: AttendanceException

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\attendance_exception.py

Description: An employee's request to excuse an off-site event (site visit, outside meeting, etc.) that would otherwise get them flagged late/absent by the Wi-Fi attendance tracker. Approved by the employee's manager (snapshotted at submission, so a later reassignment doesn't retroactively change who owned the decision); HR or anyone upstream in the manager chain can override with a mandatory reason. Left undecided 24h after the event starts, it auto-expires and the day is marked absent.

Field	Type	Args	Kwargs
employee	ForeignKey	hr.Employee	on_delete=, related_name=attendance_exceptions
event_date	DateField		
event_start_time	TimeField		
reason_category	CharField		max_length=20, choices=
custom_reason	TextField		blank=True
employee_comment	TextField		blank=True, help_text=Optional extra context from the employee, independent of the reason category.
main_manager	ForeignKey	hr.Employee	on_delete=, null=True, blank=True, related_name=attendance_exceptions_to_decide
status	CharField		max_length=10, choices=, default=pending
decision_note	TextField		blank=True
decided_by	ForeignKey		on_delete=, null=True, blank=True, related_name=+
decided_at	DateTimeField		null=True, blank=True
is_overridden	BooleanField		default=False
overridden_by	ForeignKey		on_delete=, null=True, blank=True, related_name=+
override_reason	TextField		blank=True
reminder_sent_at	DateTimeField		null=True, blank=True
created_by	ForeignKey		on_delete=, null=True, blank=True, related_name=+
created_at	DateTimeField		auto_now_add=True
updated_at	DateTimeField		auto_now=True

Model: AttendanceRecord

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\attendance.py

| Field | Type | Args | Kwargs |

|---|---|---|---|

| employee | ForeignKey | hr.Employee | on_delete=, related_name=attendance |

| date | DateField | | |

| check_in | TimeField | | null=True, blank=True |

| check_out | TimeField | | null=True, blank=True |

| status | CharField | | max_length=10, choices=, default=absent |

| source | CharField | | max_length=10, choices=, default>manual, help_text=How this record was set — manual entry or the Wi-Fi attendance agent. |

| hours_worked | DecimalField | | max_digits=5, decimal_places=2, null=True, blank=True |

| note | CharField | | max_length=300, blank=True |

| created_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=+ |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

Model: AttendanceSettings

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\attendance.py

Description: Singleton (pk=1) holding global attendance config.

| Field | Type | Args | Kwargs |

|---|---|---|---|

| weekend_days | CharField | | max_length=20, default=4,5, help_text=Comma-separated weekday numbers, Mon=0..Sun=6. Default 4,5 = Fri,Sat. |

| expected_in_by | TimeField | | default=, help_text=Check-ins after this time are marked Late. |

| updated_at | DateTimeField | | auto_now=True |

Model: Employee

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\employee.py

| Field | Type | Args | Kwargs |

|---|---|---|---|

| iqama_number | CharField | | max_length=50, unique=True, verbose_name=Iqama/Passport No. |

| iqama_issued_on | DateField | | null=True, blank=True, verbose_name=Iqama Issue Date |

| iqama_expires_on | DateField | | null=True, blank=True, verbose_name=Iqama Expiry Date |

| medical_insurance_issued_on | DateField | | null=True, blank=True, verbose_name=Medical Insurance Issue Date |

| medical_insurance_expires_on | DateField | | null=True, blank=True, verbose_name=Medical Insurance Expiry Date |

| full_name | CharField | | max_length=255, verbose_name=Full Name |

| designation | CharField | | max_length=255, blank=True, verbose_name=Designation |

| qualification | CharField | | max_length=255, blank=True, verbose_name=Qualification |

| date_of_birth | DateField | | null=True, blank=True, verbose_name=Date of Birth |

| joining_date | DateField | | null=True, blank=True, verbose_name=Joining Date |

| nationality | CharField | | max_length=100, blank=True, verbose_name=Nationality |

| marital_status | CharField | | max_length=20, choices=, blank=True, verbose_name=Marital Status |

| blood_group | CharField | | max_length=5, choices=, blank=True, verbose_name=Blood Group |

| personal_email | EmailField | | blank=True, verbose_name=Personal Email |

| documents_link | URLField | | max_length=500, blank=True, verbose_name=Documents Link |

| deployment | CharField | | max_length=100, blank=True, verbose_name=Deployment |

| work_location | CharField | | max_length=10, choices=, blank=True, verbose_name=Office / Site |

| contract_type | CharField | | max_length=20, choices=, blank=True, verbose_name=Contract Type |

| work_email | EmailField | | blank=True, verbose_name=Work Email |

| mobile_number | CharField | | max_length=20, blank=True, verbose_name=Mobile Number |

| is_active | BooleanField | | default=True, verbose_name=Active |

| inactive_from | DateField | | null=True, blank=True, verbose_name=Inactive From, help_text=Date the employee became inactive (today or earlier). |

| user | OneToOneField | | on_delete=, null=True, blank=True, related_name=employee_profile, verbose_name=Login Account, help_text=The user account that logs in as this employee. |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

| created_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=created_employees |

| main_manager | ForeignKey | self | on_delete=, null=True, blank=True, related_name=main_reports, verbose_name=Main Manager, help_text=This employee's primary/formal manager, for approval routing. |

| secondary_managers | ManyToManyField | self | blank=True, symmetrical=False, related_name=secondary_reports, verbose_name=Secondary Managers, help_text=Additional people who also have visibility/override rights over this employee's requests, without being part of the formal reporting line. |

Model: EmployeeDocument

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\employee.py

Description: Documents uploaded for an employee (joining letter, leave forms, etc.).

| Field | Type | Args | Kwargs |

---|---|---|---

| employee | ForeignKey | | on_delete=, related_name=documents |

| document_type | CharField | | max_length=30, choices=, default=other, verbose_name=Document Type |

| title | CharField | | max_length=255, verbose_name=Document Title |

| file | FileField | | upload_to=employee_documents/%Y/%m/, verbose_name=File |

| notes | TextField | | blank=True, verbose_name=Notes |

| uploaded_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=uploaded_employee_docs |

| uploaded_at | DateTimeField | | auto_now_add=True |

Model: Holiday

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\attendance.py

| Field | Type | Args | Kwargs |

---|---|---|---

| date | DateField | | unique=True |

| name | CharField | | max_length=150 |

| is_active | BooleanField | | default=True |

| created_at | DateTimeField | | auto_now_add=True |

Model: LeaveDashboardAccess

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\leave.py

Description: A user granted visibility into the master Leave Request dashboard (the FIFO queue + detail pages) AND approval authority over conditional leave requests — a single merged roster (this table used to be split into a separate LeaveApprover model, but "who can see the dashboard" and "who approves requests" turned out to always be the same people in

practice, so they were combined). Super Admins can always view regardless of this table, but being a Super Admin does NOT by itself grant approval authority — only an active row here does. Override authority (a separate, narrower escape hatch) is governed independently by `OverrideAccessSettings` below. A DB fact, never a hardcoded username.

Field	Type	Args	Kwargs
user	OneToOneField	on_delete=	related_name=leave_dashboard_access
is_active	BooleanField	default=True	
granted_by	ForeignKey	on_delete=, null=True, blank=True, related_name=+	
granted_at	DateTimeField	auto_now_add=True	

Model: LeaveEntitlement

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\leave.py

Field	Type	Args	Kwargs
employee	ForeignKey	hr.Employee on_delete=, related_name=leave_entitlements	
leave_type	ForeignKey	on_delete=, related_name=entitlements	
year	PositiveIntegerField		
entitled_days	DecimalField	max_digits=5, decimal_places=1, default=0	
created_by	ForeignKey	on_delete=, null=True, blank=True, related_name=+	
created_at	DateTimeField	auto_now_add=True	
updated_at	DateTimeField	auto_now=True	

Model: LeaveRecord

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\leave.py

Field	Type	Args	Kwargs
employee	ForeignKey	hr.Employee on_delete=, related_name=leave_records	
leave_type	ForeignKey	on_delete=, related_name=records	
start_date	DateField		
end_date	DateField		
days	DecimalField	max_digits=5, decimal_places=1, null=True, blank=True, help_text=Working days; auto-computed from the range if left blank.	
note	CharField	max_length=300, blank=True	
medical_certificate	FileField	upload_to=leave_certificates/%Y/%m/, null=True, blank=True, help_text=Required for leave types that mandate a medical certificate (e.g. Sick).	
created_by	ForeignKey	on_delete=, null=True, blank=True, related_name=+	
created_at	DateTimeField	auto_now_add=True	

Model: LeaveRequest

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\leave.py

Field	Type	Args	Kwargs
employee	ForeignKey	hr.Employee on_delete=, related_name=leave_requests	
leave_type	ForeignKey	on_delete=, related_name=requests	

start_date	DateField	
end_date	DateField	
days	DecimalField	max_digits=5, decimal_places=1, null=True, blank=True, help_text=Auto-computed from the date range if left blank.
employee_reason	TextField	blank=True
document	FileField	upload_to=leave_requests/%Y/%m/, null=True, blank=True
status	CharField	max_length=15, choices=, default=pending
created_by	ForeignKey	on_delete=, null=True, blank=True, related_name=leave_requests_created
leave_record	OneToOneField	on_delete=, null=True, blank=True, related_name=source_request
salary_deduction_applicable	BooleanField	default=False
salary_deduction_note	TextField	blank=True
is_overridden	BooleanField	default=False
overridden_by	ForeignKey	on_delete=, null=True, blank=True, related_name=leave_requests_overridden
override_reason	TextField	blank=True
decided_at	DateTimeField	null=True, blank=True
created_at	DateTimeField	auto_now_add=True
updated_at	DateTimeField	auto_now=True

Model: LeaveRequestApproval

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\leave.py

Field	Type	Args	Kwargs
---	---	---	---
leave_request	ForeignKey	on_delete=, related_name=approvals	
approver	ForeignKey	on_delete=, related_name=+	
decision	CharField	max_length=12, choices=, default=pending	
comment	TextField	blank=True	
decided_at	DateTimeField	null=True, blank=True	

Model: LeaveRequestNote

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\leave.py

Field	Type	Args	Kwargs
---	---	---	---
leave_request	ForeignKey	on_delete=, related_name=notes	
author	ForeignKey	on_delete=, null=True, related_name=+	
note	TextField		
is_internal	BooleanField	default=False, help_text=Internal notes are hidden from the employee.	
created_at	DateTimeField	auto_now_add=True	

Model: LeaveType

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\leave.py

Field	Type	Args	Kwargs
---	---	---	---
name	CharField	max_length=100	
code	SlugField	max_length=40, unique=True	
default_annual_days	DecimalField	max_digits=5, decimal_places=1, default=0	

is_paid	BooleanField		default=True
color	CharField		max_length=20, default=secondary, help_text=Bootstrap color name for badges
requires_medical_certificate	BooleanField		default=False, help_text=If set, a medical certificate must be attached when recording this leave (e.g. Sick).
is_accumulative	BooleanField		default=True, help_text=The standard accrued allowance (Annual) counts toward the top-level entitlement totals. Conditional/incidental leaves (Sick, Marriage, Death of Family Member, Umrah, New Born, etc.) should have this unchecked so they don't inflate the summary total — they still show in the per-type breakdown.
is_active	BooleanField		default=True
created_at	DateTimeField		auto_now_add=True

Model: OverrideAccessEmployee

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\leave.py

Description: A specific user granted override access — only actually confers it while OverrideAccessSettings.mode == 'specific_employees'.

| Field | Type | Args | Kwargs |

---|---|---|---

user	OneToOneField		on_delete=, related_name=override_access_grant
added_by	ForeignKey		on_delete=, null=True, blank=True, related_name=+
added_at	DateTimeField		auto_now_add=True

Model: OverrideAccessRole

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\leave.py

Description: A role granted override access — only actually confers it while OverrideAccessSettings.mode == 'specific_roles'.

| Field | Type | Args | Kwargs |

---|---|---|---

| role | OneToOneField | accounts.Role | on_delete=, related_name=override_access_grant |
 | added_at | DateTimeField | | auto_now_add=True |

Model: OverrideAccessSettings

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\leave.py

Description: Singleton (always pk=1) controlling who can use the Super Admin 'override' escape hatch on leave requests (force-approve/disapprove when the real approver is unavailable). Exactly one mode is authoritative at a time — switching modes does not clear the other modes' saved selections, so toggling back and forth doesn't lose data, but only the active mode's grants actually affect who can override (see hr.views.has_override_access).

| Field | Type | Args | Kwargs |

---|---|---|---

mode	CharField		max_length=20, choices=, default=
updated_at	DateTimeField		auto_now=True
updated_by	ForeignKey		on_delete=, null=True, blank=True, related_name=+

Model: Vehicle

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\assets.py

Description: Company vehicle fleet management.

| Field | Type | Args | Kwargs |

|---|---|---|---|

| plate_number | CharField | | max_length=100, verbose_name=Plate Number |

| plate_type | CharField | | max_length=100, blank=True, verbose_name=Plate Type |

| sequence_number | CharField | | max_length=100, blank=True, verbose_name=Sequence Number |

| chassis_number | CharField | | max_length=100, blank=True, verbose_name=Chassis Number |

| vehicle_maker | CharField | | max_length=100, verbose_name=Vehicle Maker |

| vehicle_model | CharField | | max_length=100, blank=True, verbose_name=Vehicle Model |

| model_year | CharField | | max_length=10, blank=True, verbose_name=Model Year |

| major_color | CharField | | max_length=50, blank=True, verbose_name=Color |

| body_type | CharField | | max_length=100, blank=True, verbose_name=Body Type |

| vehicle_status | CharField | | max_length=20, choices=, default=valid, verbose_name=Vehicle Status |

| mvpi_status | CharField | | max_length=20, choices=, default=valid, verbose_name=MVPI Status |

| insurance_status | CharField | | max_length=20, choices=, default=valid, verbose_name=Insurance Status |

| restriction_status | CharField | | max_length=20, choices=, default=unrestricted, verbose_name=Restriction Status |

| ownership_date | CharField | | max_length=50, blank=True, verbose_name=Ownership Date |

| license_expiry | CharField | | max_length=50, blank=True, verbose_name=License Expiry Date |

| license_issue_date | CharField | | max_length=50, blank=True, verbose_name=License Issue Date |

| inspection_expiry | CharField | | max_length=50, blank=True, verbose_name=Inspection Expiry |

| driver_id | CharField | | max_length=50, blank=True, verbose_name=Driver ID |

| driver_name | CharField | | max_length=255, blank=True, verbose_name=Driver Name |

| branch_name | CharField | | max_length=255, blank=True, verbose_name=Branch |

| created_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=created_vehicles |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

Model: VehicleDocument

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\assets.py

Description: Documents attached to a vehicle (registration, insurance, handover, etc.).

| Field | Type | Args | Kwargs |

|---|---|---|---|

| vehicle | ForeignKey | | on_delete=, related_name=documents |

| document_type | CharField | | max_length=30, choices=, default=other, verbose_name=Document Type |

| custom_type | CharField | | max_length=100, blank=True, help_text=Label used when the type is 'Other'. |

| title | CharField | | max_length=255, verbose_name=Document Title |

| file | FileField | | upload_to=vehicle_documents/%Y/%m/, verbose_name=File |

| expiry_date | DateField | | null=True, blank=True, help_text=Optional — e.g. registration / insurance expiry. |

| notes | TextField | | blank=True |

| uploaded_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=uploaded_vehicle_docs |

| uploaded_at | DateTimeField | | auto_now_add=True |

Model: WFHRecord

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\attendance.py

Description: A work-from-home period. Worked time (no leave balance).

| Field | Type | Args | Kwargs |

|---|---|---|---|

| employee | ForeignKey | hr.Employee | on_delete=, related_name=wfh_records |

| start_date | DateField | | |

| end_date | DateField | | |

| note | CharField | | max_length=300, blank=True |

| created_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=+ |

| created_at | DateTimeField | | auto_now_add=True |

Model: WorkingDay

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\hr\models\attendance.py

Description: A normally-weekend date that is a working day (inverse of Holiday).

| Field | Type | Args | Kwargs |

|---|---|---|---|

| date | DateField | | unique=True |

| name | CharField | | max_length=150 |

| is_active | BooleanField | | default=True |

| created_at | DateTimeField | | auto_now_add=True |

App: kpis

Model: KPIEntry

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\kpis\models.py

Description: Per-period management input for one KPI.

Holds two optional numbers:

* `target` — the goal/threshold for the period (overrides the KPI's default target; for goal-based auto KPIs like revenue, this is the only place the goal lives).

* `manual\_value` — the actual value for KPIs with no ERP source (the team types it). Ignored for auto KPIs, whose value is computed.

One row per (period, kpi_key). The KPI itself is defined in code ('kpis.registry'), so `kpi\_key` is a loose CharField, not an FK.

| Field | Type | Args | Kwargs |

|---|---|---|---|

| period | CharField | | max_length=10, help_text=e.g. '2026-06', '2026-Q2', '2026' |

| kpi_key | CharField | | max_length=60 |

| target | DecimalField | | max_digits=16, decimal_places=2, null=True, blank=True |

| manual_value | DecimalField | | max_digits=16, decimal_places=2, null=True, blank=True |

| note | TextField | | blank=True |

| updated_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=kpi_entries |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

App: manpower

Model: ManpowerLineItem

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\manpower\models.py

| Field | Type | Args | Kwargs |

|---|---|---|---|

| sheet | ForeignKey | | on_delete=, related_name=line_items |

| order | PositiveIntegerField | | default=0 |

| employee_name | CharField | | max_length=255, verbose_name=Employee Name |

| department | CharField | | max_length=255, blank=True, verbose_name=Department |

| classification | CharField | | max_length=255, blank=True, verbose_name=Classification of Staff |

| location_project | CharField | | max_length=255, blank=True, verbose_name=Location/Project |

| designation | CharField | | max_length=255, blank=True, verbose_name=Designation |

| doj | DateField | | null=True, blank=True, verbose_name=Date of Joining |

| demobilization_date | DateField | | null=True, blank=True, verbose_name=Demobilization Date |

| date_of_birth | DateField | | null=True, blank=True, verbose_name=Date of Birth |

| budget_cost | DecimalField | | max_digits=12, decimal_places=2, default=0, verbose_name=Budget Cost |

| gross_salary | DecimalField | | max_digits=12, decimal_places=2, default=0, verbose_name=Gross Salary |

| iqama_cost | DecimalField | | max_digits=12, decimal_places=2, default=0, verbose_name=IQama Cost |

| service_transfer_visa_fee | DecimalField | | max_digits=12, decimal_places=2, default=0,
verbose_name=Services Transfer & Visa Fee |

| gosi_cost | DecimalField | | max_digits=12, decimal_places=2, default=0, verbose_name=GOSI Cost |

| vacation_pay | DecimalField | | max_digits=12, decimal_places=2, default=0, verbose_name=Vacation Pay |

| exe_cost | DecimalField | | max_digits=12, decimal_places=2, default=0, verbose_name=EXE Cost |

| eosb | DecimalField | | max_digits=12, decimal_places=2, default=0, verbose_name=EOSB |

| air_ticket | DecimalField | | max_digits=12, decimal_places=2, default=0, verbose_name=Air Ticket |

| insurance_cost | DecimalField | | max_digits=12, decimal_places=2, default=0, verbose_name=Insurance Cost |

| project_allowance | DecimalField | | max_digits=12, decimal_places=2, default=0, verbose_name=Project Allowance |

| ppe | DecimalField | | max_digits=12, decimal_places=2, default=0, verbose_name=PPE |

| engineering_council_cost | DecimalField | | max_digits=12, decimal_places=2, default=0,
verbose_name=Engineering Council Cost |

| other_expenditures | DecimalField | | max_digits=12, decimal_places=2, default=0, verbose_name=Other Expenditures |

Model: ManpowerSheet

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\manpower\models.py

| Field | Type | Args | Kwargs |

|---|---|---|---|

| title | CharField | | max_length=255, verbose_name=Title |

| project_reference | CharField | | max_length=255, blank=True, verbose_name=Project Reference |

| date | DateField | | verbose_name=Date |

| notes | TextField | | blank=True, verbose_name=Notes |

| created_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=manpower_sheets |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

App: notifications

Model: Notification

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\notifications\models.py

```
| Field | Type | Args | Kwargs |  
|---|---|---|---|  
| recipient | ForeignKey | | on_delete=, related_name=notifications |  
| actor | ForeignKey | | on_delete=, null=True, blank=True, related_name=+ |  
| verb | CharField | | max_length=255 |  
| description | TextField | | blank=True |  
| level | CharField | | max_length=10, choices=, default=info |  
| target_content_type | ForeignKey | | on_delete=, null=True, blank=True, related_name=+ |  
| target_object_id | PositiveIntegerField | | null=True, blank=True |  
| target | GenericForeignKey | target_content_type, target_object_id | |  
| target_url | CharField | | max_length=500, blank=True |  
| is_read | BooleanField | | default=False |  
| email_sent | BooleanField | | default=False |  
| created_at | DateTimeField | | auto_now_add=True, db_index=True |
```

App: procurement

Model: DeliveryNote

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\procurement\models.py

Description: Delivery Note for goods dispatched to clients/sites.

```
| Field | Type | Args | Kwargs |  
|---|---|---|---|  
| sold_to_company | CharField | | max_length=255, verbose_name=Sold To (Company) |  
| sold_to_address | TextField | | blank=True, verbose_name=Sold To (Address) |  
| delivery_address | TextField | | blank=True, verbose_name=Delivery Address |  
| attention | CharField | | max_length=255, blank=True, verbose_name=Attention |  
| mobile | CharField | | max_length=100, blank=True, verbose_name=Mobile |  
| email | EmailField | | blank=True, verbose_name=Email |  
| date | DateField | | verbose_name=Date |  
| project_title | CharField | | max_length=500, blank=True, verbose_name=Project Title |  
| leap_po_number | CharField | | max_length=100, blank=True, verbose_name=LEAP PO No. |  
| client_po_number | CharField | | max_length=255, blank=True, verbose_name=Client PO No. |  
| dn_number | CharField | | max_length=100, blank=True, verbose_name=DN Number / No of Packages |  
| project | ForeignKey | projects.Project | on_delete=, null=True, blank=True, related_name=delivery_notes |  
| purchase_order | ForeignKey | | on_delete=, null=True, blank=True, related_name=delivery_notes |  
| created_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=created_delivery_notes |  
| created_at | DateTimeField | | auto_now_add=True |  
| updated_at | DateTimeField | | auto_now=True |
```

Model: DeliveryNoteItem

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\procurement\models.py

Description: Line item in a Delivery Note.

| Field | Type | Args | Kwargs |

---|---|---|---

| delivery_note | ForeignKey | | on_delete=, related_name=items |

| serial_number | PositiveIntegerField | | default=1, verbose_name=S.No. |

| make_part_number | CharField | | max_length=255, blank=True, verbose_name=Make/Part Number |

| description | TextField | | verbose_name=Description |

| quantity | DecimalField | | max_digits=12, decimal_places=2, default=, verbose_name=Quantity |

| uom | CharField | | max_length=50, default=Each, verbose_name=UOM |

| remarks | TextField | | blank=True, verbose_name=Remarks / LNA PO# ref |

| source_po_item | ForeignKey | | on_delete=, null=True, blank=True, related_name=delivered_dn_items,
help_text=If imported from a Purchase Order, points back to the source PO line item — used to mark PO items
"already delivered" so remaining items can be picked for later DNS. |

| order | PositiveIntegerField | | default=0 |

Model: FRCEntry

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\procurement\models.py

Description: Individual employee FRC/PPE issuance record.

| Field | Type | Args | Kwargs |

---|---|---|---

| report | ForeignKey | | on_delete=, related_name=entries |

| serial_number | PositiveIntegerField | | default=1, verbose_name=Sr. |

| employee_name | CharField | | max_length=255, verbose_name=Name |

| designation | CharField | | max_length=255, blank=True, verbose_name=Designation |

| project_name | CharField | | max_length=255, blank=True, verbose_name=Project |

| shirt_size | CharField | | max_length=100, blank=True, verbose_name=Shirt Size |

| shirt_qty | PositiveIntegerField | | default=0, verbose_name=Shirts |

| pants_size | CharField | | max_length=100, blank=True, verbose_name=Pants Size |

| pants_qty | PositiveIntegerField | | default=0, verbose_name=Pants |

| safety_glasses | CharField | | max_length=50, blank=True, verbose_name=Safety Glasses |

| safety_shoes | CharField | | max_length=100, blank=True, verbose_name=Safety Shoes |

| shoes_qty | PositiveIntegerField | | default=0, verbose_name=Shoes Qty |

| safety_helmet | CharField | | max_length=50, blank=True, verbose_name=Safety Helmet |

| receiving_date | CharField | | max_length=255, blank=True, verbose_name=Receiving Date |

| handed_to | CharField | | max_length=255, blank=True, verbose_name=Handed To / Remarks |

| order | PositiveIntegerField | | default=0 |

Model: FRCInventory

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\procurement\models.py

Description: FRC/PPE stock inventory — tracks available stock by item type and size.

| Field | Type | Args | Kwargs |

---|---|---|---

| item_type | CharField | | max_length=20, choices=, verbose_name=Item Type |

| size | CharField | | max_length=50, blank=True, verbose_name=Size |

color CharField max_length=50, blank=True, verbose_name=Color
description CharField max_length=500, blank=True, verbose_name=Description / Notes
supplier CharField max_length=255, blank=True, verbose_name=Supplier
total_purchased PositiveIntegerField default=0, verbose_name=Total Purchased
total_issued PositiveIntegerField default=0, verbose_name=Total Issued
damaged_lost PositiveIntegerField default=0, verbose_name=Damaged / Lost
min_stock PositiveIntegerField default=5, verbose_name=Min Stock Level
unit_cost DecimalField max_digits=10, decimal_places=2, null=True, blank=True, verbose_name=Unit Cost (SAR)
last_restocked DateField null=True, blank=True, verbose_name=Last Restocked
created_by ForeignKey on_delete=, null=True, blank=True, related_name=created_frc_inventory
created_at DateTimeField auto_now_add=True
updated_at DateTimeField auto_now=True

Model: FRCReport

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\procurement\models.py

Description: FRC (Fire Retardant Clothing) / PPE Uniform issuance report.

Field Type Args Kwargs
--- --- --- ---
title CharField max_length=255, verbose_name=Report Title
project ForeignKey projects.Project on_delete=, null=True, blank=True, related_name=frc_reports
created_by ForeignKey on_delete=, null=True, blank=True, related_name=created_frc_reports
created_at DateTimeField auto_now_add=True
updated_at DateTimeField auto_now=True

Model: InventoryItem

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\procurement\models.py

Description: Individual item in an Inventory Report.

Field Type Args Kwargs
--- --- --- ---
objects ?
report ForeignKey on_delete=, related_name=items
serial_number PositiveIntegerField default=1, verbose_name=S.No.
item_code CharField max_length=50, blank=True, verbose_name=Item Code / SKU
name CharField max_length=500, verbose_name=Item Name
description TextField blank=True, verbose_name=Description
model_number CharField max_length=255, blank=True, verbose_name=Model
make CharField max_length=255, blank=True, verbose_name=Make / Manufacturer
category CharField max_length=30, choices=, default=other, verbose_name=Category
status CharField max_length=20, choices=, default=available, verbose_name=Status
unit CharField max_length=50, default=Each, verbose_name=Unit
quantity_received DecimalField max_digits=12, decimal_places=2, default=, verbose_name=Qty Received
quantity_issued DecimalField max_digits=12, decimal_places=2, default=, verbose_name=Qty Issued
balance_qty DecimalField max_digits=12, decimal_places=2, null=True, blank=True, verbose_name=Balance Qty

| min_stock_level | DecimalField || max_digits=12, decimal_places=2, null=True, blank=True, verbose_name=Min Stock Level |

| unit_cost | DecimalField || max_digits=12, decimal_places=2, null=True, blank=True, verbose_name=Unit Cost (SAR) |

| tag | CharField || max_length=100, blank=True, verbose_name=TAG / Serial |

| rack_location | CharField || max_length=100, blank=True, verbose_name=Rack / Shelf / Bin |

| received_date | DateField || null=True, blank=True, verbose_name=Received Date |

| handover_to | CharField || max_length=255, blank=True, verbose_name=Handover To |

| handover_date | DateField || null=True, blank=True, verbose_name=Handover Date |

| project_ref | CharField || max_length=255, blank=True, verbose_name=Project |

| po_reference | CharField || max_length=100, blank=True, verbose_name=PO Reference |

| remarks | TextField || blank=True, verbose_name=Remarks |

| order | PositiveIntegerField || default=0 |

Model: InventoryReport

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\procurement\models.py

Description: Inventory / Store Material Report for a warehouse or project.

| Field | Type | Args | Kwargs |

---|---|---|---

| title | CharField || max_length=255, verbose_name=Report Title |

| warehouse_location | CharField || max_length=255, blank=True, verbose_name=Warehouse / Location |

| project | ForeignKey | projects.Project | on_delete=, null=True, blank=True, related_name=inventory_reports |

| report_date | DateField || auto_now_add=True, verbose_name=Report Date |

| created_by | ForeignKey || on_delete=, null=True, blank=True, related_name=created_inventory_reports |

| created_at | DateTimeField || auto_now_add=True |

| updated_at | DateTimeField || auto_now=True |

Model: POSummaryEntry

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\procurement\models.py

Description: One row of the Internal / External procurement summary, attached to a single PurchaseOrderItem. Columns A-F are derived live from the line item + its parent PO; everything below is the procurement team's tracking data (dates + remarks).

| Field | Type | Args | Kwargs |

---|---|---|---

| purchase_order_item | OneToOneField || on_delete=, related_name=summary_entry |

| summary_type | CharField || max_length=20, choices=, default=internal |

| po_plan | DateField || null=True, blank=True, verbose_name=PO Plan |

| po_forecast | DateField || null=True, blank=True, verbose_name=PO Forecast |

| po_actual | DateField || null=True, blank=True, verbose_name=PO Actual |

| delivery_plan | DateField || null=True, blank=True, verbose_name=Delivery Plan |

| delivery_readiness | DateField || null=True, blank=True, verbose_name=Readiness Date |

| delivery_forecast | DateField || null=True, blank=True, verbose_name=Delivery Forecast |

| delivery_actual | DateField || null=True, blank=True, verbose_name=Delivery Actual |

| remarks | TextField || blank=True, verbose_name=Remarks |

| created_at | DateTimeField || auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

Model: POTermOverride

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\procurement\models.py

Description: Per-PO edit of a selected Terms & Conditions template.

Terms are picked from the shared TermsTemplate library, but a given PO often needs a tweak — a different payment split, a project-specific delivery clause. Storing the edited text here keeps it scoped to the one PO: the shared template, and every other PO using it, stay untouched.

A row exists only while the text differs from the template. Resetting an override deletes the row, so the PO falls back to live template text.

| Field | Type | Args | Kwargs |

|---|---|---|---|

| purchase_order | ForeignKey | | on_delete=, related_name=term_overrides |

| template | ForeignKey | costing.TermsTemplate | on_delete=, related_name=po_overrides |

| content | TextField | | verbose_name=Edited Content |

| updated_at | DateTimeField | | auto_now=True |

| updated_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=po_term_overrides |

Model: PurchaseOrder

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\procurement\models.py

Description: Purchase Order header with vendor info, project details, and terms.

| Field | Type | Args | Kwargs |

|---|---|---|---|

| po_date | DateField | | verbose_name=PO Date |

| po_number | CharField | | max_length=100, unique=True, verbose_name=PO S. No. |

| cost_center | CharField | | max_length=30, choices=, default=projects, verbose_name=Cost Center |

| status | CharField | | max_length=20, choices=, default=draft |

| vendor_name | CharField | | max_length=255, verbose_name=Vendor |

| vendor_contact_person | CharField | | max_length=255, blank=True, verbose_name=Contact Person |

| vendor_contact_email | EmailField | | blank=True, verbose_name=Vendor Contact Email |

| vendor_contact_tel | CharField | | max_length=100, blank=True, verbose_name=Contact Tel |

| po_issued_by | CharField | | max_length=255, verbose_name=PO Issued By |

| issuer_email | EmailField | | blank=True, verbose_name=Issuer Contact Email |

| project | ForeignKey | projects.Project | on_delete=, null=True, blank=True, related_name=purchase_orders, verbose_name=Project |

| project_name | CharField | | max_length=500, blank=True, verbose_name=Project Name |

| end_user | CharField | | max_length=255, blank=True, verbose_name=End User |

| mr_item_number | CharField | | max_length=255, blank=True, verbose_name=MR / Item No. |

| delivery_incoterms | CharField | | max_length=10, choices=, blank=True, verbose_name=Delivery Incoterms |

| delivery_location | CharField | | max_length=500, blank=True, verbose_name=Delivery Location |

| currency | CharField | | max_length=3, choices=, default=SAR, verbose_name=Currency |

| discount_rate | DecimalField | | max_digits=5, decimal_places=2, default=, verbose_name=Discount %, help_text=e.g. 5 for 5% |

| vat_rate | DecimalField | | max_digits=5, decimal_places=2, default=, verbose_name=VAT %, help_text=e.g. 15 for 15% |

| lead_time | CharField | | max_length=255, blank=True, verbose_name=Lead Time, help_text=e.g. "4-6 weeks from PO & payment", "10-15 days" |

| payment_terms_text | TextField | | blank=True, verbose_name=Payment Terms (Summary), help_text=Short payment-terms summary used in procurement reports — e.g. "30% Advance\n70% upon Delivery". Separate from the longer Terms & Conditions text below. |

| warranty | CharField | | max_length=255, blank=True, verbose_name=Warranty, help_text=e.g. "Standard", "24 Months after delivery", "3 Years" |

| terms_and_conditions | TextField | | blank=True, verbose_name=Terms & Conditions |

| selected_terms | ManyToManyField | costing.TermsTemplate | blank=True, related_name=purchase_orders |

| terms_order | CharField | | max_length=500, blank=True, default= |

| scm_approved_at | DateTimeField | | null=True, blank=True, verbose_name=SCM Approved At |

| scm_approved_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=scm_approved_pos |

| scm_signature | ImageField | | upload_to=procurement/po_signatures/scm/, null=True, blank=True, verbose_name=SCM Signature Image |

| pm_approved_at | DateTimeField | | null=True, blank=True, verbose_name=PM Approved At |

| pm_approved_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=pm_approved_pos |

| pm_signature | ImageField | | upload_to=procurement/po_signatures/pm/, null=True, blank=True, verbose_name=PM Signature Image |

| coo_approved_at | DateTimeField | | null=True, blank=True, verbose_name=COO Approved At |

| coo_approved_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=coo_approved_pos |

| coo_signature | ImageField | | upload_to=procurement/po_signatures/coo/, null=True, blank=True, verbose_name=COO Signature Image |

| ceo_approved_at | DateTimeField | | null=True, blank=True, verbose_name=CEO Approved At |

| ceo_approved_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=ceo_approved_pos |

| ceo_signature | ImageField | | upload_to=procurement/po_signatures/ceo/, null=True, blank=True, verbose_name=CEO Signature Image |

| created_by | ForeignKey | | on_delete=, null=True, blank=True, related_name=created_purchase_orders |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

| CEO_APPROVAL_THRESHOLD | Decimal | 1000000 | |

Model: PurchaseOrderItem

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\procurement\models.py

Description: Individual line item in a Purchase Order.

| Field | Type | Args | Kwargs |

|---|---|---|---|

| purchase_order | ForeignKey | | on_delete=, related_name=items |

| serial_number | PositiveIntegerField | | default=1, verbose_name=S.No. |

| system | CharField | | max_length=100, blank=True, verbose_name=System, help_text=Pick from the suggestion list (Siren / PAGA / PICS / GSM Repeater / CCTV / UPS) or type a custom value. Drives grouping in the procurement summary. |

| make_model | CharField | | max_length=255, blank=True, verbose_name=Make/Model |

| vendor_name | CharField | | max_length=255, blank=True, verbose_name=Vendor, help_text=Vendor for this line (carried over from the finance budget). |

| description | TextField | | verbose_name=Item Description / Specification |

| quantity | DecimalField | | max_digits=12, decimal_places=2, default=, verbose_name=Quantity |

| uom | CharField | | max_length=50, default=Nos, verbose_name=UOM |

| rate_per_unit | DecimalField | | max_digits=12, decimal_places=2, default=, verbose_name=Rate/Unit (SAR) |

| remarks | TextField | | blank=True, verbose_name=Remarks |

| po_value_usd | DecimalField | | max_digits=14, decimal_places=2, null=True, blank=True, verbose_name=PO Value (USD/EUR) |

| advance_payment_sar | DecimalField | | max_digits=14, decimal_places=2, null=True, blank=True, verbose_name=Advance Payment (SAR) |

| delivery_status | TextField | | blank=True, verbose_name=Delivery Status, help_text=Free-text status, e.g. "Delivered HO", "Received at LNA 04-12-2025". |

| scm | CharField | | max_length=10, blank=True, verbose_name=SCM, help_text=Initials of the SCM team member responsible (e.g. ST, ZH). |

| source_bom_item | ForeignKey | costing.CostingLineItem | on_delete=, null=True, blank=True, related_name=procured_po_items, help_text=If imported from a costing sheet BOM, points back to the source line item — used to mark BOM items "already procured" and to show PO traceability per BOM row. |

| order | PositiveIntegerField | | default=0 |

Model: QuotationImport

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\procurement\models.py

Description: A supplier quotation PDF uploaded by procurement, AI-extracted into a normalized structure, then reviewed and turned into a Purchase Order.

Vendor quotations arrive in many different layouts, so extraction is done by an LLM into a common schema (stored in ``extracted\_data``) rather than a per-vendor parser. The file + extraction are kept for audit and re-review.

| Field | Type | Args | Kwargs |

---|---|---|---

| file | FileField | | upload_to= |

| original_filename | CharField | | max_length=255, blank=True |

| status | CharField | | max_length=12, choices=, default=pending |

| extracted_data | JSONField | | null=True, blank=True |

| model_used | CharField | | max_length=60, blank=True |

| error | TextField | | blank=True |

| purchase_order | ForeignKey | | on_delete=, null=True, blank=True, related_name=source_quotations |

| created_by | ForeignKey | | on_delete=, null=True, related_name=quotation_imports |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

App: projects

Model: Document

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\projects\models.py

Description: Document management for projects

| Field | Type | Args | Kwargs |

---|---|---|---

| name | CharField | | max_length=255, help_text=Document name/title |

| document_type | CharField | | max_length=30, choices=, default=other |

| description | TextField | | blank=True, help_text=Brief description of the document |

| file | FileField | | upload_to=, help_text=Upload document (PDF, Excel, Word, etc.) |

| file_size | PositiveIntegerField | | default=0, help_text=File size in bytes |

| project | ForeignKey | | on_delete=, null=True, blank=True, related_name=documents, help_text=Associated project (optional) |

| reference_number | CharField | | max_length=100, blank=True, help_text=Reference number (e.g., quotation number, proposal ref) |

| vendor_name | CharField | | max_length=200, blank=True, help_text=Vendor name (for vendor quotations) |

| document_date | DateField | | null=True, blank=True, help_text=Document date |

| expiry_date | DateField | | null=True, blank=True, help_text=Expiry date (for quotations) |

| uploaded_by | ForeignKey | | on_delete=, null=True, related_name=uploaded_documents |

| uploaded_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

Model: Project

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\projects\models.py

Description: Main project/bid tracking model

| Field | Type | Args | Kwargs |

|---|---|---|---|

| serial_number | IntegerField | | null=True, blank=True |

| project_name | CharField | | max_length=500 |

| proposal_reference | CharField | | max_length=255, unique=True, help_text=Leap Proposal Reference. Auto-generated for LNA (LNA ##### - project name). |

| client_rfq_reference | CharField | | max_length=255, blank=True, help_text=Client RFQ Reference Number |

| po_number | CharField | | max_length=100, blank=True, help_text=Purchase Order Number |

| submission_deadline | DateField | | null=True, blank=True |

| estimated_po_date | DateField | | null=True, blank=True |

| owner | ForeignKey | | on_delete=, null=True, blank=True, related_name=owned_projects, help_text=Project owner/responsible person |

| customer | CharField | | max_length=200, blank=True, help_text=Customer |

| end_user | CharField | | max_length=200, blank=True, help_text=End User |

| project_stage | CharField | | max_length=20, choices=, blank=True, verbose_name=Project Stage |

| priority | CharField | | max_length=10, choices=, blank=True, help_text=Pipeline priority |

| status | ForeignKey | | on_delete=, related_name=projects |

| region | ForeignKey | | on_delete=, related_name=projects |

| estimated_value | DecimalField | | max_digits=15, decimal_places=2, default=0, help_text=Estimated value in region currency |

| estimated_value_usd | DecimalField | | max_digits=15, decimal_places=2, default=0, help_text=Estimated value in USD |

| estimated_value_per_annum | DecimalField | | max_digits=15, decimal_places=2, default=0, help_text=Estimated value (SAR) per annum |

| estimated_gp | DecimalField | | max_digits=15, decimal_places=2, default=0, help_text=Estimated Gross Profit |

| po_award_quarter | CharField | | max_length=5, choices=, blank=True |

| success_quotient | DecimalField | | max_digits=5, decimal_places=2, default=0, help_text=Success probability (0-1) |

| minimum_achievement | DecimalField | | max_digits=15, decimal_places=2, null=True, blank=True |

| year | CharField | | max_length=4, blank=True, help_text=Financial year for this project |

| actual_sales | DecimalField | | max_digits=15, decimal_places=2, default=0, help_text=Actual sales/revenue achieved |

| contact_with | CharField | | max_length=255, blank=True |

| remarks | TextField | | blank=True |

notes	TextField	blank=True	
portal_url	URLField	max_length=500, blank=True	
created_at	DateTimeField	auto_now_add=True	
updated_at	DateTimeField	auto_now=True	
created_by	ForeignKey	on_delete=, null=True, related_name=created_projects	
is_deleted	BooleanField	default=False, db_index=True	
deleted_at	DateTimeField	null=True, blank=True	
deleted_by	ForeignKey	on_delete=, null=True, blank=True, related_name=deleted_projects	
objects	ProjectManager		
all_objects	Manager		

Model: ProjectHistory

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\projects\models.py

Description: Track status changes for projects

Field	Type	Args	Kwargs	
---	---	---	---	
project	ForeignKey	on_delete=, related_name=history		
old_status	ForeignKey	on_delete=, null=True, related_name=+		
new_status	ForeignKey	on_delete=, null=True, related_name=+		
changed_by	ForeignKey	on_delete=, null=True		
changed_at	DateTimeField	auto_now_add=True		
notes	TextField	blank=True		

Model: ProjectRevision

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\projects\models.py

Description: Point-in-time snapshot of a Commercial Proposal (Project).

Created explicitly via the "Create Revision" button. The snapshot JSON is immutable — it never gets overwritten, so past states can always be retrieved exactly as they were at the time of the revision.

Field	Type	Args	Kwargs	
---	---	---	---	
project	ForeignKey	on_delete=, related_name=revisions		
revision_label	CharField	max_length=16, help_text=Auto-assigned label like R00, R01, R02, ...		
snapshot	JSONField	help_text=Full snapshot of the project fields at save time		
notes	TextField	blank=True, help_text=Optional note about why this revision was created		
created_by	ForeignKey	on_delete=, null=True, blank=True, related_name=project_revisions_created		
created_at	DateTimeField	auto_now_add=True		

Model: ProjectStatus

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\projects\models.py

Description: Status categories for projects

Field	Type	Args	Kwargs	
---	---	---	---	
name	CharField	max_length=50		
category	CharField	max_length=20, choices=		

description	CharField		max_length=255, blank=True
color	CharField		max_length=7, default=#6c757d
order	IntegerField		default=0
is_active	BooleanField		default=True

Model: Region

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\projects\models.py

Description: Geographic regions for sales operations

| Field | Type | Args | Kwargs |

---|---|---|---

name	CharField		max_length=100
code	CharField		max_length=10, unique=True
currency	CharField		max_length=3, default=GBP
description	TextField		blank=True
is_active	BooleanField		default=True
created_at	DateTimeField		auto_now_add=True

App: proposals

Model: EngineeringDocument

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\proposals\models.py

| Field | Type | Args | Kwargs |

---|---|---|---

proposal	ForeignKey		on_delete=, related_name=engineering_documents
doc_type	CharField		max_length=100
doc_number	CharField		max_length=100
doc_title	CharField		max_length=255
order	IntegerField		default=0

Model: PQDAttachment

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\proposals\models.py

Description: A file uploaded into one of the PQD's sections.

| Field | Type | Args | Kwargs |

---|---|---|---

pqd	ForeignKey		on_delete=, related_name=attachments
section	CharField		max_length=30, choices=
file	FileField		upload_to=pqd/attachments/
original_filename	CharField		max_length=255, blank=True
order	PositiveIntegerField		default=0
uploaded_at	DateTimeField		auto_now_add=True

Model: PrequalLibraryItem

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\proposals\models.py

Description: One standard prequalification document: a heading and its PDF. Admin-managed shared library (the ~25 standard company documents) reused across every submission. A submission ticks which of these to combine.

| Field | Type | Args | Kwargs |

|---|---|---|---|

| heading | CharField | | max_length=255, unique=True |

| order | PositiveIntegerField | | default=0 |

| pdf | FileField | | upload_to=, null=True, blank=True, help_text=The PDF for this heading (e.g. ISO 9001 certificate). |

| description | CharField | | max_length=500, blank=True |

| is_active | BooleanField | | default=True |

| updated_at | DateTimeField | | auto_now=True |

| created_at | DateTimeField | | auto_now_add=True |

Model: PrequalSubmission

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\proposals\models.py

Description: A named prequalification built for a project — remembers which library headings were selected, so it can be reopened, re-edited and re-exported into a single combined PDF.

| Field | Type | Args | Kwargs |

|---|---|---|---|

| project | ForeignKey | projects.Project | on_delete=, null=True, blank=True, related_name=prequal_submissions |

| title | CharField | | max_length=255 |

| client_name | CharField | | max_length=255, blank=True |

| reference | CharField | | max_length=100, blank=True |

| dep_1 | CharField | Project Dep 1 | max_length=10, blank=True |

| dep_2 | CharField | Project Dep 2 | max_length=10, blank=True |

| dep_3 | CharField | Project Dep 3 | max_length=10, blank=True |

| description_month | CharField | | max_length=20, blank=True, help_text=e.g. JUN/2026 |

| description_text | CharField | | max_length=100, blank=True, help_text=e.g. 2870 TECHNICAL PROPOSAL |

| cover_date | CharField | | max_length=30, blank=True, help_text=DATE band value |

| revision | CharField | | max_length=10, blank=True, help_text=REV, e.g. A |

| report_no | CharField | | max_length=50, blank=True, help_text=REPORT NO. |

| block_date | CharField | | max_length=20, blank=True, help_text=Date in PREPARED/REVIEWED/APPROVED blocks, e.g. JUN-2026 |

| selected_items | ManyToManyField | | blank=True, related_name=submissions |

| created_by | ForeignKey | | on_delete=, null=True, related_name=prequal_submissions |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

Model: PrequalificationDocument

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\proposals\models.py

Description: A Prequalification Document (PQD) — similar cover/header/footer to TechnicalProposal but with 7 sections, mixing rich-text content with attached files (PDF, Word, PowerPoint, images).

| Field | Type | Args | Kwargs |

```

|---|---|---|---|
| project | ForeignKey | projects.Project | on_delete=, null=True, blank=True,
related_name=prequalification_documents |
| title | CharField | | max_length=255 |
| pqd_reference | CharField | | max_length=100, unique=True |
| document_type | CharField | | max_length=100, default=Prequalification |
| client_name | CharField | | max_length=255 |
| project_description | CharField | | max_length=500, blank=True |
| region_entity | CharField | | max_length=10, choices=, default=LNKSA |
| revision | CharField | | max_length=10, default=0 |
| revision_date | DateField | | |
| prepared_by_initials | CharField | | max_length=10 |
| checked_by_initials | CharField | | max_length=10, blank=True |
| approved_by_initials | CharField | | max_length=10, blank=True |
| company_profile | TextField | | blank=True |
| list_of_material | TextField | | blank=True |
| product_catalogues | TextField | | blank=True |
| government_documents | TextField | | blank=True |
| iso_certificates | TextField | | blank=True |
| qualifications | TextField | | blank=True |
| list_of_projects | TextField | | blank=True |
| status | CharField | | max_length=10, choices=, default=draft |
| created_by | ForeignKey | | on_delete=, null=True, related_name=prequalification_documents |
| created_at | DateTimeField | | auto_now_add=True |
| updated_at | DateTimeField | | auto_now=True |

```

Model: ProposalBoilerplate

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\proposals\models.py

```

| Field | Type | Args | Kwargs |
|---|---|---|---|
| name | CharField | | max_length=255 |
| section | CharField | | max_length=40, choices= |
| content | TextField | | |
| created_by | ForeignKey | | on_delete=, null=True, related_name=proposal_boilerplates |
| created_at | DateTimeField | | auto_now_add=True |

```

Model: ProposalSection

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\proposals\models.py

Description: One section of a TechnicalProposal — a heading + rich-text content, in order. The heading text is stored here (denormalised) so custom headings work and library renames don't rewrite existing proposals.

```

| Field | Type | Args | Kwargs |
|---|---|---|---|
| proposal | ForeignKey | | on_delete=, related_name=sections |
| heading | CharField | | max_length=255 |
| content | TextField | | blank=True |

```

order	PositiveIntegerField		default=0
created_at	DateTimeField		auto_now_add=True
updated_at	DateTimeField		auto_now=True

Model: SectionHeading

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\proposals\models.py

Description: Admin-editable library of proposal section headings. A proposal is built by selecting headings from here (or typing a custom one). Each can carry default content that pre-fills a new section.

Field	Type	Args	Kwargs
name	CharField		max_length=255, unique=True
order	PositiveIntegerField		default=0
default_content	TextField		blank=True, help_text=Optional default text a new section pre-fills with (editable).
is_active	BooleanField		default=True
created_at	DateTimeField		auto_now_add=True

Model: TechnicalProposal

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\proposals\models.py

Field	Type	Args	Kwargs
project	ForeignKey	projects.Project	on_delete=, null=True, blank=True, related_name=proposals
title	CharField		max_length=255
proposal_reference	CharField		max_length=50, unique=True
document_type	CharField		max_length=100, default=Technical Proposal
client_name	CharField		max_length=255
project_description	CharField		max_length=500, blank=True
region_entity	CharField		max_length=10, choices=, default=LNUK
revision	CharField		max_length=10, default=A
revision_date	DateField		
prepared_by_initials	CharField		max_length=10
checked_by_initials	CharField		max_length=10, blank=True
approved_by_initials	CharField		max_length=10, blank=True
covering_letter	TextField		blank=True
executive_summary	TextField		blank=True
company_overview	TextField		blank=True
understanding_of_requirements	TextField		blank=True
proposed_technical_solution	TextField		blank=True
delivery_implementation	TextField		blank=True
risk_management	TextField		blank=True
service_management	TextField		blank=True
data_protection	TextField		blank=True
assumptions_constraints	TextField		blank=True
status	CharField		max_length=10, choices=, default=draft
created_by	ForeignKey		on_delete=, null=True, related_name=proposals
created_at	DateTimeField		auto_now_add=True

| updated_at | DateTimeField | | auto_now=True |

App: reports

Model: Certification

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\reports\models.py

Description: Company certifications and accreditations

| Field | Type | Args | Kwargs |

---|---|---|---

| name | CharField | | max_length=255 |

| issuing_body | CharField | | max_length=255, blank=True |

| status | CharField | | max_length=20, choices=, default=pending |

| certificate_number | CharField | | max_length=100, blank=True |

| issue_date | DateField | | null=True, blank=True |

| expiry_date | DateField | | null=True, blank=True |

| description | TextField | | blank=True |

| notes | TextField | | blank=True |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

Model: EPC

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\reports\models.py

Description: EPC Contractors

| Field | Type | Args | Kwargs |

---|---|---|---

| name | CharField | | max_length=255 |

| description | TextField | | blank=True |

| website | URLField | | max_length=500, blank=True |

| contact_person | CharField | | max_length=255, blank=True |

| contact_email | EmailField | | blank=True |

| contact_phone | CharField | | max_length=50, blank=True |

| region | CharField | | max_length=100, blank=True, help_text=Operating regions |

| specialization | TextField | | blank=True, help_text=Areas of specialization |

| is_active | BooleanField | | default=True |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |

Model: Exhibition

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\reports\models.py

Description: Exhibitions and Trade Shows attended

| Field | Type | Args | Kwargs |

---|---|---|---

| name | CharField | | max_length=255 |

| location | CharField | | max_length=255, blank=True |

date_from	DateField		null=True, blank=True
date_to	DateField		null=True, blank=True
year	CharField		max_length=4, blank=True
description	TextField		blank=True
website	URLField		max_length=500, blank=True
cost	DecimalField		max_digits=12, decimal_places=2, null=True, blank=True
leads_generated	IntegerField		default=0
notes	TextField		blank=True
is_attended	BooleanField		default=True
created_at	DateTimeField		auto_now_add=True
updated_at	DateTimeField		auto_now=True

Model: ProcurementPortal

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\reports\models.py

Description: Procurement portals and registrations

Field	Type	Args	Kwargs
name	CharField		max_length=255
registration_type	CharField		max_length=20, choices=, default=free
website	URLField		max_length=500, blank=True
username	CharField		max_length=255, blank=True
registration_date	DateField		null=True, blank=True
expiry_date	DateField		null=True, blank=True
annual_cost	DecimalField		max_digits=12, decimal_places=2, null=True, blank=True
notes	TextField		blank=True
is_active	BooleanField		default=True
created_at	DateTimeField		auto_now_add=True
updated_at	DateTimeField		auto_now=True

Model: SalesCallReport

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\reports\models.py

Description: Daily Sales Call Reports entered by Sales Representatives

Field	Type	Args	Kwargs
call_date	DateField		verbose_name=Call Date
action_type	CharField		max_length=30, choices=, default=email_call, verbose_name=Action Type
contact_type	CharField		max_length=30, choices=, default=direct, verbose_name=Contact Information/Type
system_categories	TextField		default=other, verbose_name=Systems Relates, help_text=Comma-separated category codes
company_name	CharField		max_length=255, verbose_name=Company
contact_name	CharField		max_length=255, verbose_name=Contact Name
title	CharField		max_length=10, choices=, blank=True, verbose_name=Title
role	CharField		max_length=255, blank=True, verbose_name=Role/Position
address	TextField		blank=True, verbose_name=Address

phone	CharField	max_length=100, blank=True, verbose_name=Phone	
email	EmailField	blank=True, verbose_name=Email	
goal	CharField	max_length=30, choices=, default=company_intro, verbose_name=Goal	
comments	TextField	blank=True, verbose_name=Comments/Notes	
bid_status	CharField	max_length=20, choices=, blank=True, default=, verbose_name=Bid Status	
estimated_value	DecimalField	max_digits=15, decimal_places=2, null=True, blank=True, verbose_name=Project Estimated Value	
next_action_date	DateField	null=True, blank=True, verbose_name=Next Action Date	
next_action_type	CharField	max_length=30, choices=, blank=True, verbose_name=Next Action Type	
sales_rep	ForeignKey	on_delete=, related_name=sales_call_reports, verbose_name=Sales Representative	
created_at	DateTimeField	auto_now_add=True	
updated_at	DateTimeField	auto_now=True	

Model: SalesCallResponse

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\reports\models.py

Description: Manager/Admin responses to sales call reports

Field	Type	Args	Kwargs	
---	---	---	---	
sales_call	ForeignKey	on_delete=, related_name=responses		
responder	ForeignKey	on_delete=, null=True, related_name=sales_call_responses		
message	TextField	help_text=Response message from manager/admin		
created_at	DateTimeField	auto_now_add=True		
updated_at	DateTimeField	auto_now=True		

Model: SalesContact

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\reports\models.py

Description: Sales call contacts tracking

Field	Type	Args	Kwargs	
---	---	---	---	
company_name	CharField	max_length=255		
contact_name	CharField	max_length=255, blank=True		
category	CharField	max_length=50, choices=, default=other		
email	EmailField	blank=True		
phone	CharField	max_length=50, blank=True		
is_contacted	BooleanField	default=False		
last_contact_date	DateField	null=True, blank=True		
notes	TextField	blank=True		
created_at	DateTimeField	auto_now_add=True		
updated_at	DateTimeField	auto_now=True		

Model: Vendor

Defined in: C:\Users\Asadullah\OneDrive\Desktop\ERP\leap-erp\reports\models.py

Description: Partner, Distributor & Vendor companies

Field	Type	Args	Kwargs	
-------	------	------	--------	--

|---|---|---|---|

| name | CharField | | max_length=255 |

| vendor_type | CharField | | max_length=20, choices=, default=vendor |

| description | TextField | | blank=True |

| website | URLField | | max_length=500, blank=True |

| contact_person | CharField | | max_length=255, blank=True |

| contact_email | EmailField | | blank=True |

| contact_phone | CharField | | max_length=50, blank=True |

| products_services | TextField | | blank=True, help_text=Products or services provided |

| is_active | BooleanField | | default=True |

| created_at | DateTimeField | | auto_now_add=True |

| updated_at | DateTimeField | | auto_now=True |