# The Failure Point of Systems of Linearized Differential Equations

*How far from equilibrium does the linearization of a two-variable energy-balance climate model remain a valid predictor of the system's behaviour?*

International Baccalaureate Investigation in Mathematics
Candidate Code: MPV077
3800 Words

# Contents

**1 Introduction** **1**

**2 Methodology** **1**

**3 Evaluation** **1**

3.1 Limitations . . . . . 1

3.2 Strengths . . . . . 1

**4 Conclusion** **1**

# 1 Introduction

Substituting back into $\alpha(T)$ gives:

$$\alpha(T) = \frac{1}{2}\left[(\alpha_W + \alpha_C) + (\alpha_W - \alpha_C)\left(\frac{u}{\omega} - \frac{u^3}{3\omega^3} + O\left(\frac{u^5}{\omega^5}\right)\right)\right].$$

Then, substituting this into the energy model and substituting $T = T_R + u$:

$$C\frac{dT}{dt} = Q\left[1 - \frac{1}{2}\left[(\alpha_W + \alpha_C) + (\alpha_W - \alpha_C)\left(\frac{u}{\omega} - \frac{u^3}{3\omega^3} + O\left(\frac{u^5}{\omega^5}\right)\right)\right]\right] - (A + B\,(T_R + u)).$$

Then distributing $Q$:

$$C\frac{dT}{dt} = \left[Q + \left[-\frac{Q}{2}\,(\alpha_W + \alpha_C) - \frac{Q}{2}\,(\alpha_W - \alpha_C)\left(\frac{u}{\omega} - \frac{u^3}{3\omega^3} + O\left(\frac{u^5}{\omega^5}\right)\right)\right]\right] - (A + B\,(T_R + u)).$$

$$C\frac{dT}{dt} = Q - \frac{Q}{2}\,(\alpha_W + \alpha_C) - \frac{Q\,(\alpha_W - \alpha_C)}{2\omega}u + \frac{Q\,(\alpha_W - \alpha_C)}{6\omega^3}u^3 + O\left(\frac{u^5}{\omega^5}\right) - A - B\,(T_R + u)$$

$$C\frac{du}{dt} = \left[Q - \frac{Q}{2}\,(\alpha_W + \alpha_C) - A - BT_R\right] + \left[-\frac{Q\,(\alpha_W - \alpha_C)}{2\omega} - B\right]u + \frac{Q\,(\alpha_W - \alpha_C)}{6\omega^3}u^3 + O\left(\frac{u^5}{\omega^5}\right)$$

# 2 Methodology

# 3 Evaluation

## 3.1 Limitations

## 3.2 Strengths

# 4 Conclusion