

# Web-based Interface Design (CSF3133)

# LAB REPORT

LECTURE: Assoc. Prof. Ts. Dr. Wan Nural Jawahir Hj Wan Yussof

**DEMONSTRATOR**: Madam Wan Fatin Fatihah Yahya

**NAME**: Aqil Mizwar Bin Mohd Roslan

**MATRIC**: S72471

# LAB 7 EXERCISE

# Code

#### 1. html

```
<!DOCTYPE html>
     <html lang="en">
      <meta charset="UTF-8">
4
       <meta name="viewport" content="width=device-width, initial-scale=1.0">
       <title>Online Store</title>
6
     <link rel="stylesheet" href="exercise.css">
8
9
10
         <div id="home"></div>
12
13
     <!-- Transparent Image Text (Hero Section) -->
     <div class="image-container">
         <div class="overlay-text">Welcome to Aqil Clothing Store</div>
<div class="slide fade">
15
16
          <img src="f1.jpg" alt="Store Banner 1">
17
         </div>
18
19
         <div class="slide fade">
          <img src="f2.jpg" alt="Store Banner 2">
20
         <div class="slide fade">
22
23
         <img src="f3.webp" alt="Store Banner 3">
24
```

```
<!-- Header Section -->
64
     <header>
       <div class="logo">
65
         <h1>My Online Store</h1>
66
67
       </div>
       <div class="search-bar">
68
69
         <input type="text" placeholder="Search for products...">
       </div>
70
       <div class="cart">
71
         <button>Cart (0)
72
73
       </div>
     </header>
74
75
     <!-- Side Navigation -->
76
     <div class="side-nav">
77
78
         <a href="#men">Men</a>
79
         <a href="#women">Women</a>
80
         <a href="#kid">Kid</a>
         <a href="#home">Home</a> <!-- This will scroll to the top -->
81
82
       </div>
83
     <!-- Main Content -->
85
     <div class="main-content">
```

```
Men Section
        <section id="men" class="product-section">
88
89
          <h2>Men's Collection</h2>
90
          <div class="product-container">
            <div class="product-card" data-category="men">
 91
              <img src="m1.webp" alt="Men's Product 1">
 92
93
             <h3>Men's Product 1</h3>
94
             $100
95
              <button class="add-to-cart">Add to Cart
96
            <div class="product-card" data-category="men">
97
              <img src="m2.webp" alt="Men's Product 2">
98
              <h3>Men's Product 2</h3>
99
100
              $120
101
              <button class="add-to-cart">Add to Cart/button>
102
103
            <div class="product-card" data-category="men">
             <img src="m3.webp" alt="Men's Product 2">
104
105
             <h3>Men's Product 3</h3>
106
             $140
             <button class="add-to-cart">Add to Cart</button>
107
108
            </div>
            <div class="product-card" data-category="men">
109
              <img src="m4.webp" alt="Men's Product 2">
110
111
             <h3>Men's Product 4</h3>
112
             $150
              <button class="add-to-cart">Add to Cart/button>
113
114
115
            <div class="product-card" data-category="men">
              <img src="m5.webp" alt="Men's Product 2">
116
              <h3>Men's Product 5</h3>
117
              $220
118
```

```
124
       <section id="women" class="product-section">
125
126
         <h2>Women's Collection</h2>
         <div class="product-container">
127
           128
129
130
             <h3>Women's Product 1</h3>
131
             $80
             <button class="add-to-cart">Add to Cart</button>
132
133
           <div class="product-card" data-category="women">
134
             <img src="w2.webp" alt="Women's Product 2">
135
             <h3>Women's Product 2</h3>
136
137
             $90
138
             <button class="add-to-cart">Add to Cart/button>
139
           </div>
140
           <div class="product-card" data-category="women">
141
             <img src="w3.webp" alt="Women's Product 2">
142
             <h3>Women's Product 3</h3>
143
             $120
             <button class="add-to-cart">Add to Cart</button>
1/1/
145
           <div class="product-card" data-category="women">
146
             <img src="w4.webp" alt="Women's Product 2">
147
             <h3>Women's Product 4</h3>
148
149
             $130
             <button class="add-to-cart">Add to Cart/button>
150
151
           </div>
           <div class="product-card" data-category="women">
152
153
             <img src="w5.jpg" alt="Women's Product 2">
             <h3>Women's Product 5</h3>
154
             $180
155
```

```
<!-- Kid Section -->
160
       <section id="kid" class="product-section">
161
          <h2>Kid's Collection</h2>
162
          <div class="product-container">
163
            <div class="product-card" data-category="kid">
164
              <img src="k1.webp" alt="Kid's Product 1">
165
              <h3>Kid's Product 1</h3>
166
167
              $50
              <button class="add-to-cart">Add to Cart/button>
168
169
            </div>
170
            <div class="product-card" data-category="kid">
              <img src="k2.webp" alt="Kid's Product 2">
171
              <h3>Kid's Product 2</h3>
172
173
              $60
174
              <button class="add-to-cart">Add to Cart/button>
175
176
            <div class="product-card" data-category="kid">
              <img src="k3.webp" alt="Kid's Product 3">
177
              <h3>Kid's Product 3</h3>
178
179
              $70
              <button class="add-to-cart">Add to Cart
180
            </div>
181
            <div class="product-card" data-category="kid">
182
              <img src="k4.webp" alt="Kid's Product 4">
<h3>Kid's Product 4</h3>
183
184
185
              $80
              <button class="add-to-cart">Add to Cart/button>
186
187
            </div>
            <div class="product-card" data-category="kid">
188
              <img src="k5.webp" alt="Kid's Product 5">
189
190
              <h3>Kid's Product 5</h3>
               (n) $90 < /n>
191
```

```
<button class="add-to-cart">Add to Cart</button>
194
195
196
197
     <!-- Profile Card Section -->
      199
200
        <div class="profile-card">
    <iing src="profile.webp" alt="Profile Picture" class="profile-img">
201
203
         <div class="profile-details">
           <h3>John Doe</h3>
204
           A passionate entrepreneur, John founded Aqil Clothing Store with a vision to provide fashionable and affordable clothing fo
205
206
207
            208
209
210
            211
213
214
             <a href="https://instagram.com" target=" blank" class="social-icon">
              <img src="ig.png" alt="Instagram</pre>
216
217
218
219
```

```
<!-- Business Progress Bar Section -->
<section id="business-progress" class="business-progress-section">
                                              <h2>Business Progress</h2>
                                               Sales Target Completion
                                            | <div class="progress-bar" id="business-progress-bar"></div>
 227
 228
                                               0%
 229
230
 234
                                               \hfill 
                                               <button class="collapsible">Show FAQs</button>
 236
                                                     class= corrapsible=content:
cyp>strong>Q: What is Aqil Clothing store?
cyp>Aqil Clothing Store is a fashion brand offering a wide range of clothing and accessories for all ages.
cyp>cyp>(P) How can I make a purchase?</strong>
cyp>You can browse our collections, add products to your cart, and proceed to checkout securely.
237
238
239
 240
 241
                                                        <strong>Q: Do you offer international shipping?</strong>
 242
                                                        Yes, we offer shipping to various countries worldwide. Shipping fees and delivery times vary depending on location.
 243
```

```
<!-- Footer Section -->
246
247
      <footer>
        <div class="footer-links">
248
          <a href="#">About Us</a>
249
          <a href="#">Contact</a>
250
          <a href="#">Privacy Policy</a>
251
        </div>
252
      </footer>
253
254
      <script src="Exercise.js"></script>
255
      </body>
256
      </html>
257
258
```

```
General Reset */
         margin: 0;
 3
         padding: 0;
5
         box-sizing: border-box;
6
8
     /* Form Overlay Styles */
     .form-overlay
10
         position: fixed;
         top: 0;
         left: 0;
12
         width: 100%;
         height: 100%;
14
         background-color: ☐rgba(0, 0, 0, 0.5);
15
         display: flex;
16
17
         justify-content: center;
18
         align-items: center;
19
         z-index: 20;
20
21
22
     .form-container {
         background-color: ■white;
24
         padding: 30px;
25
         border-radius: 10px;
26
         box-shadow: 0px 4px 6px □rgba(0, 0, 0, 0.2);
         text-align: center;
27
28
         width: 100%;
         max-width: 400px;
29
30
         position: relative;
31
```

```
.form-container h2 {
33
34
         font-size: 24px;
         margin-bottom: 20px;
35
         color: □#333;
36
37
38
     .form-container input {
39
40
         width: 100%;
         padding: 10px;
41
         margin: 10px 0;
42
43
         border-radius: 5px;
44
          border: 1px solid ■#ccc;
45
          font-size: 16px;
46
47
48
     .form-container button {
         color: \Box rgb(12, 12, 12);
49
50
         padding: 12px;
51
         border: none;
52
         width: 100%;
         border-radius: 5px;
53
         cursor: pointer;
54
          font-size: 16px;
55
          transition: background-color 0.3s ease;
56
57
```

```
/* Close Button Styles */
59
      .form-container .close-btn {
60
         position: absolute;
61
         top: 5px;
62
         right: 5px;
63
64
         background: none;
65
         border: none;
         font-size: 18px;
66
         color: □#000000;
67
         cursor: pointer;
68
69
         padding: 5px;
         width: 60px;
70
         height: 60px;
71
         text-align: center;
72
         line-height: 25px;
73
         border-radius: 50%;
74
         transition: background-color 0.3s ease;
75
76
77
78
        .form-container .close-btn:hover {
         background-color: \Boxrgba(0, 0, 0, 0.2);
79
80
```

```
/* Real-time Validation Feedback */
 82
 83
      .input-error {
          border-color: ■red:
 84
          background-color: #f8d7da;
 85
 86
 87
      .input-error:focus {
 88
          border-color: ■red;
 89
          background-color: #f8d7da;
 90
91
 92
      /* Overlay Background Styles */
93
      .form-overlay {
 94
          animation: fadeIn 0.3s ease-in-out;
95
 96
97
      @keyframes fadeIn {
 98
          0% { opacity: 0; }
99
          100% { opacity: 1; }
100
101
```

```
Header Styles */
        header {
104
105
          display: flex;
          justify-content: space-between;
106
107
          padding: 20px;
108
          background-color: □#333;
          color: ☐white;
109
110
111
        header .logo h1 {
112
113
          font-size: 24px;
114
115
116
        header .search-bar input {
117
          padding: 10px;
118
          font-size: 16px;
119
          width: 300px;
120
121
        header .cart button {
122
123
          padding: 10px;
          background-color: ■#28a745;
124
125
          color: ☐white;
126
          border: none;
127
          cursor: pointer;
128
129
130
        header .cart button:hover {
131
          background-color: ■#218838;
132
```

```
134
         /* Transparent Image Text (Hero Section) */
135
         .image-container {
           position: relative;
136
           width: 100%;
137
138
           height: 300px;
139
           overflow: hidden;
140
141
142
         .slide {
           display: none;
143
144
           width: 100%;
145
           height: 150%;
146
147
148
         .slide img {
           width: 100%;
149
150
           height: 150%;
           object-fit: cover;
151
152
153
         .overlay-text {
  position: absolute;
154
155
156
           top: 50%;
           left: 50%;
157
           transform: translate(-50%, -50%);
158
           background-color: ■rgba(255, 3, 3, 0.788);
159
           color: ■white;
padding: 10px 20px;
160
161
162
           font-size: 24px;
           text-align: center;
163
164
           z-index: 10;
165
```

```
/* Fade-in effect for slides */
167
         .fade {
168
           animation: fadeEffect 2s ease-in-out;
169
170
171
         @keyframes fadeEffect {
    0% { opacity: 0; }
172
173
174
           50% { opacity: 1; }
           100% { opacity: 0; }
175
176
177
178
179
         .side-nav {
           position: fixed;
180
181
           top: 50%;
182
           left: 0;
           transform: translateY(-50%);
183
           width: 200px;
184
           background-color: ☐#333;
185
186
           padding: 10px;
187
188
         .side-nav a {
189
190
           display: block;
           color: ■white;
text-decoration: none;
191
192
           padding: 10px;
193
194
           margin-bottom: 10px;
           background-color: #444;
195
           text-align: center;
196
           border-radius: 5px;
197
198
```

```
200
        .side-nav a:hover {
          background-color: □#555;
201
202
203
        .product-container {
204
205
          margin-left: 220px;
          display: flex;
206
          flex-wrap: wrap;
207
          gap: 20px;
208
209
          padding: 20px;
210
211
        .product-card {
212
          width: 200px;
213
214
          padding: 10px;
          border: 1px solid ■#ddd;
215
216
          border-radius: 10px;
217
          text-align: center;
          overflow: hidden;
218
219
220
        .product-card img {
221
222
          width: 100%;
223
          height: 200px;
          object-fit: cover;
224
225
226
        .product-card h3 {
227
          margin: 10px 0;
228
229
```

```
231
        .product-card .add-to-cart {
232
          background-color: ■#28a745;
233
          color: ☐ white;
234
          padding: 10px;
          border: none;
235
236
          cursor: pointer;
237
          width: 100%;
238
239
        .product-card .add-to-cart:hover {
240
241
          background-color: ■#218838;
242
243
244
        footer {
245
          padding: 20px;
          background-color: □#333;
246
          color: White;
247
248
          text-align: center;
249
250
        footer .footer-links a {
251
          color: ■white;
252
253
          text-decoration: none;
254
          margin: 5px;
255
```

```
257
         /* Smooth Scrolling */
258
        html {
          scroll-behavior: smooth;
259
260
261
262
         /* Media Queries */
        @media (max-width: 768px) {
263
           .side-nav {
264
            display: none;
265
266
267
          .product-container {
268
269
            margin-left: 0;
270
            flex-direction: column;
271
272
273
       /* Profile Card Styling */
274
       .profile-card-section {
275
          padding: 40px;
276
277
          text-align: center;
278
279
        .profile-card {
280
281
          display: flex;
282
          align-items: center;
283
          justify-content: center;
284
          border: 1px solid ■#ccc;
285
          padding: 20px;
286
          margin-top: 30px;
          border-radius: 10px;
287
288
          box-shadow: 0 4px 6px □rgba(0, 0, 0, 0.1);
289
```

```
.profile-img {
291
          width: 120px;
292
293
          height: 120px;
          border-radius: 50%;
294
295
          margin-right: 20px;
296
297
298
        .profile-details {
          text-align: left;
299
300
301
        .profile-details h3 {
302
303
          font-size: 1.5em;
304
          margin: 10px 0;
305
306
307
        .profile-details p {
308
          font-size: 1em;
          color: □#555;
309
310
311
312
        .social-media {
          margin-top: 10px;
313
314
315
316
        .social-icon {
          margin: 0 10px;
317
          display: inline-block;
318
319
320
        .social-icon img {
321
322
          width: 30px;
          height: 30px;
323
          transition: transform 0.3s ease;
324
```

```
.social-icon img:hover {
327
328
          transform: scale(1.2);
329
330
331
        /* Business Progress Bar Styling */
332
      .business-progress-section {
          padding: 20px;
333
334
          text-align: center;
          margin-top: 40px;
335
336
337
338
        .progress-container {
339
          width: 100%;
          background-color: ■#f3f3f3;
340
341
          border-radius: 25px;
342
          height: 30px;
343
          box-shadow: 0 4px 6px □rgba(0, 0, 0, 0.1);
344
          margin-top: 20px;
345
346
        .progress-bar {
347
          height: 100%;
348
349
          width: 0%;
350
          background-color: ■#4caf50;
351
          border-radius: 25px;
352
          text-align: center;
          line-height: 30px;
353
          color: ■white;
font-weight: bold;
354
355
          transition: width 0.5s ease;
356
```

```
359
        #progress-percentage {
          font-size: 18px;
360
361
          font-weight: bold;
362
          margin-top: 10px;
363
364
365
       /* Collapsible Section Styles */
366
      #collapsible-section {
367
          padding: 20px;
          background-color: #f9f9f9;
368
369
          margin-top: 40px;
          border-radius: 10px;
370
371
372
        button.collapsible {
373
374
          background-color: ■#4CAF50;
          color: White;
375
376
          padding: 10px;
377
          width: 100%;
378
          border: none;
379
          text-align: left;
380
          font-size: 18px;
381
          cursor: pointer;
382
          border-radius: 5px;
          transition: background-color 0.3s;
383
384
385
386
        button.collapsible:hover {
          background-color: ■#45a049;
387
388
```

```
.collapsible-content {
390
391
           padding: 10px;
392
          display: none;
          background-color: ■#f1f1f1;
393
           border-radius: 5px;
394
395
          margin-top: 10px;
396
         }
397
398
         .collapsible-content p {
399
          margin: 10px 0;
400
401
```

# 3. Javascript

```
natic Slideshow for Hero Section
       let slideIndex = 0;
       showSlides();
       function showSlides() {
         let slides = document.getElementsByClassName("slide");
         for (let i = 0; i < slides.length; i++) {</pre>
         slides[i].style.display = "none";
10
         if (slideIndex > slides.length) { slideIndex = 1 }
12
         slides[slideIndex-1].style.display = "block";
         setTimeout(showSlides, 4000);
14
      // Close the form overlay
16
       function closeForm() {
      document.querySelector('.form-overlay').style.display = 'none';
18
19
20
       // Email Validation (Real-time) for Login
21
      function validateEmail() {
22
        const email = document.getElementById('email');
const regex = /^[a-ZA-Z0-9._-]+\@[a-ZA-Z0-9.-]+\.[a-ZA-Z]{2,4}$/;
const errorMessage = document.getElementById('email-error');
23
24
25
26
         if (!regex.test(email.value)) {
   email.classList.add('input-error');
   if (!errorMessage) {
27
28
29
              const errorMsg = document.createElement('span');
errorMsg.id = 'email-error';
errorMsg.style.color = 'red';
30
31
32
              errorMsg.textContent = 'Please enter a valid email address.';
              email.parentElement.appendChild(errorMsg);
34
```

```
36
          email.classList.remove('input-error');
37
38
          if (errorMessage) {
39
           errorMessage.remove();
40
41
42
43
     // Password Validation (Minimum 6 characters) for Login
44
     function validatePassword() {
45
46
       const password = document.getElementById('password');
       const errorMessage = document.getElementById('password-error');
47
48
49
       if (password.value.length < 6) {</pre>
          password.classList.add('input-error');
50
51
          if (!errorMessage) {
           const errorMsg = document.createElement('span');
52
53
            errorMsg.id = 'password-error';
           errorMsg.style.color = 'red';
errorMsg.textContent = 'Password must be at least 6 characters long.';
54
55
           password.parentElement.appendChild(errorMsg);
56
57
58
          password.classList.remove('input-error');
59
          if (errorMessage) {
60
            errorMessage.remove();
61
62
63
64
```

```
66
     // Email Validation (Real-time) for Sign-up
     function validateSignupEmail() {
67
       const email = document.getElementById('signup-email');
68
69
       const regex = /^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,4}$/;
70
       const errorMessage = document.getElementById('signup-email-error');
71
72
       if (!regex.test(email.value)) {
          email.classList.add('input-error');
73
74
          if (!errorMessage) {
           const errorMsg = document.createElement('span');
errorMsg.id = 'signup-email-error';
75
76
            errorMsg.style.color = 'red';
77
            errorMsg.textContent = 'Please enter a valid email address.';
78
            email.parentElement.appendChild(errorMsg);
79
80
81
         else {
82
          email.classList.remove('input-error');
          if (errorMessage) {
83
           errorMessage.remove();
84
85
86
87
```


```
// Password Validation (Minimum 6 characters) for Sign-up
      function validateSignupPassword() {
        const password = document.getElementById('signup-password');
 91
 92
        const errorMessage = document.getElementById('signup-password-error');
93
94
        if (password.value.length < 6) {</pre>
          password.classList.add('input-error');
95
96
          if (!errorMessage) {
97
            const errorMsg = document.createElement('span');
            errorMsg.id = 'signup-password-error';
98
            errorMsg.style.color = 'red';
99
            errorMsg.textContent = 'Password must be at least 6 characters long.';
100
101
            password.parentElement.appendChild(errorMsg);
102
103
104
          password.classList.remove('input-error');
          if (errorMessage) {
105
106
            errorMessage.remove();
107
108
109
```


```
// Form submission and validation handling
111
       function submitForm(event, isSignup = false) {
112
113
        event.preventDefault();
114
115
116
        if (!isSignup) {
          validateEmail();
117
118
           validatePassword();
119
120
         // For Sign-up validation
121
        else {
122
          validateSignupEmail();
          validateSignupPassword();
123
124
125
         // Check if there are any validation errors (i.e., input error class added)
126
        const isValid = !document.querySelector('.input-error');
127
128
        if (isValid) {
129
           // For successful login/signup, store user info in localStorage
          if (!isSignup) {
130
             const email = document.getElementById('email').value;
131
             localStorage.setItem('userEmail', email);
alert('Login successful! Welcome back!');
132
133
            else {
134
135
             const email = document.getElementById('signup-email').value;
             localStorage.setItem('userEmail', email);
136
             alert('Sign-up successful! Welcome!');
137
138
139
140
           // Hide the form overlay after successful login/signup
          document.querySelector('.form-overlay').style.display = 'none';
141
142
           // Optionally, you can show a success message or redirect to the shopping page:
143
144
           // window.location.href = "shopping.html"; // Redirect to shopping page
145
```

```
// If validation fails, ask user to re-enter
146
          alert('Please correct the highlighted errors before submitting.');
147
148
149
150
      // Event listeners for form submission
151
      document.getElementById('login-form').addEventListener('submit', function(event) {
152
153
      submitForm(event, false);
154
      });
155
      document.getElementById('signup-form').addEventListener('submit', function(event) {
156
157
      submitForm(event, true);
158
159
      // JavaScript to toggle between login and sign-up forms
160
161
      function toggleForms() {
162
        var loginForm = document.getElementById('login-form');
        var signupForm = document.getElementById('signup-form');
163
164
165
        if (loginForm.style.display === 'none') {
          loginForm.style.display = 'block';
166
          signupForm.style.display = 'none';
167
168
          else {
          loginForm.style.display = 'none';
169
          signupForm.style.display = 'block';
170
171
```


```
window.onload = function() {
175
        var progressBar = document.getElementById("business-progress-bar");
176
177
        var progressPercentage = document.getElementById("progress-percentage");
178
        // Example: Progress towards sales target (e.g., 75% target completed)
179
180
        var targetProgress = 75;
181
182
183
        var width = 0;
        var interval = setInterval(function() {
184
          if (width >= targetProgress) {
185
186
            clearInterval(interval);
            else {
187
             width++;
188
             progressBar.style.width = width + "%";
189
190
            progressPercentage.textContent = width + "%";
         } 20); // Adjust the interval speed (milliseconds) as needed
191
192
193
194
       // JavaScript to toggle collapsible content
      document.addEventListener('DOMContentLoaded', function() {
   var collapsibles = document.querySelectorAll('.collapsible');
195
196
197
198
        collapsibles.forEach(function(button) {
           button.addEventListener('click', function() {
199
200
             var content = this.nextElementSibling;
201
202
             if (content.style.display === 'block') {
203
204
               content.style.display = 'none';
               this.textContent = 'Show FAQs';
205
206
               else {
207
               content.style.display = 'block';
               this textContent = 'Hide FAQs';
208
```

## 4. Output





## id's Collection



#### **Meet Our Founder**



### John Doe

A passionate entrepreneur, John founded Aqil Clothing Store with a vision to provide fashionable and affordable clothing for everyone. When he's not working, he loves to travel and explore new cultures.





