






Zenmap
Scan Tools Profile Help
Target: 192.168.100.0/24
Profile: Ping scan
Scan
Cancel
Command: nmap -sn 192.168.100.0/24
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
192.168.100.1
192.168.100.3
192.168.100.4
nmap -sn 192.168.
Details
Starting Nmap 7.993 (https://nmap.org) at 2026-11-10 10:14 +0500
Nmap scan report for 192.168.100.1
Host is up (0.0060s latency).
MAC Address: 48:FD:8E:43:EC:26 (Huawei Technologies)
Nmap scan report for 192.168.100.3
Host is up (0.078s latency).
MAC Address: 40:D3:AE:5E:B0:CC (Samsung Electronics)
Nmap scan report for 192.168.100.4
Host is up.
Nmap done: 256 IP addresses (3 hosts up) scanned in 10.66 seconds



Connection-specific DNS Suffix . :
C:\Users\Sa nmap -sn
Starting Nmap 7.993 (https://nmap.org) at 2026-11-10 11:55 +0500
Nmap scan report for 192.168.100.1
Host is up (0.0059s latency).
MAC Address: (Huawei Technologies)
Nmap scan report for 192.168.100.4
Host is up.
Nmap done: 256 IP addresses (2 hosts up) scanned in 13.56 seconds



Zenmap
Scan Tools Profile Help
Target: scanme.nmap.org
Profile: Intense scan, no ping
Scan
Cancel
Command: nmap -T4 -A -v -Pn scanme.nmap.org
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
Service
domain
ftp
http
microsoft-ds
msrpc
netbios-ssn
nping-echo
smtp
ssh
telnet
nmap -T4 -A -v -Pn scanme.nmap.org
Details
No exact OS matches for host (test conditions non-ideal).
Uptime guess: 34.128 days (since Wed Oct 7 07:38:59 2026)
Network Distance: 18 hops
TCP Sequence Prediction: Difficulty=265 (Good luck!)
IP ID Sequence Generation: All zeros
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
TRACEROUTE (using port 8080/tcp)
HOP RTT ADDRESS
1 7.00 ms 192.168.100.1
2 52.00 ms 202.163.100.234
3 32.00 ms 192.168.241.225
4 ... 5
6 50.00 ms 192.168.5.22
7 ...
8 135.00 ms 134.0.219.249
9 ...
10 293.00 ms unknown.telstraglobal.net (210.57.65.85)
11 ...
12 287.00 ms unknown.telstraglobal.net (202.84.207.181)
13 295.00 ms i-1120.eqnx-core02.telstraglobal.net (202.84.141.153)
14 ... 17
18 296.00 ms scanme.nmap.org (45.33.32.156)
NSE: Script Post-scanning.
Initiating NSE at 10:43
Completed NSE at 10:43, 0.00s elapsed
Initiating NSE at 10:43
Completed NSE at 10:43, 0.00s elapsed
Initiating NSE at 10:43
Completed NSE at 10:43, 0.00s elapsed
Read data files from: C:\Users\Saim Ali
OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 36.92 seconds
Raw packets sent: 1113 (51.594KB) | Rcvd: 1225 (57.269KB)
Filter Hosts



Zenmap
Scan Tools Profile Help
Target: scanme.nmap.org
Profile: Intense scan, no ping
Scan
Cancel
Command: nmap -T4 -A -v -Pn scanme.nmap.org
Hosts
Services
Service
domain
ftp
http
microsoft-ds
msrpc
netbios-ssn
nping-echo
smtp
ssh
telnet
Filter Hosts
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
nmap -T4 -A -v -Pn scanme.nmap.org
Details
Completed NSE at 10:43, 0.00s elapsed
Nmap scan report for scanme.nmap.org (45.33.32.156)
Host is up (0.29s latency).
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f
Not shown: 996 closed tcp ports (reset)
PORT STATE SERVICE VERSION
22/tcp open ssh OpenSSH 6.6.1p1 Ubuntu 2ubuntu2.13 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
| 1024 ac:00:a0:1a:82:ff:cc:55:99:dc:67:2b:34:97:6b:75 (DSA)
| 2048 20:3d:2d:44:62:2a:b0:5a:9d:b5:b3:05:14:c2:a6:b2 (RSA)
| 256 96:02:bb:5e:57:54:1c:4e:45:2f:56:4c:4a:24:b2:57 (ECDSA)
|_ 256 33:fa:91:0f:e0:e1:7b:1f:6d:05:a2:b0:f1:54:41:56 (ED25519)
25/tcp filtered smtp
80/tcp open http Apache httpd 2.4.7 ((Ubuntu))
|_http-favicon: Nmap Project
| http-methods:
|_ Supported Methods: GET HEAD POST OPTIONS
|_http-server-header: Apache/2.4.7 (Ubuntu)
|_http-title: Go ahead and ScanMe!
9929/tcp open nping-echo Nping echo
Aggressive OS guesses: Linux 4.19 - 5.15 (98%), Linux 4.15 (94%), IPFire 2.27 (Linux 5.15 - 6.1) (93%), Linux 6.12 (93%), Linux 5.4 (92%), Linux 6.1 (92%), Linux 5.0 - 5.14 (91%), MikroTik RouterOS 7.2 - 7.5 (Linux 5.6.3) (91%), Linux 3.11 - 4.9 (91%), Linux 3.2 - 3.8 (91%)
No exact OS matches for host (test conditions non-ideal).
Uptime guess: 34.128 days (since Wed Oct 7 07:38:59 2026)
Network Distance: 18 hops
TCP Sequence Prediction: Difficulty=265 (Good luck!)
IP ID Sequence Generation: All zeros
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
TRACEROUTE (using port 8080/tcp)
HOP RTT ADDRESS
1 7.00 ms 192.168.100.1
2 52.00 ms 202.163.100.234
3 32.00 ms 192.168.241.225
4 ... 5
6 50.00 ms 192.168.5.22


Zenmap
Scan Tools Profile Help
Target: scanme.nmap.org
Profile: Intense scan, no ping
Scan
Cancel
Command: nmap -T4 -A -v -Pn scanme.nmap.org
Hosts
Services
Service
domain
ftp
http
microsoft-ds
msrpc
netbios-ssn
nping-echo
smtp
ssh
telnet
Filter Hosts
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
nmap -T4 -A -v -Pn scanme.nmap.org
Details
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.993 (https://nmap.org) at 2026-11-10 10:42 +0500
NSE: Loaded 159 scripts for scanning.
NSE: Script Pre-scanning.
Initiating NSE at 10:42
Completed NSE at 10:42, 0.00s elapsed
Initiating NSE at 10:42
Completed NSE at 10:42, 0.00s elapsed
Initiating NSE at 10:42
Completed NSE at 10:42, 0.00s elapsed
Initiating Parallel DNS resolution of 1 host. at 10:42
Completed Parallel DNS resolution of 1 host. at 10:42, 0.01s elapsed
Warning: Hostname scanme.nmap.org resolves to 2 IPs. Using 45.33.32.156.
Initiating Parallel DNS resolution of 1 host. at 10:42
Completed Parallel DNS resolution of 1 host. at 10:42, 0.01s elapsed
Initiating SYN Stealth Scan at 10:42
Scanning scanme.nmap.org (45.33.32.156) [1000 ports]
Discovered open port 22/tcp on 45.33.32.156
Discovered open port 80/tcp on 45.33.32.156
Discovered open port 9929/tcp on 45.33.32.156
Completed SYN Stealth Scan at 10:43, 6.21s elapsed (1000 total ports)
Initiating Service scan at 10:43
Scanning 3 services on scanme.nmap.org (45.33.32.156)
Completed Service scan at 10:43, 6.59s elapsed (3 services on 1 host)
Initiating OS detection (try #1) against scanme.nmap.org (45.33.32.156)
Retrying OS detection (try #2) against scanme.nmap.org (45.33.32.156)
Initiating Traceroute at 10:43
Completed Traceroute at 10:43, 5.29s elapsed
Initiating Parallel DNS resolution of 9 hosts. at 10:43
Completed Parallel DNS resolution of 9 hosts. at 10:43, 0.96s elapsed
NSE: Script scanning 45.33.32.156.
Initiating NSE at 10:43
Completed NSE at 10:43, 8.69s elapsed
Initiating NSE at 10:43
Completed NSE at 10:43, 1.20s elapsed
Initiating NSE at 10:43


Zenmap
Scan Tools Profile Help
Target:
Profile: Intense scan
Scan
Cancel
Command: nmap -T4 -A -v
Hosts
Services
OS
Host
192.168.100.1
192.168.100.3
192.168.100.4
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
Port
Protocol
State
Service
Version
21 tcp filtered ftp
22 tcp filtered ssh
23 tcp open telnet
53 tcp open domain
80 tcp open http


Zenmap
Scan Tools Profile Help
Target:
Profile: Intense scan
Scan
Cancel
Command: nmap -T4 -A -v
Hosts
Services
OS
Host
192.168.100.1
192.168.100.3
192.168.100.4
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
nmap -T4 -A -v
Details
Starting Nmap 7.993 (https://nmap.org) at 2026-11-10 10:24 +0500
NSE: Loaded 159 scripts for scanning.
NSE: Script Pre-scanning.
Initiating NSE at 10:24
Completed NSE at 10:24, 0.00s elapsed
Initiating NSE at 10:24
Completed NSE at 10:24, 0.00s elapsed
Initiating NSE at 10:24
Completed NSE at 10:24, 0.00s elapsed
NSE: Script Post-scanning.
Initiating NSE at 10:24
Completed NSE at 10:24, 0.00s elapsed
Initiating NSE at 10:24
Completed NSE at 10:24, 0.00s elapsed
Initiating NSE at 10:24
Completed NSE at 10:24, 0.00s elapsed
Read data files from: C:\Users\Saim Ali
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.97 seconds
Raw packets sent: 0 (0B) | Rcvd: 0 (0B)


Zenmap
Scan Tools Profile Help
Target: 192.168.100.0/24
Profile: Ping scan
Scan
Cancel
Command: nmap -sn 192.168.100.0/24
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
192.168.100.1
192.168.100.3
192.168.100.4
nmap -sn 192.168.
Details
Starting Nmap 7.993 (https://nmap.org) at 2026-11-10 10:14 +0500
Nmap scan report for 192.168.100.1
Host is up (0.0060s latency).
MAC Address: 48:FD:8E:43:EC:26 (Huawei Technologies)
Nmap scan report for 192.168.100.3
Host is up (0.078s latency).
MAC Address: 40:D3:AE:5E:B0:CC (Samsung Electronics)
Nmap scan report for 192.168.100.4
Host is up.
Nmap done: 256 IP addresses (3 hosts up) scanned in 10.66 seconds


Zenmap
Scan Tools Profile Help
Target: 192.168.
Profile: Ping scan
Scan
Cancel
Command: nmap -sn 192.168.100.0/24
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
192.168.100.1
192.168.100.3
192.168.100.4
Hosts Viewer
Fisheye
Controls
Legend
Save Graphic
Topology...
Hosts
host was not port scanned
host with fewer than 3 open ports
host with 3 to 6 open ports
host with more than 6 open ports
host is a router, switch, or WAP
Traceroute connections
Thicker line means higher round-trip time
primary traceroute connection
alternate path
no traceroute information
missing traceroute hop
Additional host icons
router
switch
wireless access point
firewall
host with some filtered ports
View full legend online
192.168.100.4
192.168.100.3
localhost
192.168.100.1