DOCUMENT PARSING TEST PACK

A synthetic multi-format PDF for testing Chandra Parser

Purpose: This sample combines narrative text, structured tables, bullet lists, numerical data, formulas, contact details, and layout changes. Use it to inspect extraction quality and reading order.

Document property	Value
Document ID	DPT-2026-014
Version	1.2
Created	27 October 2026
Content type	Synthetic / fictional
Intended use	PDF parser and RAG pipeline testing
Expected pages	5

> ***Important:*** *All organizations, people, contact information, and measurements in this file are fictional test data. Do not treat them as real records.*

Parsing checklist

- Extract paragraphs and section headings.
- Preserve table headers and associate each value with the correct row.
- Keep lists in the correct order.
- Retain symbols, dates, units, percentages, and currency values.
- Check whether page breaks and footer text are handled appropriately.

1. Executive Summary

Northstar Sample Labs is a fictional organization used to demonstrate mixed document content. This test pack describes a small equipment-monitoring pilot, records its key metrics, and summarizes sample findings. The material intentionally includes repeated terms, identifiers, abbreviations, and values that a parser should preserve.

Pilot overview

The pilot ran from 1 September 2026 through 30 September 2026. Three locations submitted daily sensor readings. The sample dataset contains 1,248 observations, of which 1,211 were valid and 37 were flagged for review. A flagged observation is not automatically an error; it indicates that a rule or threshold needs checking.

Metric	Result	Definition
Total observations	1,248	All submitted sensor readings
Valid observations	1,211	Readings passing basic validation
Flagged observations	37	Readings requiring review
Validation rate	96.9%	Valid ÷ total × 100
Locations	3	North, Central, and South

Key findings

- Central location recorded the highest observation count: 451.
- The average measured temperature was 21.8 °C; the maximum was 38.4 °C.
- Median network latency was 42 ms, while the 95th percentile was 118 ms.
- The largest source of flagged records was missing humidity data.

Interpretation note: The numbers are fabricated to create realistic extraction cases. They do not represent measurements from an actual organization.

2. Location Summary

Location	Code	Observations	Valid	Flagged
North	LOC-N	392	382	10
Central	LOC-C	451	439	12
South	LOC-S	405	390	15
Total	—	1,248	1,211	37

3. Equipment Inventory

The inventory table contains alphanumeric IDs, different units, decimal values, and status labels. During extraction, each device's identifier should remain connected to its model, location, calibration date, and status.

Device ID	Model	Location	Range	Last calibrated	Status
SNS-104	TempSense T4	North	–10 to 60 °C	2026-08-21	Active
SNS-117	HumidPro H2	Central	0–100 %RH	2026-08-19	Active
SNS-121	AirMetric A7	South	300–1100 hPa	2026-08-26	Review
GW-022	LinkHub G3	Central	10/100 Mbps	2026-08-18	Active
SNS-133	TempSense T4	North	–10 to 60 °C	2026-08-28	Maintenance

4. Monthly Readings

The following values represent fictional monthly summaries. Decimal precision and unit symbols are intentional.

Month	Mean temp. (°C)	Mean humidity (%RH)	Median latency (ms)	Uptime (%)
June 2026	20.6	46.2	39	99.91
July 2026	23.9	43.7	44	99.87
August 2026	22.7	48.1	41	99.94
September 2026	21.8	49.5	42	99.92

5. Review Rules

Rule ID	Condition	Action	Severity
R-01	Temperature < –5 °C or > 45 °C	Verify sensor and timestamp	Medium
R-02	Humidity value is null	Mark as incomplete	Low
R-03	Latency > 250 ms	Inspect gateway logs	Medium
R-04	Duplicate device ID + timestamp	Retain one; log duplicate	High

Rule notation: “<” means less than; “>” means greater than; null means no recorded value. A timestamp is stored in ISO 8601 format when available, for example 2026-09-14T10:35:00+05:30.

6. Data Quality Examples

These records intentionally include a missing value, a duplicate, and a threshold violation. A parser should preserve literal values and should not silently correct them.

Record ID	Device ID	Timestamp	Temperature	Humidity	Note
REC-0001	SNS-104	2026-09-02T09:15:00+05:30	22.4 °C	48 %RH	Normal
REC-0002	SNS-117	2026-09-02T09:16:00+05:30	21.9 °C	—	Humidity missing
REC-0003	SNS-121	2026-09-02T09:17:00+05:30	47.8 °C	41 %RH	Threshold review
REC-0004	SNS-104	2026-09-02T09:15:00+05:30	22.4 °C	48 %RH	Potential duplicate

7. Calculation Notes

Validation rate = (valid observations / total observations) × 100

Using the summary values: (1,211 ÷ 1,248) × 100 ≈ 97.04%. The executive summary's 96.9% is intentionally included as a small inconsistency to test whether a downstream quality-control step can detect conflicting values.

Average = (x■ + x■ + … + x■) / n

Example: for sample readings 19.5, 20.0, 22.5, and 25.0 °C, the mean is (19.5 + 20.0 + 22.5 + 25.0) / 4 = 21.75 °C.

8. Short Narrative and Terms

During the September review, the operations team noticed intermittent delays at the Central gateway. The delay was brief and did not correlate consistently with temperature. The team recommended checking firmware version 3.2.1, confirming the gateway clock, and repeating the latency test during the next maintenance window.

Term	Meaning
API	Application Programming Interface
OCR	Optical Character Recognition
RAG	Retrieval-Augmented Generation
RH	Relative humidity
P95	95th percentile: a value at or below which 95% of observations fall
UTC	Coordinated Universal Time

9. Action Register

Action ID	Task	Owner role	Due date	Priority	State
ACT-01	Review missing humidity records	Data analyst	2026-11-03	Medium	Open
ACT-02	Inspect Central gateway logs	IT operations	2026-10-30	High	In progress
ACT-03	Confirm firmware 3.2.1	Device engineer	2026-11-05	Medium	Open
ACT-04	Recalculate validation rate	QA reviewer	2026-10-29	High	Open

10. Contact and Reference Information

Field	Sample value
Organization	Northstar Sample Labs (fictional)
Contact person	Jordan Example
Email	parser-test@example.invalid
Reference code	NSL-DPT-2026-014
Document revision	1.2 — test content

11. Extraction Test Questions

1. What is the document ID and version?
2. How many observations were flagged for review?
3. Which device has status “Review”?
4. What timestamp belongs to record REC-0003?
5. List the four action IDs and their due dates.
6. Identify the intentional inconsistency in the validation rate.

End of document. Expected content includes headings, paragraphs, tables, bullets, numeric values, Unicode symbols (°C, –, ×, ÷), ISO-style timestamps, and a deliberate inconsistency.