LAPORAN

WORKSHOP DEVELOPER OPERATIONAL MINGGU: 6

SEMESTER 6

Oleh:

Mohammad Alvyn Akbar
E41232243
GOLONGAN : E

PROGRAM STUDI TEKNIK INFORMATIKA

JURUSAN TEKNOLOGI INFORMASI POLITEKNIK NEGERI JEMBER

2026

LANGKAH LANGKAH TESTING JENKINS

1. Masuk ke dalam wsl

```
alpynlibe@Pynn: /mnt/c/User
Microsoft Windows [Version 10.0.26200.7840]
(c) Microsoft Corporation. All rights reserved.

C:\Users\akbar>wsl
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.6.87.2-microsoft-standard-WSL2 x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

 System information as of Thu Mar 12 20:07:11 WIB 2026

  System load:  1.5                 Processes:             98
  Usage of /:   1.0% of 1006.85GB   Users logged in:       0
  Memory usage: 9%                  IPv4 address for eth0: 172.21.134.163
  Swap usage:   0%

 * Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
   just raised the bar for easy, resilient and secure K8s cluster deployment.

   https://ubuntu.com/engage/secure-kubernetes-at-the-edge

This message is shown once a day. To disable it please create the
/home/alpynlibe/.hushlogin file.
alpynlibe@Pynn:/mnt/c/Users/akbar$ sudo apt update
[sudo] password for alpynlibe:
Hit:1 https://download.docker.com/linux/ubuntu noble InRelease
Ign:2 https://pkg.jenkins.io/debian-stable binary/ InRelease
Get:3 https://apt.releases.hashicorp.com noble InRelease [12.9 kB]
Hit:4 https://pkg.jenkins.io/debian-stable binary/ Release
```

Lakukan instalasi java

```
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following package was automatically installed and is no longer required:
  libllvm19
Use 'sudo apt autoremove' to remove it.
The following additional packages will be installed:
  openjdk-17-jdk-headless openjdk-17-jre openjdk-17-jre-headless
Suggested packages:
  openjdk-17-demo openjdk-17-source visualvm libnss-mdns fonts-ipafont-gothic fonts-ipafont-mincho fonts-wqy-microhei
  | fonts-wqy-zenhei fonts-indic
The following NEW packages will be installed:
  openjdk-17-jdk openjdk-17-jdk-headless openjdk-17-jre openjdk-17-jre-headless
0 upgraded, 4 newly installed, 0 to remove and 118 not upgraded.
Need to get 121 MB of archives.
After this operation, 274 MB of additional disk space will be used.
Get:1 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 openjdk-17-jre-headless amd64 17.0.18+8-1~24.04.1 [48.0 MB]
Get:2 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 openjdk-17-jre amd64 17.0.18+8-1~24.04.1 [234 kB]
Get:3 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 openjdk-17-jdk-headless amd64 17.0.18+8-1~24.04.1 [71.5 MB]
Get:4 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 openjdk-17-jdk amd64 17.0.18+8-1~24.04.1 [1533 kB]
Fetched 121 MB in 55s (2208 kB/s)
Selecting previously unselected package openjdk-17-jre-headless:amd64.
(Reading database ... 52383 files and directories currently installed.)
Preparing to unpack .../openjdk-17-jre-headless_17.0.18+8-1~24.04.1_amd64.deb ...
Unpacking openjdk-17-jre-headless:amd64 (17.0.18+8-1~24.04.1) ...
Selecting previously unselected package openjdk-17-jre:amd64.
Preparing to unpack .../openjdk-17-jre_17.0.18+8-1~24.04.1_amd64.deb ...
Unpacking openjdk-17-jre:amd64 (17.0.18+8-1~24.04.1) ...
Selecting previously unselected package openjdk-17-jdk-headless:amd64.
Preparing to unpack .../openjdk-17-jdk-headless_17.0.18+8-1~24.04.1_amd64.deb ...
Unpacking openjdk-17-jdk-headless:amd64 (17.0.18+8-1~24.04.1) ...
Selecting previously unselected package openjdk-17-jdk:amd64.
Preparing to unpack .../openjdk-17-jdk_17.0.18+8-1~24.04.1_amd64.deb ...
Unpacking openjdk-17-jdk:amd64 (17.0.18+8-1~24.04.1) ...
Setting up openjdk-17-jre-headless:amd64 (17.0.18+8-1~24.04.1) ...
Processing triggers for hicolor-icon-theme (0.17-2) ...
Processing triggers for ca-certificates-java (20240118) ...
done.
Setting up openjdk-17-jdk-headless:amd64 (17.0.18+8-1~24.04.1) ...
Setting up openjdk-17-jre:amd64 (17.0.18+8-1~24.04.1) ...
Setting up openjdk-17-jdk:amd64 (17.0.18+8-1~24.04.1) ...
```

Cek apakah instalasi berhasil

```
alpynlibe@Pynn:/mnt/c/Users/akbar$ java -version
openjdk version "17.0.18" 2026-01-20
OpenJDK Runtime Environment (build 17.0.18+8-Ubuntu-124.04.1)
OpenJDK 64-Bit Server VM (build 17.0.18+8-Ubuntu-124.04.1, mixed mode, sharing)
alpynlibe@Pynn:/mnt/c/Users/akbar$
```

Jika berhasil install Jenkins maka akan langsung di arahkan ke Dashboard / Login



Setelah berhasil masuk ke Jenkins masuk kedalam pengaturan dan juga install plugins yang di perlukan.



2. Kemudian lanjut ke laravelnya yang pertama membuat folder Laravel terlebih dahulu

```
C:\Windows\System32>cd C:\Users\Devops\website

C:\Users\Devops\website>ls
laravel-ci  laravel_jenkins

C:\Users\Devops\website>
```

Kemudian run server laravelnya



Lanjutkan ke Jenkins dan konfigurasi ke git



Kemudian build dan jika berhasil maka akan sukses seperti ini.



Link git saya :

https://github.com/Alvynaja19/JenkinsTutorial.git