# LAPORAN WORKSHOP DEVELOPER OPERATIONAL

# MINGGU KE-11

**OLEH :**

**ADEL OKTAVIA RAMADANI**
**E41230252**
**GOLONGAN A**

**PROGRAM STUDI TEKNIK INFORMATIKA**

**JURUSAN TEKNOLOGI INFORMASI**

**POLITEKNIK NEGERI JEMBER**

**2026**

# HASIL DAN PEMBAHASAN

```
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO$ minikube start
--driver=docker
😄  minikube v1.38.1 on Ubuntu 22.04 (amd64)
✨  Using the docker driver based on existing profile
👍  Starting "minikube" primary control-plane node in "minikube"
 cluster
🚜  Pulling base image v0.0.50 ...
🏃  Updating the running docker "minikube" container ...
🐳  Preparing Kubernetes v1.35.1 on Docker 29.2.1 ...
🔎  Verifying Kubernetes components...
    ▪ Using image gcr.io/k8s-minikube/storage-provisioner:v5
🌟  Enabled addons: storage-provisioner, default-storageclass
🏄  Done! kubectl is now configured to use "minikube" cluster an
d "default" namespace by default
```

```
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO$ kubectl get nod
es
NAME       STATUS   ROLES           AGE    VERSION
minikube   Ready    control-plane   7m5s   v1.35.1
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO$
```




```
kubectl apply -f service.yaml
deployment.apps/web-nginx unchanged
service/web-nginx-service unchanged
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$ minikube service web-nginx-service
┌───────────┬───────────────────┬─────────────┬────────────────────┐
│ NAMESPACE │       NAME        │ TARGET PORT │        URL         │
├───────────┼───────────────────┼─────────────┼────────────────────┤
│ default   │ web-nginx-service │ 80          │ http://192.168.4
9.2:31837 │
└───────────┴───────────────────┴─────────────┴────────────────────┘
🔗  Starting tunnel for service web-nginx-service.
┌───────────┬───────────────────┬─────────────┬────────────────────┐
│ NAMESPACE │       NAME        │ TARGET PORT │        URL         │
├───────────┼───────────────────┼─────────────┼────────────────────┤
│ default   │ web-nginx-service │             │ http://127.0.0.1
:37937 │
└───────────┴───────────────────┴─────────────┴────────────────────┘
🎉  Opening service default/web-nginx-service in default browser
...
👉  http://127.0.0.1:37937
❗  Because you are using a Docker driver on linux, the terminal
needs to be open to run it.
```

```
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$ kubectl get pods -w
NAME                        READY   STATUS    RESTARTS   AGE
web-nginx-748d764f7-gkfjh   1/1     Running   0          23m
web-nginx-748d764f7-jxswb   1/1     Running   0          23m
web-nginx-748d764f7-kjqfc   1/1     Running   0          23m


^Cadeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kub
erneteskubectl scale deployment web-nginx --replicas=5=5
deployment.apps/web-nginx scaled
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$ kubectl scale deployment web-nginx --replicas=3
deployment.apps/web-nginx scaled
```

```
'Cadeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kub
ernetesminikube node adddd
😄  Adding node m02 to cluster minikube as [worker]
❗  Cluster was created without any CNI, adding a node to it mig
ht cause broken networking.
👍  Starting "minikube-m02" worker node in "minikube" cluster
🚜  Pulling base image v0.0.50 ...
🔥  Creating docker container (CPUs=2, Memory=2200MB) ...
🐳  Preparing Kubernetes v1.35.1 on Docker 29.2.1 ...
🔎  Verifying Kubernetes components...
🏄  Successfully added m02 to minikube!
```

```
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$ kubectl get nodes
NAME           STATUS     ROLES           AGE   VERSION
minikube       Ready      control-plane   53m   v1.35.1
minikube-m02   NotReady   <none>          53s   v1.35.1
```

```
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$ minikube status
minikube
type: Control Plane
host: Running
kubelet: Running
apiserver: Running
kubeconfig: Configured

minikube-m02
type: Worker
host: Running
kubelet: Running

adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$ kubectl get nodes
NAME           STATUS     ROLES           AGE     VERSION
minikube       Ready      control-plane   57m     v1.35.1
minikube-m02   NotReady   <none>          5m30s   v1.35.1
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$
```

```
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$ kubectl get pods
No resources found in default namespace.
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$ kubectl get pods -o wide
No resources found in default namespace.
```

```
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$ kubectl get svc
NAME         TYPE        CLUSTER-IP   EXTERNAL-IP   PORT(S)   AG
E
kubernetes   ClusterIP   10.96.0.1    <none>        443/TCP   63
m
```

```
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$ kubectl get all
NAME                              READY   STATUS    RESTARTS   AGE
pod/web-nginx-748d764f7-8vft4     1/1     Running   0          61s
pod/web-nginx-748d764f7-jn4dq     1/1     Running   0          61s
pod/web-nginx-748d764f7-v7sdd     1/1     Running   0          61s

NAME                 TYPE        CLUSTER-IP   EXTERNAL-IP   PORT
(S)   AGE
service/kubernetes   ClusterIP   10.96.0.1    <none>        443/
TCP   65m

NAME                        READY   UP-TO-DATE   AVAILABLE   AGE
deployment.apps/web-nginx   3/3     3            3           61s

NAME                                   DESIRED   CURRENT   READY
  AGE
replicaset.apps/web-nginx-748d764f7    3         3         3
  61s
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$ kubectl get all
NAME                              READY   STATUS    RESTARTS   AGE
pod/web-nginx-748d764f7-8vft4     1/1     Running   0          61s
pod/web-nginx-748d764f7-jn4dq     1/1     Running   0          61s
pod/web-nginx-748d764f7-v7sdd     1/1     Running   0          61s

NAME                 TYPE        CLUSTER-IP   EXTERNAL-IP   PORT
(S)   AGE
service/kubernetes   ClusterIP   10.96.0.1    <none>        443/
TCP   65m

NAME                        READY   UP-TO-DATE   AVAILABLE   AGE
deployment.apps/web-nginx   3/3     3            3           61s

NAME                                   DESIRED   CURRENT   READY
  AGE
replicaset.apps/web-nginx-748d764f7    3         3         3
  61s
```

```
adeloktavia@DESKTOP-K78K00O:/mnt/c/Users/LENOVO/kubernetes/kuber
netes$ kubectl describe pod nama-pod
kubectl describe deployment web-nginx
kubectl describe service web-nginx-service
Error from server (NotFound): pods "nama-pod" not found
Name:                   web-nginx
Namespace:              default
CreationTimestamp:      Wed, 29 Apr 2026 10:12:27 +0700
Labels:                 <none>
Annotations:            deployment.kubernetes.io/revision: 1
Selector:               app=web-nginx
Replicas:               3 desired | 3 updated | 3 total | 3 avai
lable | 0 unavailable
StrategyType:           RollingUpdate
MinReadySeconds:        0
RollingUpdateStrategy:  25% max unavailable, 25% max surge
Pod Template:
  Labels:  app=web-nginx
  Containers:
   nginx:
    Image:         nginx
    Port:          80/TCP
    Host Port:     0/TCP
    Environment:   <none>
    Mounts:        <none>
  Volumes:         <none>
  Node-Selectors:  <none>
  Tolerations:     <none>
Conditions:
  Type           Status  Reason
```