ALS Water
22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	7609358 22-60563
LOCALITY :	EM2215130-007
SITE :	Sth Policeman Point
SAMPLE :	Surface
DATE SAMPLED :	9/08/2022
DATE ANALYSED :	15/08/2022
SAMPLED BY :	Sample analysed as received

COMMENTS: + A diverse community of algal taxa were observed. Current levels may mildly influence water quality.

Sedgewick-Rafter Vol.(ml) 1.0194 **Concentration** 1 : 1 **Magnification** **Fields**	**Toxigenic (T) or Potentially toxic (P)** *	- 200x 20	- 100x 500	**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
BACILLARIOPHYCEAE						
Chaetoceros		1	0	49	200	0.00981
Nitzschia		1	0	49	400	0.01962
Pennales (small <20um)		1	0	49	251	0.01231
CHLOROPHYCEAE						
Chlorococcoids (<10um)		1740	0	85344	60	5.12066
Monoraphidium (small)		200	0	9810	16	0.15696
CRYPTOPHYCEAE						
Cryptomonads		0	2	4	320	0.00126
CYANOPHYCEAE						
Synechococcales small (iauv <20)		5560	0	272709	5.25	1.43172
DINOPHYCEAE						
Gymnodiniales		24	0	1177	2000	2.35433
Gymnodiniales (small)		24	0	1177	500	0.58858
Peridiniales		2	0	98	5000	0.49048
OTHER PHYTOPLANKTON						
Other small flagellates		320	0	15696	80	1.25564
Prasinophytes		1	0	49	100	0.00490

TOTAL BGA	**272709**	**1.43172**
TOTAL TOXIGENIC BGA	**0**	**0.00000**
TOTAL POTENTIALLY TOXIC BGA	**0**	**0.00000**
TOTAL ALGAE	**386211**	**11.44627**

ANALYST: ***Adam Deliyiannis (signatory)*** REVIEWED: ***Lauren Minett (signatory)*** DATE: **15/08/2022**
Biologist **Biologist**

METHOD NO.: MB010/MW024VCA

22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	7609358 22-60563
LOCALITY :	EM2215130-007
SITE :	Sth Policeman Point
SAMPLE :	Surface
DATE SAMPLED :	9/08/2022
DATE ANALYSED :	15/08/2022
SAMPLED BY :	Sample analysed as received

COMMENTS: + A diverse community of algal taxa were observed. Current levels may mildly influence water quality.

Sedgewick-Rafter Vol.(ml)	1.0194	**Toxigenic (T) or Potentially toxic (P)**			**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
Concentration	1 : 1						
Magnification			- 200x	- 100x			
Fields		*	20	500			

+ The comments are discretionary and are for the purpose of helping to understand WQ implications.The comments are not accredited by NATA.

The biovolume values reported are those derived from documented information, including scientific literature. These are average values and not those measured on individual samples.

A Certificate of analysis will follow, linked by the above batch number. Independent algal reports are forwarded to clients expeditiously to facilitate operational decision making.

**** P's and T's denote those cyanobacteria/blue-green algae (BGA) associated with toxin production in Australian waters. Overseas studies have shown other cyanobacteria to produce toxins. All contain lipopolysaccharides (LPS) in their cell wall and many have been found to produce β-N-methylamino-L-alanine (BMAA) and its analogues. Therefore all cyanobacteria could be considered to pose a level of risk.***

ANALYST: *Adam Deliyiannis (signatory)* REVIEWED: *Lauren Minett (signatory)* DATE: **15/08/2022**

Biologist **Biologist**

METHOD NO.: MB010/MW024VCA