ALS Water
22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	7394975 22-15545
LOCALITY :	EM2204816-003
SITE :	DS Tauwitchere
SAMPLE :	Surface
DATE SAMPLED :	16/03/2022
DATE ANALYSED :	25/03/2022
SAMPLED BY :	Sample analysed as received

COMMENTS: + A highly diverse algal community was observed. Current algal levels may mildly influence water quality.

Sedgewick-Rafter Vol.(ml) 1.0168 **Concentration** 1 : 1 **Magnification** **Fields**	**Toxigenic (T) or Potentially toxic (P)** *	- 200x 20	- 100x 500	**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
BACILLARIOPHYCEAE						
Aulacoseira		5	0	246	2860	0.70319
Centrales		316	0	15539	200	3.10779
Pennales		28	0	1377	300	0.41306
CHLOROPHYCEAE						
Botryococcus		0	40	79	98	0.00771
Chlamydomonads		1	0	49	250	0.01229
Chlorococcoids (<10um)		58	0	2852	60	0.17113
Colonial green (cells)		36	0	1770	100	0.17703
Crucigenia		112	0	5507	30	0.16522
Dictyosphaerium		32	0	1574	20	0.03147
Dimorphococcus		14	0	688	20	0.01377
Lagerheimia		1	0	49	500	0.02459
Monoraphidium (small)		30	0	1475	16	0.02360
Monoraphidium (large)		2	0	98	400	0.03934
Oocystis		28	0	1377	300	0.41306
Planctonema		97	0	4770	800	3.81589
Scenedesmus		48	0	2360	250	0.59009
Staurastrum		1	0	49	2000	0.09835
Tetraedron		1	0	49	150	0.00738
Tetrastrum		8	0	393	40	0.01574
CRYPTOPHYCEAE						
Cryptomonads		1	0	49	320	0.01574
CYANOPHYCEAE						
Aphanizomenonaceae family - straight	P	21	0	1033	67	0.06919
Cuspidothrix issatschenkoi		32	0	1574	57	0.08969

ANALYST: *Kirsten Mudie (signatory)* **Biologist**
REVIEWED: *Adam Deliyiannis (signatory)* **Biologist**
DATE: **25/03/2022**

METHOD NO.: MB010/MW024VCA

ALS Water
22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	7394975 22-15545
LOCALITY :	EM2204816-003
SITE :	DS Tauwitchere
SAMPLE :	Surface
DATE SAMPLED :	16/03/2022
DATE ANALYSED :	25/03/2022
SAMPLED BY :	Sample analysed as received

COMMENTS: + A highly diverse algal community was observed. Current algal levels may mildly influence water quality.

Sedgewick-Rafter Vol.(ml) 1.0168 **Concentration** 1 : 1 **Magnification** **Fields**	**Toxigenic (T) or Potentially toxic (P) ***	- 200x 20	- 100x 500	**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
Limnolyngbya		1710	0	84087	4.9	0.41203
Planktolyngbya		2070	0	101790	3.8	0.38680
Pseudanabaena		12	0	590	12.5	0.00738
Raphidiopsis	P	7	0	344	59	0.02031
Romeria		5	0	246	31	0.00762
Synechococcales small (iauv <20)		3180	0	156373	5.25	0.82096
EUGLENOPHYCEAE						
Euglena		2	0	98	7000	0.68843

TOTAL BGA	**346037**	**1.81398**
TOTAL TOXIGENIC BGA	**0**	**0.00000**
TOTAL POTENTIALLY TOXIC BGA	**1377**	**0.08950**
TOTAL ALGAE	**386485**	**12.34883**

+ The comments are discretionary and are for the purpose of helping to understand WQ implications.The comments are not accredited by NATA.

The biovolume values reported are those derived from documented information, including scientific literature. These are average values and not those measured on individual samples.

A Certificate of analysis will follow, linked by the above batch number. Independent algal reports are forwarded to clients expeditiously to facilitate operational decision making.

**** P's and T's denote those cyanobacteria/blue-green algae (BGA) associated with toxin production in Australian waters. Overseas studies have shown other cyanobacteria to produce toxins. All contain lipopolysaccharides (LPS) in their cell wall and many have been found to produce β-N-methylamino-L-alanine (BMAA) and its analogues. Therefore all cyanobacteria could be considered to pose a level of risk.***

ANALYST: ***Kirsten Mudie (signatory)*** **Biologist**
REVIEWED: ***Adam Deliyiannis (signatory)*** **Biologist**
DATE: **25/03/2022**

METHOD NO.: MB010/MW024VCA