CLIENT: DEPWAT   CUSTOM   Ph. 07 3643 7222E	Di. Of the 40 then I seemed to believe the leaders of	MELBOURNE 2-4 Westall Road Springvale VIC 317 MINOWRA 4/13 Geary Place North Nowra NSW 2541	1710NOWRA 4/1	3 Geary Pla	ewcasine, te North I	Ph. 02 4968 9433 E. samples newcastle@alsglobal.com 3.317 tDNOWRA 4/13 Geary Place North Nowra NSW 254	V 2541	TII. 02 of 64 bood E. Sainpies, sydray gransgrober, coll. OTOWNSVILLE 14-15 Desma Court Bohle QLD 4818	@alsglobal.com onle QLD 4818
DEPWAT  ALS Laboratory. □CLADS  please lick → Pt. D774	Ph. 07-3243 7222 E. Samples prisoane@alsgrobal.com	Ph: 03 8549 9600 E: samples.melbourne@alsglobal.coRh: 024423 2063 E: nowra@alsglobal.com	coPh: 024423.2t	163 E: nowr	@alsglot	val.com		Ph 07 4796 0600 E. townesville.environmental@alsglobal.com	nental@alsglobal.com
DEPWAT	IDGLADSTONE 46 Calemordah Drive Ciliron OLD 4680 Ph. 07 7471 5600 E. gladstone@alsglobal.com	DMUDGEE 27 Sydney Road Mudgee NSW 2850 Pr. 02 6372 6735 E: mudgee.mail@alsglobal.com	DPERTH 10 Hod Way Malaga V Ph. 08 9209 7655 E. same S. e	Hod Way 1 7655 E. sar	alaga W	600	oal.com	□WOLLONGONG 99 Kenny Street Wolkingorg NSW 2500 Ph: 02 4225 3125 E: portkembia@alsglobal.com	olongong NSW 2500 tobal.com
	TURNAROUND REQUIREMENTS:	Standard TAT (List due date):		5		À	· Œ	N LABORATORY USE ONLY (Circle) 💝	
	(Standard TAT may be longer for some tests e.g Ultra Trace Organics)	] Non Standard or urgent TAT (List due date)					: O	Custody Seal Intert?	Z F I F S
	ALS QUOTE: AD/062/20 V2		COC SEQUENCE NUMBER (Circle)	UENCE N	JMBER	(Circle		Free ice / frazen ice bricks present upon. receipt?	No. 1 Table
	ORDER NO.:	38	2 1 2	m 	4	e e	<u>~</u>	ndom Sample Temperature on Receipt	e e
PROJECT MANAGER:		0	0F: 1 2	m	4	9	_O;	ler contribition	
SAMPLER; SAMPLER MOBILE:		RELINQUISHED BY: RE	RECEIVED BY:				RELIN	RELINQUISHED BY: RECEIVED BY:	37:
COC emailed to ALS? (YES / NO) EDD FORMAT (or default):	r default):							illurica	ક
Email Reports to:	/0	ATE/TIME:	DATE/TIME:				DATE/TIME:		
Email Invoice to:									

COMMENTS/SPECIAL HANDLING/STORAGE OR DISPOSAL:

MPLE DETA SOLID (S) W	第一、SAMPLE: DEJAILS *MATRIX: SOLID:(S):WATER:(W)をA	_	CONTAINER INFORMATION	4.	ANALYS Where Met	IS REQUIRE	D including 8	SUITES (NB. Suit	Suite Codes d bottle required).	must be listed ted) or Dissolv	ANALYSIS REQUIRED including SUITES (NB. Suite Codes must be listed to attract suite price) Where Metals are required, specify Total (unfiltered bottle required) or Dissolved (field filtered bottle required).	Additional Information
DA	DATE / TIME	XIЯТАМ	TYPE & PRESERVATIVE (refer to codes below)	LATOT SABNIATNOO	Chloride, Total Alkalinity, Turbidity	SpiloS bevlossid IstoT	Resetive Silica	DOC, TOC	(A8-TN) stneintuN	Chlorophyll	esglA lstoT	Comments on likely contaminant levels, dilutions, or samples requiring specific QC analysis etc.
: 21	11/11 07:21	*	VS, GP, SV	49	×	×	×	×	×	×	×	to all
13:30	11/11 0	×	P, SP, SV	9	×	×	×	×	×	×	×	Environmental Division
13:30	11//11	3	VS, GS, A	9	×	×	×	×	×	×	×	Melbourne Work Order Bottongo
14:15	11/41	*	VS, GS,	س	×	×	×	×	×	×	×	EM2020558
15:00	11/11 0	M	P, SP, SV	တ	×	×	×	×	×	×	×	
15:50	18/11	M	P, SP, SV	9	×	*	*	×	×	×	×	
12:30	11/8/ 0	м	P, SP, SV	ဖ	×	×	×	*	×	×	×	
10:30	11/81 01	м	P, SP, SV	9	×	×	×	×	×	×	×	
00:11	11/81 0	*	VS, 9P, SV	y y	×	×	×	×	×	×	×	releptione: + 61-3-4549 9600
181	11 10:30	M	P, SP, SV	9	×	×	×	×	×	×	×	7
_									24	Received: $2 \mathscr{O}(\mathcal{L})$		Carrier:
									ÒΗ	C/note: C	Senik	4179 K
			TOTAL	09	0,	5	0,	10	) 3	analon (	neksy NA	(ALS)

Water Container Codes: P. Eupreserved Plastic; N. E. Nitric Preserved ORC. S. H. Sodium Hydroxide. Cd Preserved; S. E. Sodium Hydroxide. Plastic; A. S. E. H. S. F. Formaldehyde Preserved; A. P. F. Mirrieght Unpreserved; A. P. F. Mirrieght Unpreserved; A. S. F. Suffuric Preserved; A. V. E. W. A. Mirrieght Unpreserved; A. V. E. W. Mirrieght Unpreserved Wall Sodium Bisuphate Preserved Plastic; F. E. F. Mirrieght William Sodium Bisuphate Solitie; A. S. E. Sierlie Bottlie; A. S. E. Sierlie Bot

CISYDNEY 277-289 Woodpark Road Smithfield NSW 2164 Ph. D2 8784 8555 E. samples sydney@alsglobal.com DWOLLONGONG 99 Kenny Street Wollongong NSW 2500 Ph: 02 4225 3125 E: portkembla@alsglobal.com GTOWNSWILLE 14-15 Desma Court Bohle QLD 4818 Ph: 07 4796 0600 E: townswille anvironmental@alsglobal.com Comments on likely contaminant levels, dilutions, or samples requiring specific QC analysis etc. Additional Information で記れ Water Container Codes. P = Unpreserved Plastic. ORC = Nitric Preserved ORC; SH = Sodium Hydroxide/Cd Preserved; S = Sodium Hydroxide/Cd Preserved Plastic; AG = Amber Glass Unpreserved Plastic.
V = VOA vial HC) Preserved Vial Sodium Blsuphate Preserved; AV = Aufreight Unpreserved Vial SOG = Aufreight Unpreserved Vial SOG = Sulfuric Preserved Vial SOG = Sulfuric Preserved Plastic; F = Formaldenyde Preserved Bottles; ST = Sterile Bottles; ST = Sterile Bottles; ASS = Plastic Bag for Acid Sulphate Solls, B = Unpreserved Bag. DATE/TIME: FOR LABORATORY USE ONLY (CIR) Dang 6 160 Morella Random Sample Temperature on Receipt Custody, Saal Interc? Free Ice / frozentica bricks present u ANALYSIS REQUIRED including SUITES (NB. Suite Codes must be listed to attract suite price)
Where Metals are required, specify Total (unfitered bottle required) or Dissolved (field filtered bottle Other comment: RELINQUISHED BY: Total Algae × × × × × DATE/TIME: LDMELBOURNE 2-4 Westall Road Springvale VIC 3171DNOWRA 4/13 Geary Place North Nowra NSW 2541 Phr. 03 8549 9500 E: samples melbourne@alsglobal comth. 024423 2063 E: rowra@alsglobal com DMACKAY 78 Harbour Road Mackay QLD 4740 DNEWCASTLE 5 Rose Glun Road Warabrook NSW 2304 Ph. 07 4944 0177 E. mackay@alsglobal com Ph. 02 4988 9433E. semples newcaetle@alsglobal com \_ Сиюгориу □PERTH 10 Hod Way Malaga WA 6090 Ph. 08 9209 7655 E. samples perth@alsglobal.com × × × (Circle) Nutrients (NT-8A) COC SEQUENCE NUMBER × × × × DOC, TOC × × × × × ~ N RECEIVED BY: 16.00 DATE/TIME: -Reactive Silica × × × × ☐ Non Standard or urgent TAT (List due date): COC Ë CMUDGEE 27 Sydney Road Mudgee NSW 2850 Pn. 02 6372 6735 E. mudgee.mail@alsglobal.com sbiloS beviossiG latoT × × × × × × × Standard TAT (List due date): Turbidity Chloride, Total Alkalinity, × × × × × RELINQUISHED BY: CONTAINER INFORMATION TOTAL CONTAINERS ω 9 9 DATE/TIME: (Standard TAT may be longer for some tests e.g.. TYPE & PRESERVATIVE (refer to codes below) 48 700 GCLADSTONE 46 Callemondan Drive Clinton QLD 4680 Ph. 07 7471 5600 E. gladstone@alsglobal.com TURNAROUND REQUIREMENTS AD/052/20 V2 LIBRISBANE 32 Shand Street Stafford QLD 4053 Ph. 07 3243 7222 E: samples brisbane@alsglobal.com 856 P, SP, SV P, SP, SV P, SP, SV ƊADELAIDE U3/1 Burma Road Pooraka SA 5095 Ph; 08 8162 5130 E; adelaide@alsglobal com P, SP, SV 0405 0428 Ultra Trace Organics) ALS QUOTE: EDD FORMAT (or default): ORDER NO.: SAMPLER MOBILE: 5a.900.au **XISTAM** ≥ CONTACT PH: ≥ ₹ ₹ ₹ ₹ ≥ 3 · yor. an ≥ ₹ : DATE / TIME 7 8 8 4RK 5010 CHAIN OF CUSTODY ALS Laboratory: please tick → 0 35 Mangeruca 6:00 7:55 8:42 01:01 COMMENTS/SPECIAL HANDLING/STORAGE OR DISPOSAL: 01:8 8:10 TIKALARA ST vank. mangerala ioshna. castle @ Seagulf trank COC emailed to ALS7 ( YES / (NO) Morella Basin @ outlet regulator Toshua SAMPLEID 3.2km south of Salt Creek (land) Tilley Swamp Drain U/S Morella EGENE South Policeman Point Chuironmental Morella Creek @ gauge 1.8km west of Salt Creek OFFICE: 24-26 PROJECT MANAGER: North Jacks Point Salt Creek Outlet CLIENT: DEPWAT Email Reports to: Stony Well Snipe Point Email Invoice to: SAMPLER: PROJECT: LAB ID 7 ~ ځ Q. Ĭ J 30