

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	239339 22-48115
LOCALITY :	EM2210354-012
SITE :	Tilley Swamp Drain Watercourse
SAMPLE :	Surface
DATE SAMPLED :	2/06/2022
DATE ANALYSED :	14/06/2022
SAMPLED BY :	Sample analysed as received

COMMENTS: + Current levels are unlikely to impact water quality.

Sedgewick-Rafter Vol.(ml)	1.0272	Toxigenic (T) or Potentially toxic (P)	- 200x	- 100x	Total Cell Count (cells/mL)	Individual Algal Unit Volume (um3)	Total Biovolume (mm3/L)
Concentration	1 : 1	*	20	500			
Magnification							
Fields							

BACILLARIOPHYCEAE

Centrales	0	7	14	200	0.00273
Pennales	1	0	49	300	0.01460

CHLOROPHYCEAE

Chlorococcoids (<10um)	3	0	146	60	0.00876
------------------------	---	---	-----	----	---------

CYANOPHYCEAE

Planktolyngbya	6	0	292	3.8	0.00111
Synechococcales small (iauv <20)	9	0	438	5.25	0.00230

DINOPHYCEAE

Gymnodiniales	1	0	49	2000	0.09735
---------------	---	---	----	------	---------

OTHER PHYTOPLANKTON

Other small flagellates	1	0	49	80	0.00389
-------------------------	---	---	----	----	---------

TOTAL BGA	730	0.00341
TOTAL TOXIGENIC BGA	0	0.00000
TOTAL POTENTIALLY TOXIC BGA	0	0.00000
TOTAL ALGAE	1037	0.13075

+ The comments are discretionary and are for the purpose of helping to understand WQ implications. The comments are not accredited by NATA.

The biovolume values reported are those derived from documented information, including scientific literature. These are average values and not those measured on individual samples.

A Certificate of analysis will follow, linked by the above batch number. Independent algal reports are forwarded to clients expeditiously to facilitate operational decision making.

* P's and T's denote those cyanobacteria/blue-green algae (BGA) associated with toxin production in Australian waters. Overseas studies have shown other cyanobacteria to produce toxins. All contain lipopolysaccharides (LPS) in their cell wall and many have been found to produce β -N-methylamino-L-alanine (BMAA) and its analogues. Therefore all cyanobacteria could be considered to pose a level of risk.

ANALYST: *Adam Deliyannis (signatory)* REVIEWED: *Louise Ungemach (signatory)*
Biologist Biologist

DATE: 14/06/2022

METHOD NO.: MB010/MW024VCA

Page 1 of 1