ALS Water
22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	7241911 21-55807
LOCALITY :	EM2123012-012
SITE :	Parnka Point
SAMPLE :	Surface
DATE SAMPLED :	16/11/2021
DATE ANALYSED :	23/11/2021
SAMPLED BY :	Sample analysed as received

COMMENTS: + High levels of low biovolume BGA may mildy impair water quality.

Sedgewick-Rafter Vol.(ml) 1.05787 **Concentration** 1 : 1 **Magnification** **Fields**	**Toxigenic (T) or Potentially toxic (P) ***	- 200x 20	- 100x 500	**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
BACILLARIOPHYCEAE						
Chaetoceros		1	0	47	200	0.00945
Pennales (small <20um)		20	0	945	251	0.23727
CHLOROPHYCEAE						
Ankistrodesmoideae		160	0	7562	132	0.99823
Chlorococcoids (<10um)		370	0	17488	60	1.04928
CRYPTOPHYCEAE						
Cryptomonads		3	0	142	320	0.04537
CYANOPHYCEAE						
Synechococcales small (iauv <20)		6260	0	295878	5.25	1.55336
DINOPHYCEAE						
Gymnodiniales		1	0	47	2000	0.09453
Gymnodiniales (small)		2	0	95	500	0.04726
OTHER PHYTOPLANKTON						
Other small flagellates		40	0	1891	80	0.15125

TOTAL BGA	**295878**	**1.55336**
TOTAL TOXIGENIC BGA	**0**	**0.00000**
TOTAL POTENTIALLY TOXIC BGA	**0**	**0.00000**
TOTAL ALGAE	**324095**	**4.18601**

+ The comments are discretionary and are for the purpose of helping to understand WQ implications.The comments are not accredited by NATA.

The biovolume values reported are those derived from documented information, including scientific literature. These are average values and not those measured on individual samples.

A Certificate of analysis will follow, linked by the above batch number. Independent algal reports are forwarded to clients expeditiously to facilitate operational decision making.

**** P's and T's denote those cyanobacteria/blue-green algae (BGA) associated with toxin production in Australian waters. Overseas studies have shown other cyanobacteria to produce toxins. All contain lipopolysaccharides (LPS) in their cell wall and many have been found to produce β-N-methylamino-L-alanine (BMAA) and its analogues. Therefore all cyanobacteria could be considered to pose a level of risk.***

ANALYST: *Kirsten Mudie (signatory)* **Biologist** REVIEWED: *Adam Deliyiannis (signatory)* **Biologist** DATE: **23/11/2021**

METHOD NO.: MB010/MW024VCA