ALS Water
22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	7007886 21-25384
LOCALITY :	EM2108900_017
SITE :	Bonneys
SAMPLE :	Surface
DATE SAMPLED :	12/05/2021
DATE ANALYSED :	20/05/2021
SAMPLED BY :	Sample analysed as received

COMMENTS: + Current levels of algae are unlikely to impair water quality.

Sedgewick-Rafter Vol.(ml) 1.0011 **Concentration** 1 : 1 **Magnification** **Fields**	**Toxigenic (T) or Potentially toxic (P)** *	- 200x 20	- 100x 500	**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
BACILLARIOPHYCEAE						
Naviculales		1	0	50	1400	0.06992
Nitzschia		0	2	4	400	0.00160
Pennales (small <20um)		2	0	100	251	0.02507
CHLOROPHYCEAE						
Ankistrodesmoideae		2	0	100	132	0.01319
Chlamydomonads		14	0	699	250	0.17481
Chlorococcoids (<10um)		301	0	15033	60	0.90201
CHRYSOPHYCEAE						
Other Chrysophyceae		2	0	100	350	0.03496
CYANOPHYCEAE						
Pseudanabaena		0	28	56	12.5	0.00070
Synechococcales small (iauv <20)		36	0	1798	5.25	0.00944
DINOPHYCEAE						
Gymnodiniales (small)		1	0	50	500	0.02497
OTHER PHYTOPLANKTON						
Other small flagellates		18	0	899	80	0.07192
Prasinophytes		1	0	50	100	0.00499

TOTAL BGA	**1854**	**0.01014**
TOTAL TOXIGENIC BGA	**0**	**0.00000**
TOTAL POTENTIALLY TOXIC BGA	**0**	**0.00000**
TOTAL ALGAE	**18939**	**1.33358**

ANALYST: ***Kirsten Mudie (signatory)*** REVIEWED: ***Adam Deliyiannis*** DATE: **20/05/2021**
Biologist **Biologist**

METHOD NO.: MB010/MW024VCA

22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	7007886 21-25384
LOCALITY :	EM2108900_017
SITE :	Bonneys
SAMPLE :	Surface
DATE SAMPLED :	12/05/2021
DATE ANALYSED :	20/05/2021
SAMPLED BY :	Sample analysed as received

COMMENTS: + Current levels of algae are unlikely to impair water quality.

Sedgewick-Rafter Vol.(ml)	1.0011	**Toxigenic (T) or Potentially toxic (P)**			**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
Concentration	1 : 1						
Magnification			- 200x	- 100x			
Fields		*	20	500			

+ The comments are discretionary and are for the purpose of helping to understand WQ implications.The comments are not accredited by NATA.

The biovolume values reported are those derived from documented information, including scientific literature. These are average values and not those measured on individual samples.

A Certificate of analysis will follow, linked by the above batch number. Independent algal reports are forwarded to clients expeditiously to facilitate operational decision making.

**** P's and T's denote those cyanobacteria/blue-green algae (BGA) associated with toxin production in Australian waters. Overseas studies have shown other cyanobacteria to produce toxins. All contain lipopolysaccharides (LPS) in their cell wall and many have been found to produce β-N-methylamino-L-alanine (BMAA) and its analogues. Therefore all cyanobacteria could be considered to pose a level of risk.***

ANALYST: *Kirsten Mudie (signatory)* REVIEWED: *Adam Deliyiannis* DATE: **20/05/2021**
Biologist **Biologist**

METHOD NO.: MB010/MW024VCA